

STIC Search Report

STIC Database Tracking Number: 111906

TO: Michael Lavilla Location: REM 5E79

Art Unit : 1775 January 14, 2004

Search Notes

Case Serial Number: 09/890438

From: Kathleen Fuller Location: EIC 1700 REMSEN 4B28

Phone: 571/272-2505

Kathleen.Fuller@uspto.gov

	-
en e	
· · · · · · · · · · · · · · · · · · ·	





EIC17000

Questions about the scope or the results of the search? Contact the EIC searcher or contact:

Kathleen Fuller, EIC 1700 Team Leader 571/272-2505 REMSEN 4B28

Voluntary Results Feedback Form
 ➤ I am an examiner in Workgroup:
 Non-Patent Literature (journal articles, conference proceedings, new product announcements etc.)
> Relevant prior art not found:
Results verified the lack of relevant prior art (helped determine patentability).
Results were not useful in determining patentability or understanding the invention.
Comments:



Drop off or send completed forms to EIC1700 REMSEN 4B28

LAVILLA 09/890438 1/14/04 Page 1

=> FILE REG

FILE 'REGISTRY' ENTERED AT 11:42:53 ON 14 JAN 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 12 JAN 2004 HIGHEST RN 636984-67-3 DICTIONARY FILE UPDATES: 12 JAN 2004 HIGHEST RN 636984-67-3

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2003

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

=> FILE HCAPLUS


FILE 'HCAPLUS' ENTERED AT 11:42:57 ON 14 JAN 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 14 Jan 2004 VOL 140 ISS 3 FILE LAST UPDATED: 13 Jan 2004 (20040113/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> D QUE L34 L20 STR structure 1



NODE ATTRIBUTES:


AT 11 NSPEC IS R DEFAULT MLEVEL IS ATOM DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 11

STEREO ATTRIBUTES: NONE STR 2



3,302 shudures
from the query

NODE ATTRIBUTES:

NSPEC IS RC ATIS RC NSPEC ΑT 3 IS RC NSPEC ATIS RC ΑT NSPEC DEFAULT MLEVEL IS ATOM DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 5

STEREO ATTRIBUTES: NONE

SCR 1966 OR 1984 OR 1975 L25 SCR 1921 AND 1965 L26 SCR 1931 AND 1965 L27 SCR 1964 AND 2001 3302 SEA FILE=REGISTRY SSS FUL L20 AND L22 AND (L24 OR L25 OR L26 L29 OR L27) L30 1647 SEA FILE=HCAPLUS ABB=ON L29 136 SEA FILE=HCAPLUS ABB=ON L30(L)CAT/RL(L)POLYMERI? L33 26 SEA FILE=HCAPLUS ABB=ON L33 AND CRYSTAL? L34

26 CA references with utility

```
=> D L34 ALL 1-26 HITSTR
    ANSWER 1 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN
     2003:331258 HCAPLUS
AN
DN
     139:53111
    Entered STN: 01 May 2003
ED
     C-H Activation of the Trimethylsilyl-Substituted Cyclopentadienyl Ligand
ΤI
     in the "Cation-like" Complex [Cp'''2ZrMe] [MeB(C6F5)3] (Cp''' =
     \eta_{5-C5H2-1,2,4-(SiMe3)3)}
     Choukroun, Robert; Wolff, Fabien; Lorber, Christian; Donnadieu, Bruno
ΑU
     Laboratoire de Chimie de Coordination, CNRS UPR 8241, Toulouse, 31077, Fr.
CS
     Organometallics (2003), 22(11), 2245-2248
SO
     CODEN: ORGND7; ISSN: 0276-7333
PB
     American Chemical Society
DΤ
     Journal
LΑ
     English
     29-10 (Organometallic and Organometalloidal Compounds)
CC
     Section cross-reference(s): 35, 75
     CASREACT 139:53111
OS
     The substituted cyclopentadienyl Zr complex [Cp'''2ZrMe2] (1; Cp''' =
AB
     \eta5-C5H2-1,2,4-(SiMe3)3) reacts with tris(perfluorophenyl)borane,
     B(C6F5)3, in pentane to give the two species [Cp'''2ZrMe][MeB(C6F5)3] (2)
     and [Cp'''(\eta_5-C5H2-2,4-(SiMe3)2-1-\eta_1-SiMe2CH2)Zr][MeB(C6F5)3] (3).
     Complex 3 was characterized by an x-ray structure determination, showing the
C-H
     activation of a SiMe3 group attached to the cyclopentadienyl ligand.
     Complexes 2 and 3 could be described, resp., as the active and inactive
     species which both arise from 1 and B(C6F5)3 in the cationic polymerization of
     ethylene.
     zirconocene silyl substituted carbon hydrogen activation borane
ST
     perfluorophenyl; crystal structure zirconocene silyl methylene
     bridged prepn; mol structure zirconocene silyl methylene bridged
ΙT
     Bond
        (carbon-hydrogen, activation; C-H activation of trimethylsilyl-
        substituted cyclopentadienyl ligand in silyl ring-substituted
        zirconocene derivative)
     Polymerization catalysts
IT
        (cationic, deactivation by cyclopentadienyl ligand degradation; C-H
        activation of trimethylsilyl-substituted cyclopentadienyl ligand in
        silyl ring-substituted zirconocene derivative)
IT
     Crystal structure
     Molecular structure
        (of methylene-bridged zirconocene complex having silyl ring
        substituents)
ΙT
     172296-04-7
     RL: CAT (Catalyst use); RCT (Reactant); RACT (Reactant or reagent); USES
        (C-H activation of trimethylsilyl-substituted cyclopentadienyl ligand
        in silyl ring-substituted zirconocene polymerization catalyst)
IT
     545446-19-3P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (C-H activation of trimethylsilyl-substituted cyclopentadienyl ligand
        in silv1 ring-substituted zirconocene polymerization catalyst)
                                   1109-15-5, Tris(perfluorophenyl)borane
IT
     74-85-1, Ethylene, reactions
     RL: RCT (Reactant); RACT (Reactant or reagent)
```

(C-H activation of trimethylsilyl-substituted cyclopentadienyl ligand

```
in silyl ring-substituted zirconocene polymerization catalyst)
IT
     9002-88-4P, Polyethylene
     RL: SPN (Synthetic preparation); PREP (Preparation)
        (C-H activation of trimethylsilyl-substituted cyclopentadienyl ligand
        in silyl ring-substituted zirconocene polymerization catalyst)
IT
     545446-20-6P
     RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
        (crystal structure, failed as polymerization catalyst; C-H
        activation of trimethylsilyl-substituted cyclopentadienyl ligand in
        silyl ring-substituted zirconocene polymerization catalyst)
RE.CNT
              THERE ARE 34 CITED REFERENCES AVAILABLE FOR THIS RECORD
(1) Altomare, A; J Appl Crystallogr 1994, V27, P435
(2) Bertuleit, A; Organometallics 1997, V16, P2891 HCAPLUS
(3) Bochmann, M; J Chem Soc, Dalton Trans 1996, P225
(4) Bochmann, M; Organometallics 1994, V13, P2235 HCAPLUS
(5) Bouwkamp, M; J Am Chem Soc 2002, V124, P12956 HCAPLUS
(6) Britovsek, G; Angew Chem, Int Ed 1999, V38, P428 HCAPLUS
(7) Brookhart, M; Prog Inorg Chem 1988, V36, P1 HCAPLUS
(8) Burlakov, V; Chem Commun 2000, P241 HCAPLUS
(9) Chen, E; Chem Rev 2000, V100, P1391 HCAPLUS
(10) Choukroun, R; J Chem Soc, Chem Commun 1995, P2017 HCAPLUS
(11) Choukroun, R; Trends Organomet Chem 1994, V1, P365
(12) Choukroun, R; Unpublished results
(13) Crabtree, R; Adv Organomet Chem 1988, V28, P299 HCAPLUS
(14) Erker, G; J Chem Soc, Chem Commun 1986, P372 HCAPLUS
(15) Farrugia, L; J Appl Crystallogr 1997, V30, P565 HCAPLUS
(16) Farrugia, L; J Appl Crystallogr 1999, V32, P837
(17) Gillis, D; J Am Chem Soc 1993, V115, P2543 HCAPLUS
(18) Green, M; Chem Commun 1999, P115 HCAPLUS
(19) Horacek, M; Organometallics 1997, V16, P4185 HCAPLUS
(20) Horacek, M; Organometallics 2003, V22, P861 HCAPLUS
(21) Horton, A; Organometallics 1992, V11, P3271 HCAPLUS
(22) Horton, A; Organometallics 1996, V15, P2672 HCAPLUS
(23) Ibers, J; International Tables for X-ray Crystallography 1974, VIV
(24) Langmaier, J; J Organomet Chem 1999, V584, P323 HCAPLUS
(25) Larsonneur, A; Organometallics 1993, V12, P3216 HCAPLUS
(26) Lauher, J; J Am Chem Soc 1976, V98, P1729 HCAPLUS
(27) Massey, A; J Organomet Chem 1966, V5, P218 HCAPLUS
(28) Samuel, E; Inorg Chem 1983, V22, P2967 HCAPLUS
(29) Sheldrick, G; SHELX97: Programs for Crystal Structure Analysis 1998
(30) Troyanov, S; J Organomet Chem 1993, V461, P85 HCAPLUS
(31) Walker, N; Acta Crystallogr, Sect A 1983, V39, P158
(32) Yang, X; J Am Chem Soc 1991, V113, P3623 HCAPLUS (33) Yang, X; J Am Chem Soc 1994, V116, P10015 HCAPLUS
(34) Zachmanoglou, C; J Am Chem Soc 2002, V124, P9525 HCAPLUS
     545446-19-3P
ΙT
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (C-H activation of trimethylsilyl-substituted cyclopentadienyl ligand
        in silyl ring-substituted zirconocene polymerization catalyst)
RN
     545446-19-3 HCAPLUS
     Zirconium, µ-methylmethyl[tris(pentafluorophenyl)boron]bis[(1,2,3,4,5-
CN
     η)-1,2,4-tris(trimethylsilyl)-2,4-cyclopentadien-1-yl]- (9CI) (CA
     INDEX NAME)
```

PAGE 1-A

PAGE 2-A

L34 ANSWER 2 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2003:16277 HCAPLUS

DN 138:221668

ED Entered STN: 09 Jan 2003

TI Ferrocene-Based Olefin Polymerization Catalysts: Activation, Structure, and Intermediates

AU Shafir, Alexandr; Arnold, John

CS Department of Chemistry, University of California, Berkeley, CA, 94720-1460, USA

SO Organometallics (2003), 22(3), 567-575 CODEN: ORGND7; ISSN: 0276-7333

PB American Chemical Society

DT Journal

LA English

CC 29-12 (Organometallic and Organometalloidal Compounds) Section cross-reference(s): 22, 35, 75

OS CASREACT 138:221668

AB This paper describes abstraction of a benzyl group from the Zr dibenzyl complex 1,1'-Fc(NSiMe3)2ZrBn2 (1) using B(C6F5)3 and [Ph3C][B(C6F5)4] (TB). In both cases, clean formation of the corresponding cationic monobenzyl species LZrBn+ (L = 1,1'-Fc(NSiMe3)22-) was observed by NMR spectroscopy. In the case of [LZrBn][BnB(C6F5)3] (2), an x-ray

LAVILLA 09/890438 1/14/04 Page 6 crystal structure determination confirmed an $\eta\delta$ coordination of the borate benzyl group to the cationic Zr center. Reaction of this complex with 1 equiv of C2H2 or RCCR (R = Me, Ph) proceeded with rapid single insertion of the olefin or acetylene into the 2r-carbon σ -bond. With ethylene or 2-butyne further insertions occur more slowly and longer chains were obtained upon addition of more monomer. Activation of 1 with TB leads to an active ethylene polymerization catalyst, producing 102 g of PE mmol-1atm-1 h-1. Compound 2 reacted with CH2Cl2 to form the dimeric [LZrCl2]2, which was characterized crystallog. ferrocene zirconium silylamide complex prepn olefin polymn catalyst; crystal mol structure ferrocene zirconium silylamide benzylborato complex prepn; zirconium ferrocene silylamide chloro bridged prepn crystal mol structure; fluxional rearrangement ferrocene zirconium silylamide benzyl complex prepn TТ Crystal structure Molecular structure (of ferrocene zirconium silylamide complexes) ΙT Polymerization Polymerization catalysts (preparation of ferrocene zirconium silylamide complexes as olefin polymerization catalysts) TΤ Alkenes, reactions RL: RCT (Reactant); RACT (Reactant or reagent) (preparation of ferrocene zirconium silylamide complexes as olefin polymerization catalysts) 500772-22-5P IT 500772-21-4P RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (crystal structure; preparation of ferrocene zirconium silylamide complexes as olefin polymerization catalysts) IT 500772-11-2P RL: CAT (Catalyst use); CPS (Chemical process); PEP (Physical, engineering or chemical process); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); PROC (Process); RACT (Reactant or

reagent); USES (Uses)

(fluxional rearrangement; preparation of ferrocene zirconium silylamide complexes as olefin polymerization catalysts)

ΙT 500772-19-0P

RL: CPS (Chemical process); PEP (Physical, engineering or chemical process); SPN (Synthetic preparation); PREP (Preparation); PROC (Process) (fluxional rearrangement; preparation of ferrocene zirconium silylamide complexes as olefin polymerization catalysts)

2294-94-2P IT

RL: BYP (Byproduct); PREP (Preparation)

(preparation of ferrocene zirconium silylamide complexes as olefin polymerization

catalysts)

74-85-1, Ethylene, reactions 501-65-5, Diphenylacetylene 1109-15-5 2789-88-0, Di-p-tolylacetylene Benzylmagnesium chloride" 136040-19-2 337456-29-8 RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of ferrocene zirconium silylamide complexes as olefin polymerization

catalysts)

500772-09-8P 500772-14-5P 212394-79-1P 500772-18-9P RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of ferrocene zirconium silylamide complexes as olefin polymerization

catalysts)

9002-88-4P, Polyethylene 500772-12-3P 500772-16-7P 500772-20-3P IT RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation of ferrocene zirconium silylamide complexes as olefin polymerization

catalysts)

THERE ARE 38 CITED REFERENCES AVAILABLE FOR THIS RECORD 38 RE.CNT RE

- (1) Aoyagi, K; Organometallics 1996, V15, P923
- (2) Baumann, R; J Am Chem Soc 1997, V119, P3830 HCAPLUS
- (3) Baumann, R; J Am Chem Soc 1999, V121, P7822 HCAPLUS
- (4) Burger, B; J Am Chem Soc 1990, V112, P1566 HCAPLUS
- (5) Cloke, F; J Organomet Chem 1996, V506, P343 HCAPLUS
- (6) Daniele, S; J Chem Soc, Dalton Trans 2001, P13 HCAPLUS
- (7) Farrugia, L; J Appl Crystallogr 1997, V30, P565 HCAPLUS
- (8) Felten, J; J Organomet Chem 1972, V36, P87 HCAPLUS
- (9) Gauvin, R; Organometallics 2000, V19, P2944 HCAPLUS
- (10) Gibson, V; J Chem Soc, Dalton Trans 2001, P1162 HCAPLUS
- (11) Gomez, R; J Chem Soc, Dalton Trans 1996, P939 HCAPLUS
- (12) Horton, A; Chem Commun 1996, P1375 HCAPLUS
- (13) Horton, A; Organometallics 1996, V15, P2672 HCAPLUS (14) Horton, A; Organometallics 1997, V16, P5424 HCAPLUS
- (15) Lambert, J; Organometallics 1994, V13(3), P2430
- (16) Lee, C; Organometallics 1998, V17(7), P3648
- (17) Lee, C; Organometallics 2000, V19, P344 HCAPLUS
- (18) Liang, L; J Am Chem Soc 1999, V121, P5797 HCAPLUS
- (19) Liang, L; Organometallics 2000, V19, P2526 HCAPLUS
- (20) Massey, A; J Organomet Chem 1964, V2, P245 HCAPLUS
- (21) Molecular Structure Corp; TeXsan: Crystal Structure Analysis Software Package 1992
- (22) Pellecchia, C; J Am Chem Soc 1993, V115, P1160 HCAPLUS
- (23) Pellecchia, C; J Organomet Chem 1994, V479, PC9 HCAPLUS
- (24) Pellecchia, C; Organometallics 1993, V12, P4473 HCAPLUS
- (25) Scollard, J; J Am Chem Soc 1996, V118, P10008 HCAPLUS
- (26) Scollard, J; J Mol Catal A: Chem 1998, V128, P201 HCAPLUS
- (27) Shafir, A; Inorg Chim Acta, in press
- (28) Shafir, A; J Am Chem Soc 2001, V123, P9212 HCAPLUS
- (29) Shafir, A; Organometallics 2001, V20, P1365 HCAPLUS
- (30) Siemeling, U; Eur J Inorg Chem 2001, V913
- (31) Siemens Industrial Automation; SADABS: Siemens Area Detector ABSorption Correction Program 1996
- (32) Siemens Industrial Automation; SAINT: SAX Area Detector Integration Program, V4.024 1995
- (33) Siemens Industrial Automation; SMART: Area-Detector Software Package 1995
- (34) Siemens Industrial Automation; XPREP: Part of SHELXTL Crystal Structure Determination Package, V5.03 1995
- (35) Thorn, M; J Organomet Chem 1999, V591, P148 HCAPLUS
- (36) Togni, A; Ferrocenes 1995
- (37) Yue, N; Organometallics 2001, V20, P2303 HCAPLUS
- (38) Zucchini, U; J Organomet Chem 1971, V26, P357 HCAPLUS
- TT 500772-11-2P

RL: CAT (Catalyst use); CPS (Chemical process); PEP (Physical, engineering or chemical process); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); PROC (Process); RACT (Reactant or reagent); USES (Uses)

(fluxional rearrangement; preparation of ferrocene zirconium silylamide complexes as olefin polymerization catalysts)

RN 500772-11-2 HCAPLUS

CN Zirconium(1+), [1,1'-bis[(trimethylsilyl)amino-kN]ferrocenato(2-)](phenylmethyl)-, tetrakis(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 500772-10-1

CMF C23 H33 Fe N2 Si2 Zr

CCI CCS

HC H C SiMe3

HC
$$C = C$$
 $C = C$
 $C = C$
 $C = N$
 $C = N$
 $C = N$
 $C = N$

SiMe3

CM 2

CRN 47855-94-7 CMF C24 B F20

CCI CCS

- L34 ANSWER 3 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN
- AN 2002:841308 HCAPLUS
- DN 138:73599
- ED Entered STN: 06 Nov 2002
- TI Branching Formation in the Ethylene Polymerization with Meso Ansa Metallocene-Based Catalysts
- AU Melillo, Gianluca; Izzo, Lorella; Zinna, Marianna; Tedesco, Consiglia; Oliva, Leone
- CS Dipartimento di Chimica, Universita di Salerno, Baronissi, I-84081, Italy
- SO Macromolecules (2002), 35(25), 9256-9261 CODEN: MAMOBX; ISSN: 0024-9297
- PB American Chemical Society
- DT Journal
- LA English
- CC 35-3 (Chemistry of Synthetic High Polymers) Section cross-reference(s): 29, 67, 75
- AB An investigation of the ethylene polymerization with meso ansa metallocenes of group 4 allows clarifying some aspects of the branching formation observed in the polyethylene produced with these catalysts. The meso structure of the zirconocene precursor is more effective in promoting the chain growing isomerization when indenyl ligands bear no substituents. But the same coordinating neighborhood when surrounding the Ti(IV) or Hf(IV) ion gives rise to complexes not effective in the ethyl-branched polyethylene synthesis. On the other hand, several activators in combination with meso-ethylenebis(1-indenyl)Zr(CH3)2 produce catalysts able to polymerize ethylene to ethyl-branched polyethylene. No difference has been detected in the amount of branches with respect to that observed with MAO-activated meso-ethylenebis(1-indenyl)ZrCl2.
- ST meso ansa metallocene catalyst branching formation ethylene polymn; polyethylene chain branching metallocene catalyst effect
- IT Aluminoxanes
 - RL: CAT (Catalyst use); USES (Uses)
 - (Me, cocatalyst, nonmodified and modified; branching formation in ethylene polymerization with meso ansa metallocene-based catalysts)
- IT Polymerization
 - (branching formation in ethylene polymerization with meso ansa metallocene-based catalysts)
- IT Polymer chains
 - (branching; branching formation in ethylene polymerization with meso ansa metallocene-based catalysts)
- IT Solvent effect
 - (on branching formation in ethylene polymerization with meso ansa metallocene-based catalysts)
- IT Crystal structure
 - (preparation and **crystal** structure of meso ansa metallocene-based catalysts and branching formation in ethylene polymerization in presence of these catalysts)
- IT Metallocenes
 - RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)
 - (preparation and **crystal** structure of meso ansa metallocene-based catalysts and branching formation in ethylene polymerization in presence of these catalysts)
- IT Polymerization catalysts
 - (preparation of meso ansa metallocene-based catalysts and branching formation in ethylene polymerization in presence of these catalysts)


```
367522-39-2
     83417-92-9
                148799-45-5
                                159572-55-1
                                              167254-68-4
IT
     RL: CAT (Catalyst use); USES (Uses)
        (branching formation in ethylene polymerization with meso ansa
       metallocene-based catalysts)
     9002-88-4P, Polyethylene
IT
     RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
        (branching formation in ethylene polymerization with meso ansa
       metallocene-based catalysts)
IT
     1109-15-5, Tris(pentafluorophenyl)boron
     RL: CAT (Catalyst use); RCT (Reactant); RACT (Reactant or reagent); USES
        (cocatalyst and reactant in catalyst preparation; preparation of meso ansa
       metallocene-based catalysts and branching formation in ethylene
        in presence of these catalysts)
     136040-19-2, Triphenylcarbonium tetrakis(pentafluorophenyl)borate
     167172-28-3
     RL: CAT (Catalyst use); USES (Uses)
        (cocatalyst; branching formation in ethylene polymerization with meso ansa
       metallocene-based catalysts)
     134876-98-5P
IΤ
     RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic preparation);
     PREP (Preparation); USES (Uses)
        (preparation and crystal structure of meso ansa metallocene-based
        catalysts and branching formation in ethylene polymerization in presence of
        these catalysts)
                                 192776-79-7P
IT
     162429-20-1P 169103-22-4P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (preparation of meso ansa metallocene-based catalysts and branching
        formation in ethylene polymerization in presence of these catalysts)
ΙT
     917-54-4, Methyllithium
                              10026-11-6, Zirconium tetrachloride
     13499-05-3, Hafnium tetrachloride
                                         217494-94-5
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (reactant in catalyst preparation; preparation of meso ansa
metallocene-based
        catalysts and branching formation in ethylene polymerization in presence of
        these catalysts)
             THERE ARE 27 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT 27
(1) Alt, G; J Organomet Chem 1998, V568, P87
(2) Beck, S; J Am Chem Soc 2001, V123, P1483 HCAPLUS
(3) Beck, S; J Mol Catal A: Chem 1996, V111, P67 HCAPLUS
(4) Bochmann, M; J Organomet Chem 1995, V497, P55 HCAPLUS
(5) Cavallo, L; Macromolecules 1996, V29, P2729 HCAPLUS
(6) Chen, M; J Am Chem Soc 2001, V123, P11803 HCAPLUS
(7) Fan, W; Macromolecules 2001, V34, P8619 HCAPLUS
(8) Farrugia, L; J Appl Crystallogr 1997, V30, P565 HCAPLUS
(9) Guerra, G; Macromolecules 1996, V29, P4834 HCAPLUS
(10) Herfert, N; Makromol Chem 1992, V193, P773 HCAPLUS
(11) Izzo, L; Macromolecules 1999, V32, P6913 HCAPLUS
(12) Izzo, L; Macromolecules 2000, V34, P2
(13) Li, J; Organometallics 1997, V16, P842
(14) Massey, A; J Organomet Chem 1964, V2, P245 HCAPLUS
(15) Nifant'Ev, I; Organometallics 1997, V16, P713 HCAPLUS
(16) Piemontesi, F; Organometallics 1995, V14, P1256 HCAPLUS
(17) Resconi, L; US 6051728 HCAPLUS
```

(18) Resconi, L; Organometallics 1996, V15, P998 HCAPLUS


LAVILLA 09/890438 1/14/04 Page 11

(19) Sheldrick, G; SHELX97, A program for refining crystal structures 1997 (20) Stehling, U; Macromolecules 1998, V31, P2019 HCAPLUS (21) Stehling, U; Organometallics 1994, V13, P964 HCAPLUS (22) Wild, F; J Organomet Chem 1982, V232, P233 HCAPLUS (23) Yang, Q; Synlett 1996, P147 HCAPLUS (24) Yang, X; J Am Chem Soc 1994, V116, P10015 HCAPLUS (25) Yuan, Y; Eur Polym J 2000, V36, P851 (26) Yuan, Y; Polym Int 2000, V49, P1289 HCAPLUS (27) Zhou, J; J Am Chem Soc 2001, V123, P223 HCAPLUS ΙT 169103-22-4P RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses) (preparation of meso ansa metallocene-based catalysts and branching formation in ethylene polymerization in presence of these catalysts) RN 169103-22-4 HCAPLUS Zirconium(1+), [rel-(7aR,7'aS)-1,2-ethanediylbis[(1,2,3,3a,7a- η)-1H-CNinden-1-ylidene]]methyl-, (T-4)-methyltris(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME) CM 1 CRN 169103-21-3 CMF C21 H19 Zr CCI CCS

PAGE 1-A



PAGE 1-B



CM 2

CRN 133445-48-4 CMF C19 H3 B F15 CCI CCS

L34 ANSWER 4 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2002:834152 HCAPLUS

DN 138:187868

ED Entered STN: 03 Nov 2002

TI The reaction of (butadiene)zirconocene with imines

AU Holtke, Carsten; Erker, Gerhard; Kehr, Gerald; Frohlich, Roland; Kataeva, Olga

CS Organisch-Chemisches Institut der Universitat Munster, Munster, 48149, Germany

```
European Journal of Inorganic Chemistry (2002), (11), 2789-2799
SO
     CODEN: EJICFO; ISSN: 1434-1948
PB
     Wiley-VCH Verlag GmbH & Co. KGaA
DT
     Journal
LA
     English
CC
     29-10 (Organometallic and Organometalloidal Compounds)
     Section cross-reference(s): 35, 75
     CASREACT 138:187868
os
     (Butadiene)zirconocene (s-trans-/s-cis-l equilibrium mixture) reacts with the
AB
     imine MeN=CHPh (7a) to form the 1:1 carbon-coupling product
     [\kappa N-RN-CHPh-CH2-\eta 3-(CHCH:CH2)] ZrCp2 (8a, R = Me). The x-ray
     crystal structure anal. of 8a revealed a metallacyclic structure
     featuring a distorted \pi-allyl moiety and a planar-tricoordinate
     nitrogen atom. Only one of the two possible diastereoisomers is found in
     the crystal (cis-8a) as well as in solution Treatment of 1 with
     the more bulky aldimine PhCH2N=CHPh (7b) selectively gave the
     corresponding 1:1 addition product trans-8b (R = PhCH2). Ketimines
     PhCH2N=C(CH2)4 (7c), HN=CPh2 (7d), or \Delta1-2-methylpyrroline (7e) also
     reacted selectively with (butadiene) zirconocene to yield the analogous
     metallacyclic C-C coupling products [κN-RN-CR1R2-CH2-(η3-
     CHCH:CH2)]ZrCp2 (8c, R = PhCH2, R1-R2 = (CH2)4; 8d, R = H, R1 = R2 = Ph;
     8e, R-R1 = (CH2)3, R2 = Me). Treatment of 8e with B(C6F5)3 proceeded
     cleanly by abstraction of a hydride anion from the carbon atom \alpha to
     the nitrogen atom to form the intramolecularly coordinated imine product
     [Cp2Zr[4-[2-methyl-(\kappa N-3,4-dihydro-2H-pyrrol-2-yl)]-(1,2,3-\eta)-2-
     butenyl]] 10 {isolated as [HB(C6F5)3-] salt 10a}. Similarly, Ph3C+
     abstrs. a hydride ion from 8e to yield 10 {isolated as [B(C6H5)4-] salt
     10b). Proton addition from HNR3+ reagents takes place selectively at the
     Zr-amido nitrogen atom of the complexes 8a or 8d to yield the substituted
     (\pi-\text{allyl}) zirconocene cation complexes [Cp2Zr[(1,2,3-\eta)-CH2CH:CH-
     CH2CR1R2NHR3-\kappa N) (11, R1 = H, R2 = Ph, R3 = Me; 12, R1 = R2 = Ph,
     R3 = H), resp., isolated as BPh4- (a) or B(C6F5)3- (b) salts. The
     cationic complexes 10, 11, and 12 polymerize ethene at room temperature/2 bar
of
     ethene with moderate catalytic activities.
     zirconocene butadiene addn imine coupling amido allyl complex prepn;
ST
     aldimine ketimine pyrroline oxazole addn zirconocene butadiene; hydride
     abstraction amido allyl zirconocene pyrrolinylallyl cation prepn;
     protonation amido allyl zirconocene aminoallyl cation complex prepn;
     ethylene polymn zirconocene aminoallyl cation complex prepn;
     crystal structure zirconocene amido allyl complex; mol structure
     zirconocene amido allyl complex
IT
     Coupling reaction
        (addition of imines to zirconocene-butadiene complex to give
        amido-\pi-allyl metallacyclic zirconocene derivs.)
IT
     Imines
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (addition of imines to zirconocene-butadiene complex to give
        amido-\pi-allyl metallacyclic zirconocene derivs.)
IT
     Functional groups
        (allyl group, zirconocene complexes; preparation of zirconocene
        amido-\pi-allyl metallacyclic complexes and their protonation and
        hydride abstraction reactions and catalytic properties)
IT
     Amines, preparation
     RL: CAT (Catalyst use); RCT (Reactant); SPN (Synthetic preparation); PREP
     (Preparation); RACT (Reactant or reagent); USES (Uses)
        (amido complexes, protonation, hydride abstraction, ethylene polymerization;
```

preparation of zirconocene amido- π -allyl metallacyclic complexes and

their protonation and hydride abstraction reactions and catalytic properties)

IT Polymerization catalysts

(coordination; preparation of zirconocene amido- π -allyl metallacyclic complexes and their catalytic activity in ethylene polymerization)

IT Crystal structure

Molecular structure

(of zirconocene amido- π -allyl complexes prepared by imines addition and coupling with zirconocene-butadiene complex)

IT Abstraction reaction

(preparation of zirconocene amido- π -allyl metallacyclic complexes and their protonation and hydride abstraction reactions and catalytic properties)

IT Metallacycles

RL: CAT (Catalyst use); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(protonation, hydride abstraction, ethylene polymerization; addition of imines to

zirconocene-butadiene complex to give amido- π -allyl metallacyclic zirconocene derivs.)

IT 100-99-2, Triisobutylaluminum, uses

RL: CAT (Catalyst use); USES (Uses)

(co-catalyst; preparation of zirconocene amido- π -allyl metallacyclic complexes and their catalytic activity in ethylene polymerization)

IT 622-29-7 780-25-6 872-32-2 1013-88-3, Benzophenone imine 1120-64-5 15814-19-4

RL: RCT (Reactant); RACT (Reactant or reagent)

(complexation, coupling; preparation of zirconocene amido- π -allyl metallacyclic complexes and their protonation and hydride abstraction reactions and catalytic properties)

IT 499212-26-9P

RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(crystal structure, protonation; preparation of zirconocene amido- π -allyl metallacyclic complexes and their protonation and hydride abstraction reactions and catalytic properties)

IT 499212-28-1P 499212-30-5P 499212-37-2P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (crystal structure; preparation of zirconocene amido- π -allyl metallacyclic complexes and their protonation and hydride abstraction reactions and catalytic properties)

IT 499212-40-7P 499212-49-6P 499212-54-3P

RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)

(ethylene polymerization; preparation of zirconocene amido- π -allyl metallacyclic complexes and their protonation and hydride abstraction reactions and catalytic properties)

IT 1109-15-5, Tris (pentafluorophenyl) borane 117802-41-2, Trityl tetraphenylborate

RL: RCT (Reactant); RACT (Reactant or reagent)

(hydride abstraction; preparation of zirconocene amido- π -allyl metallacyclic complexes and their protonation and hydride abstraction reactions and catalytic properties)

IT 499212-35-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(hydride abstraction; preparation of zirconocene amido- π -allyl metallacyclic complexes and their protonation and hydride abstraction

reactions and catalytic properties)

IT 75374-50-4

RL: RCT (Reactant); RACT (Reactant or reagent) (imine addition, coupling; preparation of zirconocene amido- π -allyl metallacyclic complexes and their protonation and hydride abstraction reactions and catalytic properties)

IT 74-85-1, Ethene, reactions

RL: RCT (Reactant); RACT (Reactant or reagent) (polymerization; preparation of zirconocene amido- π -allyl metallacyclic complexes and their catalytic activity in ethylene polymerization)

IT 9002-88-4P, Polyethylene

RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of zirconocene amido- π -allyl metallacyclic complexes and their catalytic activity in ethylene polymerization)

IT 499212-43-0P 499212-47-4P 499212-52-1P

RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of zirconocene amido- π -allyl metallacyclic complexes and their protonation and hydride abstraction reactions and catalytic properties)

IT 64167-39-1 118612-00-3

RL: RCT (Reactant); RACT (Reactant or reagent) (protonation; preparation of zirconocene amido- π -allyl metallacyclic complexes and their protonation and hydride abstraction reactions and catalytic properties)

IT 499212-32-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(protonation; preparation of zirconocene amido- π -allyl metallacyclic complexes and their protonation and hydride abstraction reactions and catalytic properties)


RE.CNT 109 THERE ARE 109 CITED REFERENCES AVAILABLE FOR THIS RECORD RE

- (1) Allen, F; J Chem Soc, Perkin Trans 2 1987, PS1 HCAPLUS
- (2) Alt, H; J Organomet Chem 1999, V572, P21 HCAPLUS
- (3) Arndt, P; Chem Ber 1996, V129, P207 HCAPLUS
- (4) Aulbach, M; Chem Unserer Zeit 1994, V28, P197
- (5) Bartlett, P; J Am Chem Soc 1944, V66, P1531 HCAPLUS
- (6) Beckhaus, R; J Organomet Chem 1986, V317, P23 HCAPLUS
- (7) Berger, S; NMR-Spektroskopie von Nichtmetallen 1992, V2
- (8) Berlekamp, M; Chem Ber 1993, V126, P2119 HCAPLUS
- (9) Berlekamp, M; Z Naturforsch 1996, V51, P1649 HCAPLUS
- (10) Bochmann, M; Angew Chem 1990, V102, P830 HCAPLUS
- (11) Bochmann, M; Angew Chem Int Ed Engl 1990, V29, P780
- (12) Bochmann, M; J Chem Soc, Dalton Trans 1996, P255 HCAPLUS
- (13) Bohme, U; Z Anorg All Chem 1994, V620, P1455
- (14) Braun, S; 150 and More Basic NMR Experiments 1998
- (15) Brintzinger, H; Angew Chem 1995, V107, P1255
- (16) Brintzinger, H; Angew Chem Int Ed Engl 1995, V34, P1143 HCAPLUS
- (17) Buchwald, S; J Am Chem Soc 1989, V111, P4486 HCAPLUS
- (18) Chen, E; Chem Rev 2000, V100, P1391 HCAPLUS
- (19) Chien, J; J Am Chem Soc 1991, V113, P8570 HCAPLUS
- (20) Coles, N; Organometallics 1994, V13, P190 HCAPLUS
- (21) Coles, N; Synlett 1992, P143 HCAPLUS
- (22) Czisch, P; Organometallics 1984, V3, P945 HCAPLUS
- (23) Dahlmann, M; J Am Chem Soc 1999, V121, P2820 HCAPLUS
- (24) Dahlmann, M; J Am Chem Soc 2000, V122, P7986 HCAPLUS
- (25) Dahlmann, M; J Chem Soc, Dalton Trans 2000, P1881 HCAPLUS (26) Dahlmann, M; Organometallics 1999, V18, P4459 HCAPLUS

(27) Dahlmann, M; Organometallics 2000, V19, P2956 HCAPLUS (28) Datta, S; J Am Chem Soc 1979, V101, P1053 HCAPLUS (29) Devore, D; Organometallics 1995, V14, P3132 HCAPLUS (30) Dorf, U; Organometallics 1983, V2, P462 HCAPLUS (31) Erker, G; Acc Chem Res 2001, V34, P309 HCAPLUS (32) Erker, G; Adv Organomet Chem 1985, V24, P1 HCAPLUS (33) Erker, G; Angew Chem 1982, V94, P915 HCAPLUS (34) Erker, G; Angew Chem 1983, V95, P506 HCAPLUS (35) Erker, G; Angew Chem 1983, V95, P800 HCAPLUS (36) Erker, G; Angew Chem 1987, V99, P708 HCAPLUS (37) Erker, G; Angew Chem 1989, V101, P411 HCAPLUS (38) Erker, G; Angew Chem Int Ed Engl 1982, V21, P914 (39) Erker, G; Angew Chem Int Ed Engl 1983, V22, P494 (40) Erker, G; Angew Chem Int Ed Engl 1983, V22, P777 (41) Erker, G; Angew Chem Int Ed Engl 1987, V26, P666 (42) Erker, G; Angew Chem Int Ed Engl 1989, V28, P397 (43) Erker, G; Chem Ber 1982, V115, P3300 HCAPLUS (44) Erker, G; Chem Ber 1982, V115, P3311 HCAPLUS (45) Erker, G; Chem Ber 1987, V120, P1763 HCAPLUS (46) Erker, G; Chem Ber 1990, V123, P821 HCAPLUS (47) Erker, G; Chem Ber 1992, V125, P1669 HCAPLUS (48) Erker, G; J Am Chem Soc 1980, V102, P6344 HCAPLUS (49) Erker, G; J Am Chem Soc 1984, V106, P7649 HCAPLUS (50) Erker, G; J Organomet Chem 1995, V488, P177 (51) Erker, G; Organometallics 1984, V3, P128 HCAPLUS (52) Erker, G; Organometallics 1987, V6, P1962 HCAPLUS (53) Erker, G; Organometallics 1987, V6, P2620 HCAPLUS (54) Erker, G; Organometallics 1987, V6, P680 HCAPLUS (55) Erker, G; Organometallics 1989, V8, P450 HCAPLUS (56) Erker, G; Organometallics 1990, V9, P1949 HCAPLUS (57) Erker, G; Organometallics 1991, V10, P3559 HCAPLUS (58) Erker, G; Organometallics 1993, V12, P1921 HCAPLUS (59) Erker, G; Synthesis 1994, P212 HCAPLUS (60) Erker, G; Tetrahedron Lett 1994, V35, P6665 HCAPLUS (61) Fujita, K; J Organomet Chem 1976, V113, P201 HCAPLUS (62) Green, J; Chem Soc Rev 1998, V27, P263 HCAPLUS (63) Hesse, M; Spektroskopische Methoden in der organischen Chemie 1995 (64) Hoffmann, E; J Organomet Chem 1975, V97, P183 HCAPLUS (65) Jordan, R; Adv Organomet Chem 1991, V32, P325 HCAPLUS (66) Kai, Y; Chem Lett 1982, P1277 HCAPLUS (67) Kai, Y; J Chem Soc, Chem Commun 1982, P191 HCAPLUS (68) Karl, J; J Organomet Chem 1997, V535, P59 HCAPLUS (69) Kehr, G; Eur J Inorg Chem 2001, P535 HCAPLUS (70) Kowalski, D; Liebigs Annalen 1996, P887 HCAPLUS (71) Kruger, C; Organometallics 1985, V4, P215 (72) Lauher, J; J Am Chem Soc 1976, V98, P1729 HCAPLUS (73) Lefeber, C; Organometallics 1995, V14, P3090 HCAPLUS (74) Lefeber, C; Organometallics 1996, V15, P3486 HCAPLUS (75) Lopez, L; Angew Chem 1994, V106, P1168 HCAPLUS (76) Lopez, L; Angew Chem Int Ed Engl 1994, V33, P1114 (77) Marks, T; Acc Chem Res 1992, V25, P57 HCAPLUS (78) Martin, G; N NMR-Spectroscopy 1981 (79) Massey, A; J Organomet Chem 1964, V2, P245 HCAPLUS (80) Massey, A; Organometallics Synthesis 1986, V3, P461 (81) Massey, A; Proc Chem Soc London 1963, P212 HCAPLUS (82) Meyer, J; J Am Chem Soc 1983, V105, P2651 (83) Nakano, Y; Tetrahedron Lett 1972, P2833 HCAPLUS

(84) Okamoto, T; J Am Chem Soc 1988, V110, P5008 HCAPLUS

```
(85) Pflug, J; Organometallics 1999, V18, P3818 HCAPLUS
(86) Pindado, G; Angew Chem 1997, V109, P2457
(87) Pindado, G; Angew Chem Int Ed Engl 1997, V36, P2358
(88) Rabiller, C; Nouv J Chim 1980, V4, P35 HCAPLUS
(89) Ramsden, H; US 3388179 1968 HCAPLUS
(90) Strauch, H; Chem Ber 1996, V129, P1029 HCAPLUS
(91) Strauch, H; Eur J Org Chem 2000, P187 HCAPLUS
(92) Strauch, H; Organometallics 1998, V17, P5746 HCAPLUS
(93) Temme, B; Angew Chem 1995, V107, P1867
(94) Temme, B; Angew Chem Int Ed Engl 1995, V34, P1755 HCAPLUS
(95) Temme, B; Chem Eur J 1996, V2, P919 HCAPLUS
(96) Vagedes, D; J Organomet Chem 2002, V641, P148 HCAPLUS
(97) Westerman, P; J Org Chem 1978, V43, P2590 HCAPLUS
(98) Wreford, S; Inorg Chem 1981, V20, P3918 HCAPLUS
(99) Yang, X; J Am Chem Soc 1994, V116, P10015 HCAPLUS
(100) Yasuda, H; Acc Chem Res 1985, V18, P120 HCAPLUS
(101) Yasuda, H; Angew Chem 1987, V99, P745 HCAPLUS
(102) Yasuda, H; Angew Chem 1987, V99, P745 HCAPLUS
(103) Yasuda, H; Angew Chem Int Ed Engl 1987, V26, P723
(104) Yasuda, H; Angew Chem Int Ed Engl 1987, V26, P723
(105) Yasuda, H; J Organomet Chem 1989, V363, P61 HCAPLUS
(106) Yasuda, H; Macromolecules 1978, V11, P586 HCAPLUS
(107) Yasuda, H; Organometallics 1982, V1, P388 HCAPLUS
(108) Yasuda, H; Organometallics 1984, V3, P1470 HCAPLUS
(109) Yasuda, H; Organometallics 1989, V8, P1139 HCAPLUS
     499212-49-6P 499212-54-3P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (ethylene polymerization; preparation of zirconocene amido-\pi-allyl
        metallacyclic complexes and their protonation and hydride abstraction
        reactions and catalytic properties)
RN
     499212-49-6 HCAPLUS
CN
     Zirconium(1+), bis(\eta 5-2, 4-cyclopentadien-1-yl)[(1,2,3-\eta)-(2E)-5-
     (methylamino-kN)-5-phenyl-2-pentenyl]-, stereoisomer,
     tetrakis(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME)
     CM
     CRN
          524714-21-4
          C22 H26 N Zr
     CMF
     CCI
         CCS
```




CM 2

CRN 47855-94-7 CMF C24 B F20 CCI CCS

RN 499212-54-3 HCAPLUS CN Zirconium(1+), $[(1,2,3-\eta)-(2E)-5-(amino-\kappa N)-5,5-diphenyl-2-pentenyl]$ bis $(\eta 5-2,4-cyclopentadien-1-yl)-$, tetrakis (pentafluorophenyl)borate (1-) (9CI) (CA INDEX NAME)

CM 1

CRN 499212-51-0 CMF C27 H28 N Zr CCI CCS



CM 2

CRN 47855-94-7 CMF C24 B F20 CCI CCS

L34 ANSWER 5 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2002:688186 HCAPLUS

DN 137:239720

ED Entered STN: 11 Sep 2002

TI One-component photocurable resist composition for electronic parts

IN Hiwasa, Nobu

PA Otex K. K., Japan

SO Jpn. Kokai Tokkyo Koho, 9 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

IC ICM C08G059-72

ICS C09K003-00

CC 74-5 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)

Section cross-reference(s): 37, 76

FAN.CNT 1

PATENT NO. KIND DATE APPLICATION NO. DATE

PI JP 2002256063 A2 20020911 JP 2001-55168 20010228

PRAI JP 2001-55168 20010228

OS MARPAT 137:239720

AB The composition comprises (a) cation-polymerizable organic substances of methylol

compds., ethylenically unsatd. compds., and/or heterocyclic compds. 0.1-95, (b) latent photopolymn. initiators of **crystalline** ion-association substances represented by $[\{C5(R1)n\}2mMm]1+[\{B(R2)4\}-]1$ [M = Fe; C5 = cyclopentadienyl; R1 = electron-donating alkyl group bonded to C of C5; n = 5; m = 1 = 1; R2 = (halogenated) aryl or halogenated alkyl ligand coordinated to B atom; 4 of R2 have same identity] 0.01-10, and (c) sensitizers 0.1-10%. The composition may contain 0.5-90% inorg. fillers. The composition is used for patterning resists, solder resists, plating resists, hole-embedding inks and resists, and conductive inks.

ST photocurable resist cation polymerizable org substance; ion assocn substance latent photopolymn initiator resist; sensitizer latent photopolymn initiator one component resist; methylol cation polymerizable photoresist elec part; unsatd compd cation polymerizable photoresist elec part; heterocyclic compd cation polymerizable photoresist elec part

IT Ethers, uses

RL: TEM (Technical or engineered material use); USES (Uses) (cyclic; one-component photoresist composition containing cation-polymerizable

substances, latent initiators, and sensitizers for electronic parts)

IT Inks

(elec. conductive; one-component photoresist composition containing cation-polymerizable substances, latent initiators, and sensitizers for electronic parts)

IT Electric conductors

(inks; one-component photoresist composition containing cation-polymerizable substances, latent initiators, and sensitizers for electronic parts)

IT Photoresists

Printed circuit boards

Solder resists

(one-component photoresist composition containing cation-polymerizable substances, latent initiators, and sensitizers for electronic parts)

IT Cyclosiloxanes

Epoxides

Epoxy resins, uses

Lactams

RL: TEM (Technical or engineered material use); USES (Uses)

(one-component photoresist composition containing cation-polymerizable substances, latent initiators, and sensitizers for electronic parts)

IT Polymerization catalysts

(photopolymn., latent; one-component photoresist composition containing cation-polymerizable substances, latent initiators, and sensitizers for electronic parts)

IT 1344-28-1, Alumina, uses

RL: TEM (Technical or engineered material use); USES (Uses)
(Admafine AO 802, filler; one-component photoresist composition containing cation-polymerizable substances, latent initiators, and sensitizers for

electronic parts) ΙT 141-78-6, Acetidin, uses RL: TEM (Technical or engineered material use); USES (Uses) (acetidin; one-component photoresist composition containing cation-polymerizable substances, latent initiators, and sensitizers for electronic parts) IT 471-34-1, Calcium carbonate, uses 7631-86-9, SO-E2, uses RL: TEM (Technical or engineered material use); USES (Uses) (filler; one-component photoresist composition containing cation-polymerizable substances, latent initiators, and sensitizers for electronic parts) TT 220517-46-4 RL: CAT (Catalyst use); USES (Uses) (one-component photoresist composition containing cation-polymerizable substances, latent initiators, and sensitizers for electronic parts) ΙT 56-81-5D, Glycerin, polyglycidyl ether 95-96-5, Lactide 96-08-2, Limonene dioxide 109-99-9, Tetrahydrofuran, uses 110-88-3, Trioxane, 122-60-1, Phenyl glycidyl ether 123-91-1, Dioxane, uses 151-56-4, Aziridine, uses 286-20-4, Cyclohexene oxide 503-30-0, 592-90-5, Oxepane 646-06-0, Dioxolane 930-22-3 1072-43-1. Propylene sulfide 2238-07-5, Diglycidyl ether 2386-90-5, 2426-08-6, Butyl glycidyl ether Bis (2, 3-epoxycyclopentyl) ether 2451-62-9, Triglycidyl isocyanurate 4206-61-5, Diethylene glycol 6303-21-5D, Phosphinic acid, esters diglycidyl ether 5493-45-8 10580-65-1, Nonyl glycidyl ether 13410-52-1 13561-08-5, 2,6-Diglycidyl 13598-36-2D, Phosphonic acid, esters phenylglycidyl ether 16096-31-4, 1,6-Hexanediol diglycidyl ether 17557-23-2, Neopentyl glycol diglycidyl 18425-64-4, Trimethylolpropane diglycidyl ether 26142-30-3, ether Polypropylene glycol diglycidyl ether 26283-70-5, Epikote YL 6663 26403-72-5, Polyethylene glycol diglycidyl ether 26447-14-3, Cresyl 28768-32-3 30424-08-9 30969-75-6, Oxazoline glycidyl ether 58421-55-9, Epiclon 830S 65992-66-7, 1,3-Bis(N,Ndiglycidylaminomethyl)cyclohexane 92308-50-4, RE 305 172416-00-1, Aron Oxetane OXT 121 RL: TEM (Technical or engineered material use); USES (Uses) (one-component photoresist composition containing cation-polymerizable substances, latent initiators, and sensitizers for electronic parts) 56-55-3, 1,2-Benzoanthracene 81-64-1, Quinizarin 82-34-8, TΤ 1-Nitroanthraquinone 84-11-7, 9,10-Phenanthrenedione 84-51-5, 84-54-8, 2-Methylanthraquinone 2-Ethylanthraquinone 84-65-1, Anthraquinone 85-52-9, o-Benzoylbenzoic acid 90-44-8, Anthrone 90-47-1, Xanthone 90-96-0, 4,4'-Dimethoxybenzophenone 92-91-1 93-04-9, 2-Methoxynaphthalene 98-86-2, Acetophenone, uses 98-86-2D, 100-06-1 117-80-6, 2,3-Dichloro-1,4-Acetophenone, dimethoxy deriv 119-61-9, Benzophenone, uses 120-12-7, Anthracene, uses naphthoguinone 131-09-9, 2-Chloroanthraquinone 131-58-8, 2-Methylbenzophenone 256-81-5, 134-81-6, Benzil 134-84-9, 4-Methylbenzophenone 5H-Dibenzo[a,d]cycloheptene 492-22-8, Thioxanthone 527-61-7, 2,6-Dimethyl-1,4-benzoquinone 574-09-4, 2-Ethoxy-2-phenylacetophenone 605-94-7, 2,3-Dimethoxy-5-methyl-1,4-benzoquinone 606-28-0, Methyl o-benzoylbenzoate 611-94-9, 4-Methoxybenzophenone 611-99-4, 4,4'-Dihydroxybenzophenone 615-93-0, 2,5-Dichloro-p-benzoquinone 643-65-2, 3-Methylbenzophenone 829-20-9 1137-42-4, 1210-12-4, 9-Cyanoanthracene 4-Hydroxybenzophenone 1201-38-3 1217-45-4, 9,10-Dicyanoanthracene 1210-35-1, Dibenzosuberone 1676-63-7 2040-04-2 2128-93-0, 4-Phenylbenzophenone 2498-66-0. 1,2-Benzanthraquinone 2571-39-3, 3,4-Dimethylbenzophenone

3524-62-7, Benzoin methyl ether 4044-60-4, 2,5-Dimethylbenzophenone

LAVILLA 09/890438

6175-45-7, Diethoxyacetophenone 6652-28-4, Benzoin isopropyl ether 10354-00-4, Dibenzosuberenol 10373-78-1, Camphorquinone 13020-57-0, 3-Hydroxybenzophenone 15774-82-0, 2-Methylthioxanthone 17214-11-8 25620-59-1, Aminoanthraquinone 26708-04-3, 2-Ethyl-9,10-dimethoxyanthracene 27938-76-7, Hydroxyanthraquinone 30587-18-9, Anisoin 30637-95-7, Anthraquinonesulfonic acid 41295-28-7, 3,3'-Dimethyl-4-methoxybenzophenone 75081-21-9, Isopropylthioxanthone 76293-13-5, 2,4-Dimethylthioxanthone 79044-56-7 82799-44-8, 2,4-Diethylthioxanthone 83846-85-9, 4-Benzoyl-4'-methyl-diphenyl sulfide 182683-80-3 457652-97-0

RL: TEM (Technical or engineered material use); USES (Uses) (sensitizer; one-component photoresist composition containing cation-polymerizable substances, latent initiators, and sensitizers for electronic parts)

IT 220517-46-4

RL: CAT (Catalyst use); USES (Uses)

(one-component photoresist composition containing cation-polymerizable substances, latent initiators, and sensitizers for electronic parts)

RN 220517-46-4 HCAPLUS

CN Ferrocenium, decamethyl-, tetrakis(3,5-difluorophenyl)borate(1-) (9CI) (CA INDEX NAME)


CM 1

CRN 153514-62-6 CMF C24 H12 B F8 CCI CCS

$$\begin{array}{c|c} F & & F \\ \hline C_{-} & & F \\ \hline C_{-} & & B \\ \hline C_{-} & & F \\ \hline F & & F \\ \end{array}$$

CM 2

CRN 54182-41-1 CMF C20 H30 Fe CCI CCS



L34 ANSWER 6 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN

ΑN 2002:357829 HCAPLUS

DN 137:93824

Entered STN: 14 May 2002 ED

Reactivity of Zirconium Complexes Incorporating Asymmetrically Substituted TI ansa Ligands and Their Use as Catalysts in Olefin Polymerization. X-ray Crystal Structures of [Me2Si(η 5-C5Me4)(η 5-C5H3R)]ZrCl2 (R = Et, iPr)

ΑU Antinolo, Antonio; Lopez-Solera, Isabel; Otero, Antonio; Prashar, Sanjiv; Rodriguez, Ana M.; Villasenor, Elena

CS Departamento de Quimica Inorganica, Organica y Bioquimica, Universidad de Castilla-La Mancha, Facultad de Quimicas, Ciudad Real, 13071, Spain

SO Organometallics (2002), 21(12), 2460-2467 CODEN: ORGND7; ISSN: 0276-7333

PB American Chemical Society

DT Journal

LΑ English

CC 29-10 (Organometallic and Organometalloidal Compounds) Section cross-reference(s): 35, 75

CASREACT 137:93824 OS

AB The synthesis and use of the ansa-zirconocene complexes [Me2Si(η 5-C5Me4)(η 5-C5H3R)]ZrC12 (R = H (5), Me (6), Et (7), iPr (8), tBu (9), SiMe3 (10)) as catalysts in the polymerization of ethylene and propylene has been studied. The alkyl complexes [Me2Si(η5-C5Me4) $(\eta 5-C5H3R)$ ZrMe2 (R = H (11), Me (12), Et (13), iPr (14), tBu (15), SiMe3 (16)) have also been prepared The reaction of 11-16 with B(C6F5)3 gave the cationic species [{Me2Si(η 5-C5Me4)(η 5-C5H3R) {ZrMe]+ (R = H (17), Me (18), Et (19), iPr (20), tBu (21), SiMe3 (22)). In the absence of cocatalyst, 17-22 have been shown to act as catalysts in the polymerization of ethylene. The mol. structures of 7 and 8

have

been determined by single-crystal x-ray diffraction studies.

asym silyl bridged ansa zirconocene complex prepn polymn catalyst; ansa ST zirconocene methyl asym silyl bridged prepn reaction fluorophenylborane; crystal mol structure asym silyl bridged ansa zirconocene complex

```
IT
    Aluminoxanes
     RL: CAT (Catalyst use); USES (Uses)
        (Me; reactivity of zirconium complexes incorporating asym. substituted
        ansa ligands and use as catalysts in olefin polymerization)
IT
     Crystal structure
    Molecular structure
        (of silyl bridged asym. substituted ansa zirconocene chloro complexes)
IT
     Polymerization catalysts
        (reactivity of zirconium complexes incorporating asym. substituted ansa
        ligands and use as catalysts in olefin polymerization)
     Alkenes, reactions
IT
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (reactivity of zirconium complexes incorporating asym. substituted ansa
        ligands and use as catalysts in olefin polymerization)
TΨ
     324025-99-2
     RL: CAT (Catalyst use); PRP (Properties); RCT (Reactant); RACT (Reactant
     or reagent); USES (Uses)
        (crystal structure, methylation, and polymerization of ethylene and
        propylene catalyzed by)
IT
     139665-33-1
                   251292-39-4
                                 324025-98-1
     RL: CAT (Catalyst use); RCT (Reactant); RACT (Reactant or reagent); USES
     (Uses)
        (methylation and polymerization of ethylene and propylene catalyzed by)
     164598-03-2P
                    442689-81-8P
TT
     RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
     (Reactant or reagent)
        (preparation and lithiation of)
IT
     442689-91-0P 442689-92-1P 442689-93-2P
     442689-94-3P 442689-95-4P 442689-96-5P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (preparation and polymerization of ethylene catalyzed by)
                                                 442689-88-5P
IT
     442689-85-2P
                    442689-86-3P 442689-87-4P
                                                                  442689-89-6P
     442689-90-9P
     RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
     (Reactant or reagent)
        (preparation and reaction with tris(pentafluorophenyl)borane)
IT
     162369-26-8P
                   442689-82-9P
     RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
     (Reactant or reagent)
        (preparation and reaction with zirconium tetrachloride)
ΙT
     442689-83-0P
     RL: CAT (Catalyst use); PRP (Properties); RCT (Reactant); SPN (Synthetic
     preparation); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
        (preparation, crystal structure, methylation, and polymerization of
        ethylene and propylene catalyzed by)
ΙT
     442689-84-1P
     RL: CAT (Catalyst use); RCT (Reactant); SPN (Synthetic preparation); PREP
     (Preparation); RACT (Reactant or reagent); USES (Uses)
        (preparation, methylation, and polymerization of ethylene and propylene
catalyzed
IT
     1109-15-5, Tris(pentafluorophenyl)borane
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction with asym. substituted silyl bridged ansa zirconocene Me
        complex)
TT
     74-85-1, Ethylene, reactions
                                   115-07-1, Propylene, reactions
     RL: RCT (Reactant); RACT (Reactant or reagent)
```

(reactivity of zirconium complexes incorporating asym. substituted ansa ligands and use as catalysts in olefin polymerization) IT 9002-88-4P, Polyethylene 9003-07-0P, Polypropylene RL: SPN (Synthetic preparation); PREP (Preparation) (reactivity of zirconium complexes incorporating asym. substituted ansa ligands and use as catalysts in olefin polymerization) 211058-86-5 IT 50356-03-1 RL: RCT (Reactant); RACT (Reactant or reagent) (substitution reaction of chloroorganosilane with) IT 125542-03-2 RL: RCT (Reactant); RACT (Reactant or reagent) (substitution reaction with bis(ethylcyclopentadienyl)magnesium) RE.CNT THERE ARE 51 CITED REFERENCES AVAILABLE FOR THIS RECORD RE (1) Abel, E; Comprehensive Organometallic Chemistry II 1995, V4 (2) Antinolo, A; Organometallics 1996, V15, P3241 HCAPLUS (3) Antinolo, A; Organometallics 1998, V17, P5454 HCAPLUS (4) Antinolo, A; Organometallics 2001, V20, P71 HCAPLUS (5) Bajgur, C; Inorg Chem 1985, V24, P2539 HCAPLUS (6) Baker, R; J Chem Soc, Dalton Trans 2000, P431 HCAPLUS (7) Burgi, T; J Organomet Chem 1995, V497, P149 (8) Chen, E; Chem Rev 2000, V100, P1391 HCAPLUS (9) Chen, Y; J Organomet Chem 1995, V497, P1 HCAPLUS (10) Conway, S; J Chem Soc, Dalton Trans 1998, P2689 HCAPLUS (11) Dietrich, U; J Am Chem Soc 1999, V121, P4348 HCAPLUS (12) Ewen, J; J Am Chem Soc 1988, V110, P6255 HCAPLUS (13) Ewen, J; J Am Chem Soc 1998, V120, P10786 HCAPLUS (14) Ewen, J; Makromol Chem, Macromol Symp 1991, V48/49, P253 (15) Giardello, M; J Am Chem Soc 1993, V115, P3326 HCAPLUS (16) Giardello, M; J Am Chem Soc 1995, V117, P12114 HCAPLUS (17) Green, J; J Chem Soc, Chem Commun 1972, P421 HCAPLUS (18) Green, M; J Chem Soc, Dalton Trans 1994, P657 HCAPLUS (19) Herzog, T; J Am Chem Soc 1996, V118, P11988 HCAPLUS (20) Huttenloch, M; J Organomet Chem 1997, V541, P219 HCAPLUS (21) Jaffart, J; Eur J Inorg Chem 1998, P425 HCAPLUS (22) Kaminsky, W; J Am Chem Soc 1999, V121, P564 (23) Kawamura-Kuribayashi, H; J Am Chem Soc 1992, V114, P8687 HCAPLUS (24) Koch, T; Organometallics 2000, V19, P2556 HCAPLUS (25) Kukral, J; Organometallics 2000, V19, P3767 HCAPLUS (26) Lauher, J; J Am Chem Soc 1976, V98, P1729 HCAPLUS (27) Lee, H; J Chem Soc, Dalton Trans 2000, P4490 HCAPLUS (28) Llinas, G; Organometallics 1993, V12, P1283 HCAPLUS (29) Mise, T; Chem Lett 1989, P1853 HCAPLUS (30) Mohring, P; J Organomet Chem 1994, V479, Pl (31) Muller, C; Angew Chem, Int Ed 2000, V39, P789 HCAPLUS (32) Obora, Y; Organometallics 1997, V16, P2503 HCAPLUS (33) Patsidis, K; J Organomet Chem 1996, V509, P63 HCAPLUS (34) Petersen, J; Inorg Chem 1983, V22, P3571 HCAPLUS (35) Razavi, A; J Organomet Chem 1992, V435, P299 HCAPLUS (36) Razavi, A; J Organomet Chem 1993, V459, P117 HCAPLUS (37) Razavi, A; J Organomet Chem 1995, V497, P105 HCAPLUS (38) Resconi, L; Chem Rev 2000, V100, P1253 HCAPLUS (39) Rieger, B; J Mol Catal 1993, V82, P67 HCAPLUS (40) Rieger, B; Organometallics 1994, V13, P647 HCAPLUS (41) Rieger, B; Organometallics 1994, V13, P647 HCAPLUS (42) Rogers, R; J Organomet Chem 1985, V293, P51 HCAPLUS (43) Roll, W; Angew Chem, Int Ed Engl 1990, V29, P279 (44) Schumann, H; J Organomet Chem 1999, V574, P228 HCAPLUS

- (45) Sheldrick, G; Acta Crystallogr, Sect A 1990, V46, P467
- (46) Sheldrick, G; Program for the Refinement of Crystal Structures from Diffraction Data 1997
- (47) Shin, J; Chem Commun 1999, P887 HCAPLUS
- (48) Suzuki, N; J Organomet Chem 1998, V560, P47 HCAPLUS
- (49) Thomas, E; Organometallics 1999, V18, P1439 HCAPLUS
- (50) Wiesenfeldt, H; J Organomet Chem 1989, V369, P359 HCAPLUS
- (51) Yoon, S; J Organomet Chem 1997, V534, P81 HCAPLUS
- IT 442689-91-0P 442689-92-1P 442689-93-2P 442689-94-3P 442689-95-4P 442689-96-5P


RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)

(preparation and polymerization of ethylene catalyzed by)

RN 442689-91-0 HCAPLUS

CN Zirconium, $[\eta 10-2, 4-\text{cyclopentadien}-1-\text{ylidene}(\text{dimethylsilylene}) (2,3,4,5-\text{tetramethyl}-2,4-\text{cyclopentadien}-1-\text{ylidene})]-\mu$ methylmethyl[tris(pentafluorophenyl)boron]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A

$$F \longrightarrow F$$

RN 442689-92-1 HCAPLUS

CN Zirconium, μ -methylmethyl[η 10-(3-methyl-2,4-cyclopentadien-1-ylidene)(dimethylsilylene)(2,3,4,5-tetramethyl-2,4-cyclopentadien-1-ylidene)][tris(pentafluorophenyl)boron]-, stereoisomer (9CI) (CA INDEX NAME)

RN 442689-93-2 HCAPLUS

CN Zirconium, [η10-(3-ethyl-2,4-cyclopentadien-1ylidene) (dimethylsilylene) (2,3,4,5-tetramethyl-2,4-cyclopentadien-1ylidene)]-μ-methylmethyl[tris(pentafluorophenyl)boron]-, stereoisomer
(9CI) (CA INDEX NAME)

RN 442689-94-3 HCAPLUS

CN Zirconium, μ -methylmethyl[η 10-[3-(1-methylethyl)-2,4-cyclopentadien-1-ylidene] (dimethylsilylene) (2,3,4,5-tetramethyl-2,4-cyclopentadien-1-ylidene)][tris(pentafluorophenyl)boron]-, stereoisomer (9CI) (CA INDEX NAME)

RN 442689-95-4 HCAPLUS

CN Zirconium, $[\eta 10-[3-(1,1-dimethylethyl)-2,4-cyclopentadien-1-ylidene]$ (dimethylsilylene) (2,3,4,5-tetramethyl-2,4-cyclopentadien-1-ylidene)]- μ -methylmethyl[tris(pentafluorophenyl)boron]-, stereoisomer (9CI) (CA INDEX NAME)

RN 442689-96-5 HCAPLUS

CN Zirconium, μ -methylmethyl[η 10-(2,3,4,5-tetramethyl-2,4-cyclopentadien-1-ylidene) (dimethylsilylene) [3-(trimethylsilyl)-2,4-cyclopentadien-1-ylidene]][tris(pentafluorophenyl)boron]-, stereoisomer (9CI) (CA INDEX NAME)

L34 ANSWER 7 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2002:215368 HCAPLUS

DN 136:386179

ED Entered STN: 22 Mar 2002

TI Organoborane-Modified Silica Supports for Olefin Polymerization: Soluble Models for Metallocene Catalyst Deactivation

AU Metcalfe, Robert A.; Kreller, David I.; Tian, Jun; Kim, Hoon; Taylor, Nicholas J.; Corrigan, John F.; Collins, Scott

CS Department of Chemistry, University of Waterloo, Waterloo, ON, N2L 3G1, Can.

SO Organometallics (2002), 21(8), 1719-1726

```
CODEN: ORGND7; ISSN: 0276-7333

PB American Chemical Society

DT Journal


LA English

CC 29-6 (Organometallic and Organometalloidal Compounds)

Section cross-reference(s): 35, 75

OS CASREACT 136:386179

GI
```



to

Treatment of silsesquioxane with 3.3 equiv of the reactive organoboranes [(C6F5)2BX; X = H or Cl] provides the novel, trifunctional organoborane I (R = cyclopentyl, R1 = pentafluorophenyl), which was characterized by spectroscopic and single-crystal x-ray crystallog.

Compound I is an effective cocatalyst for ethylene polymerization in combination

with Cp2ZrMe2 but only when these two compds. are combined in situ, in the presence of monomer, suggesting limited stability of the putative ion-pair derived from these compds. Reaction of I with Cp2ZrMe2 in toluene solution leads to formation of MeB(C6F5)2- and Cp2Zr-functionalized silsesquioxane at room temperature Monitoring of this reaction by NMR spectroscopy at low temps. indicates that the only ion-pair present is [Cp2ZrMe][Me2B(C6F5)2] (4), which results from reaction of Cp2ZrMe2 with the byproduct MeB(C6F5)2. Formation of 4 is reversible under these conditions, while production of silsesquioxane (from I and Cp2ZrMe2) is not; the latter process occurs at a rate that exceeds that observed for independent decomposition of 4

form Me2B(C6F5) and Cp2Zr(C6F5)Me. These studies suggest that the active polymerization catalyst generated in situ from I and Cp2ZrMe2 is probably ion-pair 4.

organo borane modified silica support prepn olefin polymn cocatalyst; dimethyl zirconocene catalyst boryloxy silsesquioxane cocatalyzed ethylene polymn; crystal mol structure fluorophenylboryloxy silsesquioxane

IT Crystal structure

Molecular structure

(of organoborane-modified silsesquioxane)

```
IT
     Polymerization catalysts
        (preparation of organoborane-modified silica supports for olefin
polymerization and
        soluble models for metallocene catalyst deactivation)
     426827-42-1P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (formation, NMR, and ethylene polymerization catalyzed with)
IT
     426827-43-2P
     RL: SPN (Synthetic preparation); PREP (Preparation)
        (preparation of)
     12636-72-5, Dimethylzirconocene
     RL: CAT (Catalyst use); RCT (Reactant); RACT (Reactant or reagent); USES
        (preparation of organoborane-modified silica supports for olefin
polymerization and
        soluble models for metallocene catalyst deactivation)
     74-85-1, Ethylene, reactions
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (preparation of organoborane-modified silica supports for olefin
polymerization and
        soluble models for metallocene catalyst deactivation)
     426827-40-9P
IT
     RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP
     (Preparation); RACT (Reactant or reagent)
        (preparation, crystal structure, reaction with
        dimethylzirconocene, and ethylene polymerization cocatalyzed with)
     135225-24-0
IΤ
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction with chlorobis(pentafluorophenyl)borane)
IT
     2720-03-8, Chlorobis (pentafluorophenyl) borane
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction with endo trisilanol)
IT
     56252-55-2
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction with organoborane-modified silsesquioxane)
              THERE ARE 37 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT
(1) Bravakis, A; Macromolecules 1998, V31, P1000 HCAPLUS
(2) Chambers, R; J Chem Soc 1965, P3933 HCAPLUS
(3) Chen, X; Chem Rev 2000, V100, P1391
(4) Chien, J; J Polym Sci Part A: Polym Chem 1991, V29, P1585 HCAPLUS
(5) Collins, S; Macromolecules 1992, V25, P1780 HCAPLUS
(6) Duchateau, R; Organometallics 1999, V18, P5447 HCAPLUS
(7) Duchateau, R; Organometallics 2000, V19, P809 HCAPLUS
(8) Feher, F; J Am Chem Soc 1989, V111, P1741 HCAPLUS
(9) Feher, F; Makromol Chem, Macromol Symp 1993, V66, P95 HCAPLUS
(10) Feher, F; Organometallics 1991, V10, P2526 HCAPLUS
(11) Feher, F; Polyhedron 1995, V14, P3239 HCAPLUS
(12) Harrison, D; J Mol Catal A: Chem 1998, V128, P65 HCAPLUS
(13) Herrmann, W; Angew Chem, Int Ed Engl 1994, V33, P1285
(14) Hlatky, G; WO 9109882 1991 HCAPLUS
(15) Hlatky, G; Chem Rev 2000, V100, P1347 HCAPLUS
(16) Hlatky, G; Macromolecules 1996, V29, P8016
(17) Janiak, J; Angew Makromol Chem 1994, V215, P47
(18) Kohler, K; Organometallics 1998, V17, P3557
(19) Marks, T; Acc Chem Res 1992, V25, P882
(20) Metcalfe, R; Unpublished observations
```

(21) Pangborn, A; Organometallics 1996, V13, P1518 (22) Parks, D; Angew Chem, Int Ed Engl 1995, V34, P809 HCAPLUS (23) Skowronska-Ptasinska, M; Organometallics 2001, V20, P3519 HCAPLUS (24) Soga, K; Makromol Chem 1993, V194, P3499 HCAPLUS (25) Soga, K; Polym Commun 1991, V32, P310 HCAPLUS (26) Taylor, N; Manuscript in preparation (27) Tian, J; J Mol Catal A: Chem 1999, V144, P137 HCAPLUS (28) Tian, J; Macromolecules 2001, V34, P3120 HCAPLUS (29) Turner, H; US 5427991 1995 HCAPLUS (30) Upton, D; WO 9403506 1994 HCAPLUS (31) Wailes, P; J Organomet Chem 1972, V34, P162 (32) Walzer, J; WO 9604319 1996 HCAPLUS (33) Ward, D; WO 9623005 1996 HCAPLUS (34) Welborn, H; US 4701432 1987 HCAPLUS (35) Welborn, H; US 4808561 1989 HCAPLUS (36) Welborn, H; US 5124418 1992 HCAPLUS (37) Williams, V; Angew Chem, Int Ed 1999, V38, P3695 HCAPLUS IT 426827-42-1P RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses) (formation, NMR, and ethylene polymerization catalyzed with) RN 426827-42-1 HCAPLUS Zirconium(1+), $bis(\eta 5-2, 4-cyclopentadien-1-yl)methyl-,$ CN (T-4)-dimethylbis(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME) CM 1

426827-41-0

C14 H6 B F10

CM 2


CRN

CMF

CCI

CCS

CRN 94370-49-7 CMF C11 H13 Zr CCI CCS



```
L34 ANSWER 8 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN
```

AN 2002:6959 HCAPLUS

DN 136:216782

ED Entered STN: 04 Jan 2002

TI [H2N{B(C6F5)3}2]-: A New, Remarkably Stable Diborate Anion for Metallocene Polymerization Catalysts

AU Lancaster, Simon J.; Rodriguez, Antonio; Lara-Sanchez, Agustin; Hannant, Mark D.; Walker, Dennis A.; Hughes, David H.; Bochmann, Manfred

CS Wolfson Materials and Catalysis Centre School of Chemical Sciences, University of East Anglia, Norwich, NR4 7TJ, UK

SO Organometallics (2002), 21(3), 451-453 CODEN: ORGND7; ISSN: 0276-7333

PB American Chemical Society

DT Journal

LA English

CC 29-4 (Organometallic and Organometalloidal Compounds) Section cross-reference(s): 35, 75

OS CASREACT 136:216782

AB The reaction between NaNH2 and B(C6F5)3 affords the amidodiborate anion [H2N{B(C6F5)3}2]-, the x-ray crystal structure of which shows multiple intramol. NH···F hydrogen bonding. Reaction with HCl affords [H(OEt2)2][H2N{B(C6F5)3}2], while treatment of zirconocene dimethyls with [CPh3][H2N{B(C6F5)3}2] gives highly active alkene polymerization catalysts.

ST amido diborate anion prepn metallocene polymn catalyst; fluorophenyl diborate amido anion prepn metallocene polymn catalyst

IT Crystal structure

Hydrogen bond

Molecular structure

(of pentafluorophenyl substituted amidodiborate anion)

IT Polymerization catalysts

(preparation of pentafluorophenyl substituted amidodiborate anion zirconocene complexes as)

IT 115-07-1, Propene, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(amidodiborate/zirconocene complex catalyzed polymerization of)

IT 402828-29-9P 402828-30-2P

RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP

```
(Preparation); USES (Uses)
        (preparation as alkene polymerization catalyst)
                                                  402572-77-4P
                                                                402572-78-5P
IT
     402572-71-8P
                   402572-73-0P
                                  402572-75-2P
     402827-90-1P
    RL: SPN (Synthetic preparation); PREP (Preparation)
        (preparation of)
     402572-70-7P
IT
    RL: CAT (Catalyst use); PRP (Properties); RCT (Reactant); SPN (Synthetic
    preparation); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
        (preparation, crystal structure, hydrogen bonding, reaction with
        trityl chloride and zirconocene complexes, and alkene polymerization
        cocatalysis with)
IT
     75-24-1, Trimethylaluminum
    RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction of zirconocene complexes with pentafluorophenyl substituted
        amidodiborate anion in presence of)
ΙT
     131761-40-5
                   146814-57-5
                                 204863-69-4
    RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction with amidodiborate anion in presence of trimethylaluminum)
ΙT
     76-83-5, Triphenylmethyl chloride
    RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction with pentafluorophenyl substituted amidodiborate anion)
     1109-15-5, Tris(pentafluorophenyl)borane
IT
    RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction with sodium amide)
             THERE ARE 67 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT
       67
RE
(1) Anon; International Tables for X-ray Crystallography' 1992, VC, P500
(2) Beck, S; Chem Commun 1999, P2477 HCAPLUS
(3) Beck, S; J Am Chem Soc 2001, V123, P1483 HCAPLUS
(4) Beck, S; J Mol Catal 1996, V111, P67 HCAPLUS
(5) Beswick, C; Organometallics 1999, V18, P2410 HCAPLUS
(6) Bochmann, M; Angew Chem, Int Ed Engl 1990, V29, P780
(7) Bochmann, M; Angew Chem, Int Ed Engl 1992, V31, P1181
(8) Bochmann, M; Angew Chem, Int Ed Engl 1994, V33, P1634
(9) Bochmann, M; J Chem Soc, Chem Commun 1990, P1038 HCAPLUS
(10) Bochmann, M; J Organomet Chem 1995, V497, P55 HCAPLUS
(11) Chan, M; Organometallics 1999, V18, P4624 HCAPLUS
(12) Chan, M; Organometallics 2000, V19, P5182 HCAPLUS
(13) Chen, E; Chem Rev 2000, V100, P1391 HCAPLUS
(14) Chen, Y; J Am Chem Soc 1997, V119, P2582 HCAPLUS
(15) Chen, Y; J Am Chem Soc 1998, V120, P6287 HCAPLUS
(16) Chen, Y; Organometallics 1997, V16, P3649 HCAPLUS
(17) Chien, J; J Am Chem Soc 1991, V113, P8570 HCAPLUS
(18) Chien, J; J Polym Sci, Part A: Polym Chem 1994, V32, P2387 HCAPLUS
(19) Deck, P; J Am Chem Soc 1998, V120, P1772 HCAPLUS
(20) Duchateau, R; Organometallics 2000, V19, P809 HCAPLUS
(21) Ewen, J; EP 0426637 1990 HCAPLUS
(22) Ewen, J; EP 0427697 1991 HCAPLUS
(23) Ewen, J; Makromol Chem, Macromol Symp 1993, V66, P179 HCAPLUS
(24) Ewen, J; Stud Surf Sci Catal 1994, V89, P405 HCAPLUS
(25) Haselwander, T; Ziegler Catalysts 1995, P181 HCAPLUS
(26) Horton, A; Angew Chem, Int Ed Engl 1991, V30, P1152
(27) Jia, L; Organometallics 1994, V13, P3755 HCAPLUS
(28) Jia, L; Organometallics 1995, V14, P3135 HCAPLUS
(29) Jia, L; Organometallics 1997, V16, P842 HCAPLUS
(30) Kaul, F; J Organomet Chem 2001, V621, P177 HCAPLUS
```

(31) Kaul, F; J Organomet Chem 2001, V621, P184 HCAPLUS

```
(32) King, B; J Am Chem Soc 2000, V122, P10255 HCAPLUS
(33) Kohler, K; Can J Chem 1998, V76, P1249 HCAPLUS
(34) Kohler, K; Organometallics 1998, V17, P3557
(35) Lancaster, S; Chem Commun 1999, P1533 HCAPLUS
(36) Lanza, G; J Am Chem Soc 2000, V122, P12764 HCAPLUS
(37) Lanza, G; Top Catal 1999, V7, P45 HCAPLUS
(38) Lapointe, R; WO 9942467 1999 HCAPLUS
(39) Lapointe, R; J Am Chem Soc 2000, V122, P9560 HCAPLUS
(40) Li, L; Organometallics 1998, V17, P3996 HCAPLUS
(41) Lupinetti, A; Chemtracts-Inorg Chem 1998, V11, P565 HCAPLUS
(42) Mager, M; Angew Chem, Int Ed 2001, V40, P1898 HCAPLUS
(43) Massey, A; J Organomet Chem 1964, V2, P245 HCAPLUS
(44) Massey, A; Proc Chem Soc London 1963, P212 HCAPLUS
(45) Metz, M; Angew Chem, Int Ed 2000, V39, P1312 HCAPLUS
(46) Otwinowski, Z; Methods in Enzymology, Macromolecular Crystallography, Part
   A V276, P307 HCAPLUS
(47) Piers, W; Eur J Inorg Chem 2000, P2131 HCAPLUS
(48) Pohlmann, J; Z Naturforsch, B 1965, V20b, P5 HCAPLUS
(49) Reed, C; Acc Chem Res 1998, V31, P133 HCAPLUS
(50) Rodriquez, G; Organometallics 2001, V20, P2417 HCAPLUS
(51) Sheldrick, G; Acta Cryst 1990, VA46, P467 HCAPLUS
(52) Sheldrick, G; SHELXL - Program for crystal structure refinement 1993
(53) Siedle, A; US 5416177 1995 HCAPLUS
(54) Siedle, A; J Organomet Chem 1995, V497, P119 HCAPLUS
(55) Siedle, A; Makromol Chem, Macromol Symp 1993, V66, P215 HCAPLUS
(56) Sun, Y; Organometallics 2000, V19, P1625 HCAPLUS
(57) Tsang, C; Z Inorg Chem 2000, V39, P5851 HCAPLUS
(58) Turner, H; EP 0277004 1988 HCAPLUS
(59) Vanka, K; Macromol Symp 2001, V173, P163 HCAPLUS
(60) Vanka, K; Organometallics 2001, V20, P905 HCAPLUS
(61) Williams, V; Angew Chem, Int Ed 1999, V38, P3695 HCAPLUS
(62) Williams, V; J Am Chem Soc 1999, V121, P3244 HCAPLUS
(63) Williams, V; Organometallics 2000, V19, P1619 HCAPLUS
(64) Yang, X; J Am Chem Soc 1991, V113, P3623 HCAPLUS
(65) Yang, X; J Am Chem Soc 1994, V116, P10015 HCAPLUS
(66) Yang, X; Organometallics 1991, V10, P840 HCAPLUS
(67) Zhou, J; J Am Chem Soc 2001, V123, P223 HCAPLUS
IT
     402828-29-9P 402828-30-2P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (preparation as alkene polymerization catalyst)
     402828-29-9 HCAPLUS
RN
CN
     Zirconium(1+), rel-bis[(1R,1'R)-(dimethylsilylene)bis[(1,2,3,3a,7a-<math>\eta)-
     1H-inden-1-ylidene]]-\mu-methyldimethyldi-, \mu-
     amidohexakis(pentafluorophenyl)diborate(1-) (9CI)
                                                        (CA INDEX NAME)
     CM
          1
     CRN
          402572-69-4
     CMF
          C36 H2 B2 F30 N
     CCI
          CCS
```

PAGE 1-A


PAGE 2-A


$$\begin{array}{c|c}
F & F \\
\hline
R & C & F
\end{array}$$


PAGE 3-A


CM 2

CRN 207003-99-4 CMF C43 H45 Si2 Zr2 CCI CCS










* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *



PAGE 5-C



RN 402828-30-2 HCAPLUS CN Zirconium(1+), rel-[(1R,1'R)-(dimethylsilylene)bis[(1,2,3,3a,7a- η)-1H-inden-1-ylidene]][(1S,1'S)-(dimethylsilylene)bis[(1,2,3,3a,7a- η)-1H-inden-1-ylidene]]- μ -methyldimethyldi-, μ -amidohexakis(pentafluorophenyl)diborate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 402572-69-4

CMF C36 H2 B2 F30 N

CCI CCS

PAGE 1-A


PAGE 2-A


$$\begin{array}{c|c}
F & F \\
\hline
F & F
\end{array}$$

PAGE 3-A


CM 2

CRN 207004-02-2 CMF C43 H45 Si2 Zr2 CCI CCS






PAGE 3-A







* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *



PAGE 5-C



- L34 ANSWER 9 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN
- AN 2001:28166 HCAPLUS
- DN 134:237878
- ED Entered STN: 12 Jan 2001
- TI "Double Activation" of Constrained Geometry and ansa-Metallocene Group 4 Metal Dialkyls: Synthesis, Structure, and Olefin Polymerization. Study of Mono- and Dicationic Aluminate Complexes
- AU Chen, Eugene Y.-X.; Kruper, William J.; Roof, Gordon; Wilson, David R.
- CS Corporate R&D, The Dow Chemical Company, Midland, MI, 48674, USA
- SO Journal of the American Chemical Society (2001), 123(4), 745-746 CODEN: JACSAT; ISSN: 0002-7863
- PB American Chemical Society
- DT Journal
- LA English
- CC 35-3 (Chemistry of Synthetic High Polymers) Section cross-reference(s): 29, 75

```
LAVILLA 09/890438
                            1/14/04 Page 44
     The ability of Al(C6F5)3 for the formation of dicationic group 4
AB
     constrained geometry and ansa-metallocene bisaluminate complexes was
     investigated ("double activation"). One equiv of Al(C6F5)3 was reacted
     with complexes Me2Si(η5-Me4C5)(t-BuN)TiMe2 (CGC-TiMe2) and
     rac-Me2Si(η5-Ind)2-ZrMe2 (SBI-ZrMe2) to produce the corresponding
     stable and isolable cationic complexes CGC-TiMe(\mu-Me)Al(C6F5)3 (I) and
     SBI-ZrMe(\mu Me)Al(C6F5)3 (II), which were fully characterized by
     spectroscopic and crystallog. methods. Addition of a 2nd equiv of
    Al(C6F5)3 to the toluene solution of I or II led to the formation of the
     corresponding dicationic bisaluminate complexes CGC-Ti[(\mu-
    Me)Al(C6F5)3]2 (III) and SBI-Zr[(\mu-Me)Al(C6F5)3]2 (IV). NMR and
     crystallog. data are consistent with geometry changes from
     C1-symmetry (I and II) to Cs-symmetry in III and C2-symmetry in IV. The
     influence of the catalyst double activation on polymerization characteristics
was
     investigated using copolymn. of ethylene/1-octene under CGC-TiMe2 and
     SBI-ZrMe2 catalysis by adding 1 or multiple equivalent of B(C6F5)3 or
    Al(C6F5)3 to reaction mixture The dicationic complexes exhibited more
     efficient olefin polymerization activity than the corresponding mono-cationic
     catalysts.
ST
     olefin polymn catalyst metallocene aluminate complex; zirconocene
     aluminate complex prepn polymn catalyst; titanocene aluminate complex
     prepn polymn catalyst; ethylene octene polymn metallocene bisaluminate
```

catalyst; metallocene aluminate complex prepn polymn catalyst; crystal structure titanocene zirconocene aluminate complex

IT Polymerization catalysts

> (metallocene; preparation and activity of dicationic metallocene bisaluminate complex catalysts for olefin polymerization)

IT Crystal structure

Molecular structure

(of monocationic and dicationic constrained-geometry ansa-metallocene aluminate complexes)

ΙT 330455-80-6P

> RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (crystal structure; preparation and properties of dicationic metallocene bisaluminate complex catalysts for olefin polymerization)

330454-34-7P ΙT 219627-05-1P 330454-35-8P

> RL: SPN (Synthetic preparation); PREP (Preparation) (decomposition of dicationic metallocene bisaluminate complex catalysts for olefin polymerization)

IT 330454-32-5P

> RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (mol. and crystal structure; preparation and activity of dicationic metallocene bisaluminate complex catalysts for olefin polymerization)

ΙT 258883-44-2P

> RL: CAT (Catalyst use); PEP (Physical, engineering or chemical process); PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); PROC (Process); USES (Uses)

(mol. structure; preparation and properties of dicationic metallocene bisaluminate complex catalysts for olefin polymerization)

IT 193149-39-2P 326817-27-0P

RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)

(preparation and activity of dicationic metallocene bisaluminate complex catalysts for olefin polymerization)

TT 330454-33-6P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)

```
(preparation and activity of dicationic metallocene bisaluminate complex
        catalysts for olefin polymerization)
     1109-15-5, Tris(pentafluorophenyl)borane
                                                135072-62-7
                                                               149197-69-3,
IT
     rac-Dimethyl (dimethylsilylene) bis (1-indenyl) zirconium
                                                              168704-96-9,
    Tris(pentafluorophenyl)aluminum
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (preparation and activity of dicationic metallocene bisaluminate complex
        catalysts for olefin polymerization)
IT
     258883-18-0P
     RL: CAT (Catalyst use); PEP (Physical, engineering or chemical process);
     PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); PROC
     (Process); USES (Uses)
        (preparation and properties of dicationic metallocene bisaluminate complex
        catalysts for olefin polymerization)
TΨ
     26221-73-8P, Ethylene-1-octene copolymer
     RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
        (preparation of polyolefins in presence of dicationic metallocene
        bisaluminate complex catalysts)
              THERE ARE 31 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT
       31
(1) Biagini, P; US 5602269 1997 HCAPLUS
(2) Bochmann, M; Organometallics 1998, V17, P5908 HCAPLUS
(3) Bondar, G; Organometallics 2000, V19, P947 HCAPLUS
(4) Bosch, B; Organometallics 1997, V16, P5449 HCAPLUS
(5) Canich, J; WO 9200333 1992 HCAPLUS
(6) Chen, E; WO 9946270 HCAPLUS
(7) Chen, E; WO 0009514 2000 HCAPLUS
(8) Chen, E; WO 0009515 2000 HCAPLUS
(9) Chen, E; WO 0009523 2000 HCAPLUS
(10) Chen, E; WO 0009524 2000 HCAPLUS
(11) Chen, E; Chem Rev 2000, V100, P1391 HCAPLUS
(12) Chen, E; J Am Chem Soc 1998, V120, P6287
(13) Chen, E; Organometallics 2000, V19, P5541 HCAPLUS
(14) Cowley, A; Chem Commun 1999, P437 HCAPLUS
(15) Gladysz, J; Chem Rev 2000, V100, P1167 HCAPLUS
(16) Green, M; Chem Commun 1999, P115 HCAPLUS
(17) Guerin, F; Angew Chem, Int Ed 2000, V39, P1298 HCAPLUS
(18) Herrmann, W; Angew Chem, Int Ed Engl 1989, V28, P1511
(19) Hollis, T; J Am Chem Soc 1992, V114, P5464 HCAPLUS
(20) Jordan, R; Inorg Chem 1987, V26, P383 HCAPLUS
(21) Lasser, W; J Organomet Chem 1986, V301, P69
(22) Lupinetti, A; Inorg Chem 1998, V26, P565
(23) Massey, A; J Organomet Chem 1964, V2, P245 HCAPLUS
(24) Massey, A; Proc Chem Soc 1963, P212 HCAPLUS
(25) Okuda, J; Comments Inorg Chem 1994, V16, P185 HCAPLUS
(26) Piers, W; Chem Soc Rev 1997, V26, P345 HCAPLUS
(27) Piers, W; Synlett 1990, V2, P74
(28) Shapiro, P; J Am Chem Soc 1994, V116, P4623 HCAPLUS
(29) Stevens, J; EP 416815 A2 1991 HCAPLUS
(30) Wild, F; J Organomet Chem 1985, V288, P63 HCAPLUS
(31) Yang, X; J Am Chem Soc 1994, V116, P10015 HCAPLUS
IT
     326817-27-0P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (preparation and activity of dicationic metallocene bisaluminate complex
        catalysts for olefin polymerization)
RN
     326817-27-0 HCAPLUS
     Zirconium, [rel-(1R,1'R)-(dimethylsilylene)bis[(1,2,3,3a,7a-\eta)-1H-
CN
```

inden-1-ylidene]]- μ -methylmethyl[tris(pentafluorophenyl)boron]- (9CI) (CA INDEX NAME)


```
applicants
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***
L34 ANSWER 10 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN
AN
    2000:553528 HCAPLUS
DN
    133:164482
    Entered STN: 11 Aug 2000
ED
    Novel crystalline ion-association substance, process for
ΤI
    producing the same, and polymerization initiator
IN
    Hiwasa, Shin
PA
    Autex, Inc., Japan
SO
    PCT Int. Appl., 65 pp.
    CODEN: PIXXD2
DΤ
    Patent
    Japanese
LΑ
IC
    ICM C07C017-02
    ICS C07C019-00; C08F004-603; C08F004-70; C08G085-00; C07F005-02;
         C07F015-02; C08G059-68
    35-3 (Chemistry of Synthetic High Polymers)
    Section cross-reference(s): 42
FAN.CNT 1
    PATENT NO.
                    KIND DATE
                                          APPLICATION NO. DATE
    -----
                    ____
                                          -----
                                                          -----
    WO 2000046171
                    A1 20000810
PΤ
                                          WO 2000-JP518 20000131
        W: CA, US
        RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL,
            PT, SE
    JP 2000226396
                      A2
                           20000815
                                         JP 1999-24294
                                                          19990201
    EP 1153905
                      A1
                           20011114
                                         EP 2000-902020
                                                         20000131
           AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
            IE, FI
PRAI JP 1999-24294
                      Α
                           19990201
    WO 2000-JP518
                      W
                           20000131
    MARPAT 133:164482
OS
    The title substance, i.e., a metallocene borate, initiates photopolymn.
AB
    and thermal polymerization Thus, ferrocenium tetrakis(3,5-difluorophenyl)
borate
    was prepared and used as a catalyst for the polymerization of 1,3,5,7-
    tetramethylcyclotetracyclosiloxane to form a film.
ST
    cyclosiloxane polymn catalyst ferrocenium fluorophenyl borate; photopolymn
    catalyst metallocene borate; thermal polymn catalyst metallocene borate
IT
    Polymerization catalysts
       (cationic; metallocene-borate crystalline ion-association substances
       for polymerization catalysts)
IT
    Phenolic resins, preparation
    RL: IMF (Industrial manufacture); PRP (Properties); TEM (Technical or
    engineered material use); PREP (Preparation); USES (Uses)
       (epoxy, novolak; metallocene-borate crystalline ion-association
       substances for polymerization catalysts)
IT
    Epoxy resins, preparation
    RL: IMF (Industrial manufacture); PRP (Properties); TEM (Technical or
    engineered material use); PREP (Preparation); USES (Uses)
       (hydrogenated; metallocene-borate crystalline ion-association
       substances for polymerization catalysts)
TT
    Functional groups
```

(hydroxymethyl group; metallocene-borate crystalline ion-association

```
substances for polymerization catalysts)
     Coating materials
IT
     Electron donors
        (metallocene-borate crystalline ion-association substances for
polymerization
        catalysts)
TT
     Coordination compounds
     RL: CAT (Catalyst use); IMF (Industrial manufacture); PREP (Preparation);
     USES (Uses)
        (metallocene-borate crystalline ion-association substances for
polymerization
        catalysts)
IT
     Polysiloxanes, preparation
     RL: IMF (Industrial manufacture); PRP (Properties); TEM (Technical or
     engineered material use); PREP (Preparation); USES (Uses)
        (metallocene-borate crystalline ion-association substances for
polymerization
        catalysts)
IT
     Borates
     Cyclosiloxanes
     Heterocyclic compounds
     Metallocenes
     Polyamides, reactions
     Transition metal compounds
     Unsaturated compounds
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (metallocene-borate crystalline ion-association substances for
polymerization
        catalysts)
     Epoxy resins, preparation
IT
     RL: IMF (Industrial manufacture); PRP (Properties); TEM (Technical or
     engineered material use); PREP (Preparation); USES (Uses)
        (phenolic, novolak; metallocene-borate crystalline ion-association
        substances for polymerization catalysts)
     Polymerization catalysts
IT
        (photopolymn.; metallocene-borate crystalline ion-association
        substances for polymerization catalysts)
ΙT
     Acetals
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (polyacetals, nonpolymeric; metallocene-borate crystalline
        ion-association substances for polymerization catalysts)
IT
     Polymerization catalysts
        (thermal; metallocene-borate crystalline ion-association substances
        for polymerization catalysts)
     119-61-9, Benzophenone, uses
                                    1210-35-1
IT
     RL: CAT (Catalyst use); USES (Uses)
        (metallocene-borate crystalline ion-association substances for
polymerization
        catalysts)
     143607-33-4P 156301-37-0P 288101-82-6P
     288101-83-7P 288101-84-8P 288101-85-9P
     288101-86-0P 288101-88-2P 288101-89-3P
     288101-90-6P 288101-91-7P 288101-92-8P
     288101-93-9P
     RL: CAT (Catalyst use); IMF (Industrial manufacture); PREP
     (Preparation); USES (Uses)
        (metallocene-borate crystalline ion-association substances for
        polymerization catalysts)
```

```
1333-16-0DP,
    108-95-2DP, Phenol, novolak epoxy resins, preparation
     Bisphenol F, epoxy resins 9004-73-3P, Poly(1,3,5,7-
     tetramethylcyclotetrasiloxane, SRU
                                        9016-00-6P,
     Poly(octamethylcyclotetrasiloxane), SRU 25037-57-4P,
     Poly(octamethylcyclotetrasiloxane)
                                        26710-23-6P
                                                        27576-78-9P,
     Poly(1,3,5,7-tetramethylcyclotetrasiloxane)
                                                 28323-47-9P,
                                          31305-85-8P, Poly(1,3-
     Poly(hexaethylcyclotrisiloxane), SRU
                                                 32625-53-9P,
    bis(glycidoxypropyl)tetramethyldisiloxane)
                                                65581-98-8P, Epiclon 830
     Decamethylcyclopentasiloxane homopolymer
                                                    110294-68-3P
                                                                  111319-45-0P
     88483-06-1P, Poly(hexaethylcyclotrisiloxane)
     117932-09-9P, Poly(dodecamethylcyclohexasiloxane)
                                                        147881-71-8P, Epiclon
             183867-42-7P, Poly[oxy(phenylsilylene)]
                                                        183867-43-8P
    220175-12-2P, Epikote RXE 21
                                    288101-94-0P
    RL: IMF (Industrial manufacture); PRP (Properties); TEM (Technical or
     engineered material use); PREP (Preparation); USES (Uses)
        (metallocene-borate crystalline ion-association substances for
polymerization
       catalysts)
                          109-63-7, Boron trifluoride etherate
ΙT
     102-54-5, Ferrocene
                                                                  461-96-1,
     1-Bromo-3,5-difluorobenzene
                                  1291-47-0, Dimethylferrocene
                                                                  2797-28-6
     12152-94-2
                 12156-05-7
                              22533-15-9
                                            31904-29-7, Butylferrocene
     53954-86-2, tert-Amyl-ferrocene
                                       66016-55-5, 1,2,4,1',2',4'-
    Hexamethylferrocene
                           79060-88-1
                                        119861-51-7, Sodium
     tetrakis(3,5-difluorophenyl)borate
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (metallocene-borate crystalline ion-association substances for
polymerization
       catalysts)
              THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT
(1) Klimova, E; J Organomet Chem 1998, V559(1-2), P43 HCAPLUS
(2) Pcd Polymere Gesellschaft m B H; EP 673946 A2 HCAPLUS
(3) Pcd Polymere Gesellschaft m B H; JP 841088 A
(4) Pcd Polymere Gesellschaft m B H; US 5521265 A 1996 HCAPLUS
(5) Studiengesellschaft Kohle Mbh; JP 11152295 A HCAPLUS
(6) Studiengesellschaft Kohle Mbh; EP 897926 Al HCAPLUS
(7) Studiengesellschaft Kohle Mbh; US 5959132 A 1999 HCAPLUS
IT
     143607-33-4P 156301-37-0P 288101-82-6P
     288101-83-7P 288101-84-8P 288101-85-9P
     288101-86-0P 288101-88-2P 288101-89-3P
     288101-90-6P 288101-91-7P 288101-92-8P
     288101-93-9P
     RL: CAT (Catalyst use); IMF (Industrial manufacture); PREP
     (Preparation); USES (Uses)
        (metallocene-borate crystalline ion-association substances for
       polymerization catalysts)
     143607-33-4 HCAPLUS
RN
     Ferrocenium, 1,1'-dimethyl-, tetrakis(pentafluorophenyl)borate(1-) (9CI)
CN
     (CA INDEX NAME)
     CM
     CRN
         47855-94-7
     CMF C24 B F20
     CCI CCS
```


CRN 12276-63-0 CMF C12 H14 Fe CCI CCS



CM 1

CRN 79230-20-9 CMF C32 H12 B F24 CCI CCS

CRN 12125-80-3 CMF C10 H10 Fe CCI CCS



RN 288101-82-6 HCAPLUS
CN Ferrocenium, tetrakis(3,5-difluorophenyl)borate(1-) (9CI) (CA INDEX NAME)


CM 1

CRN 153514-62-6 CMF C24 H12 B F8

CCI CCS

$$\begin{array}{c|c}
F & F \\
\hline
C_{-} & 3+ & C \\
\hline
F & C_{-} & F
\end{array}$$

CRN 12125-80-3 CMF C10 H10 Fe CCI CCS




RN 288101-83-7 HCAPLUS
CN Ferrocenium, 1,1'-dimethyl-, tetrakis(3,5-difluorophenyl)borate(1-) (9CI)
(CA INDEX NAME)


CM 1

CRN 153514-62-6 CMF C24 H12 B F8

CCI CCS



CRN 12276-63-0 CMF C12 H14 Fe CCI CCS




RN 288101-84-8 HCAPLUS
CN Ferrocenium, 1,1',2,2',4,4'-hexamethyl-, tetrakis(3,5-difluorophenyl)borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 153514-62-6 CMF C24 H12 B F8 CCI CCS

$$\begin{array}{c|c}
F & F \\
\hline
C_{-} & 3+ \hline
C_{-} & F \\
\hline
F & F
\end{array}$$

CRN 66016-55-5 CMF C16 H22 Fe CCI CCS




CM 1

CRN 153514-62-6 CMF C24 H12 B F8 CCI CCS

$$\begin{array}{c|c}
F & F \\
\hline
C - B + C \\
\hline
F & F
\end{array}$$

CRN 33306-90-0 CMF C14 H18 Fe CCI CCS




CM 1

CRN 153514-62-6 CMF C24 H12 B F8 CCI CCS

$$\begin{array}{c|c}
F & F \\
\hline
C - B & F \\
\hline
F & F
\end{array}$$

CRN 121461-77-6 CMF C15 H20 Fe CCI CCS



RN 288101-88-2 HCAPLUS
CN Ferrocenium, borono-, tetrakis(3,5-difluorophenyl)borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 288101-87-1 CMF C10 H11 B Fe O2 CCI CCS

CRN 153514-62-6 C24 H12 B F8 CMF

CCI CCS

$$\begin{array}{c|c} F & & F \\ \hline C & & \\ \hline C & \\ \hline C & \\ \hline C & \\ \hline F & \\ \hline F & \\ \hline \end{array}$$


RN

288101-89-3 HCAPLUS Ferrocenium, 1,1'-dimethyl-, tetrakis[3,5-bis(trifluoromethyl)phenyl]borat CNe(1-) (9CI) (CA INDEX NAME)


CM 1

CRN 79230-20-9 CMF C32 H12 B F24

CCI CCS



CRN 12276-63-0 CMF C12 H14 Fe CCI CCS




RN 288101-90-6 HCAPLUS
CN Ferrocenium, 1,1',2,2',4,4'-hexamethyl-, tetrakis[3,5-bis(trifluoromethyl)phenyl]borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 79230-20-9 CMF C32 H12 B F24 CCI CCS


CRN 66016-55-5 CMF C16 H22 Fe CCI CCS



RN 288101-91-7 HCAPLUS
CN Ferrocenium, 1,1',2,2',4,4'-hexamethyl-, tetrakis(pentafluorophenyl)borate
(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 66016-55-5 CMF C16 H22 Fe CCI CCS



CRN 47855-94-7 CMF C24 B F20 CCI CCS


RN 288101-92-8 HCAPLUS

CN Ferrocenium, 1,1',2,2',4,4'-hexamethyl-, tetrakis[4-(trifluoromethyl)phenyl]borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 66016-55-5 CMF C16 H22 Fe

CCI CCS




CRN 47823-82-5 CMF C28 H16 B F12 CCI CCS

RN 288101-93-9 HCAPLUS

CN Ferrocenium, (2-ferrocenylethyl)-, tetrakis[3,5-bis(trifluoromethyl)phenyl]borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 227610-26-6 CMF C22 H22 Fe2 CCI CCS ر ب



CM 2

CRN 79230-20-9 CMF C32 H12 B F24

CCI CCS

L34 ANSWER 11 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2000:507131 HCAPLUS

DN 133:252487

ED Entered STN: 27 Jul 2000

TI Bis (Pentafluorophenyl) (2-perfluorobiphenylyl) borane. A New Perfluoroarylborane Cocatalyst for Single-Site Olefin Polymerization

AU Li, Liting; Stern, Charlotte L.; Marks, Tobin J.

CS Department of Chemistry, Northwestern University, Evanston, IL, 60208-3113, USA

SO Organometallics (2000), 19(17), 3332-3337 CODEN: ORGND7; ISSN: 0276-7333

PB American Chemical Society

DT Journal

LA English

CC 29-4 (Organometallic and Organometalloidal Compounds) Section cross-reference(s): 35, 67, 75

- Bis (pentafluorophenyl) (2-perfluorobiphenylyl) borane, (C6F5) 2B (C12F9) (BPB), was synthesized and characterized to serve as a new strong organo-Lewis acid cocatalyst for single-site olefin polymerization The mol. structure of PBP was determined by x-ray crystallog. anal. BPB efficiently activates a variety of Group 4 di-Me complexes to form highly active homogeneous Ziegler-Natta olefin polymerization catalysts. Reaction of BPB with Cp2ZrMe2, rac-Me2Si(Ind)2ZrMe2, and (CGC)MMe2 (M = Zr, Ti; CGC = Me2Si(η5-Me4C5)(tBuN)) (1:1 molar ratio) rapidly and cleanly produces the base-free cationic complexes Cp2ZrMe+[MeB(C12F9)(C6F5)2]- (1), rac-Me2Si(Ind)2ZrMe+[MeB(C12F9)(C6F5)2]- (2), and (CGC)MMe+[MeB(C12F9)(C6F5)2]-(M = Zr, 3; M = Ti, 4), resp.complexes were characterized by NMR and elemental anal. and are competent for ethylene and propylene polymerization In general, BPB-derived catalysts exhibit polymerization activities comparable to or higher than those of the B(C6F5)3-derived analogs, with the products exhibiting higher mol. wts. but comparable polydispersities, polypropylene isotacticities, and, for ethylene + 1-hexene, comonomer incorporation.
- ST fluorophenylfluorobiphenylylborane prepn cocatalyst olefin polymn; borane fluorophenylfluorobiphenylyl prepn cocatalyst olefin polymn; Group IVB dimethylmetal fluorophenylfluorobiphenylylborane catalyst Ziegler Natta olefin polymn; single site olefin polymn fluorophenylfluorobiphenylylboran e cocatalyst; zirconium metallocene olefin polymn catalyst fluorophenylfluorobiphenylylborane cocatalyst; titanium metallocene olefin polymn catalyst fluorophenylfluorobiphenylylborane cocatalyst; metallocene titanium zirconium olefin polymn catalyst fluorophenylfluorobiphenylylbora ne cocatalyst
- IT Polymerization catalysts

(Ziegler-Natta; preparation of bis(pentafluorophenyl)(perfluorobiphenylyl)bo rane as Lewis acid cocatalyst with Group 4 dimethylmetal for single-site olefin polymerization)

IT Polymerization catalysts

(metallocene; preparation of bis(pentafluorophenyl)(perfluorobiphenylyl)bora ne as Lewis acid cocatalyst with Group 4 dimethylmetal for single-site olefin polymerization)

IT Crystal structure

Molecular structure

(of bis(pentafluorophenyl)(perfluorobiphenylyl)borane)

IT Group IVB element complexes

RL: CAT (Catalyst use); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(preparation of bis(pentafluorophenyl)(perfluorobiphenylyl)borane as Lewis acid cocatalyst with Group 4 dimethylmetal for single-site olefin polymerization)

IT Polyolefins

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation of bis(pentafluorophenyl)(perfluorobiphenylyl)borane as Lewis acid cocatalyst with Group 4 dimethylmetal for single-site olefin polymerization)

IT 295367-76-9P, Bis(pentafluorophenyl)(2-perfluorobiphenylyl)borane
RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP
(Preparation); RACT (Reactant or reagent)

(preparation as cocatalyst with Group 4 dimethylmetal metallocene for olefin polymerization and crystal structure of)

- IT 9002-88-4P 9003-07-0P 25213-02-9P, Ethylene-1-hexene copolymer 295367-74-7P
 - RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
- IT 12636-72-5, Bis (η5-cyclopentadienyl) dimethylzirconium


```
RL: CAT (Catalyst use); RCT (Reactant); RACT (Reactant or reagent); USES
        (preparation of bis(pentafluorophenyl)(perfluorobiphenylyl)borane as Lewis
        acid cocatalyst with Group 4 dimethylmetal for single-site olefin
        polymerization)
IT
     295367-73-6P
                    295367-75-8P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (preparation of bis(pentafluorophenyl)(perfluorobiphenylyl)borane as Lewis
        acid cocatalyst with Group 4 dimethylmetal for single-site olefin
        polymerization)
     1093-66-9, 2-Perfluorobiphenylyl bromide
                                                2720-03-8,
TΤ
     Chlorobis (pentafluorophenyl) borane
                                          135072-62-7
                                                         135539-56-9
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (preparation of bis(pentafluorophenyl)(perfluorobiphenylyl)borane as Lewis
        acid cocatalyst with Group 4 dimethylmetal for single-site olefin
        polymerization)
     149197-69-3
IT
     RL: CAT (Catalyst use); RCT (Reactant); RACT (Reactant or reagent); USES
     (Uses)
        (rac-diastereomer; preparation of bis(pentafluorophenyl)(perfluorobiphenylyl
        )borane as Lewis acid cocatalyst with Group 4 dimethylmetal for
        single-site olefin polymerization)
IT
     296230-20-1P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (rac-diastereomer; preparation of bis(pentafluorophenyl)(perfluorobiphenylyl
        )borane as Lewis acid cocatalyst with Group 4 dimethylmetal for
        single-site olefin polymerization)
RE.CNT
              THERE ARE 39 CITED REFERENCES AVAILABLE FOR THIS RECORD
       39
RE
(1) Anon; Catalyst Design for Tailor-Made Polyolefins 1994
(2) Anon; Chem Rev 2000, V100(4)
(3) Anon; Topics in Catalysis 1999, V15
(4) Bochmann, M; J Chem Soc Dalton Trans 1996, P255 HCAPLUS
(5) Brintzinger, H; Angew Chem Int Ed Engl 1995, V34, P1143 HCAPLUS
(6) Britovsek, G; Angew Chem Int Ed 1999, V38, P428 HCAPLUS
(7) Canich, J; Eur Patent Appl EP 420 436-A1 1991
(8) Canich, J; PCT Appl WO 92-00333 1992
(9) Chambers, R; J Chem Soc 1965, P3933 HCAPLUS
(10) Chen, E; Chem Rev 2000, V100(4), P1371
(11) Chen, Y; J Am Chem Soc 1998, V120, P6287 HCAPLUS
(12) Christopher, J; Organometallics 1996, V15, P4038 HCAPLUS
(13) Deck, P; J Am Chem Soc 1998, V120, P1772 HCAPLUS
(14) Ewen, J; HCAPLUS
(15) Fu, P; Submitted for publication
(16) Herfert, N; Makromol Chem Rapid Commun 1993, V14, P91 HCAPLUS
(17) Herrmann, W; Angew Chem Int Ed Engl 1989, V28, P1511
(18) Hsich, E; Macromolecules 1982, V15, P1402
(19) Kakugo, M; Stud Surf Sci Catal 1990, V56, P517 HCAPLUS
(20) Kaminsky, W; Adv Polym Sci 1997, V127, P144
(21) Li, L; Organometallics 1998, V17, P3996 HCAPLUS
(22) Longo, P; Makromol Chem 1990, V191, P2387 HCAPLUS
(23) Luo, L; Topics in Catalysis 1999, V15, P97
(24) Marks, T; Acc Chem Res 1992, V25, P57 HCAPLUS
(25) Massey, A; J Organomet Chem 1964, V2, P245 HCAPLUS
(26) Metz, M; Angew Chem Int Ed 2000, V39, P1312 HCAPLUS
(27) Miyatake, T; Macromol Symp 1993, V66, P203 HCAPLUS
```

```
(28) Mohring, P; J Organomet Chem 1994, V479, P1
(29) Pellecchia, C; Macromolecules 1996, V29, P1158 HCAPLUS
(30) Penton, D; J Organomet Chem 1964, V2, P437
(31) Piers, W; Chem Soc Rev 1997, V26, P345 HCAPLUS
(32) Randall, J; J Polym Sci Part B 1975, V13, P889 HCAPLUS
(33) Samuel, E; J Am Chem Soc 1973, V95, P6263 HCAPLUS
(34) Soga, K; Makromol Chem 1990, V191, P2853 HCAPLUS
(35) Stevens, J; Eur Patent Appl EP 416 815-A2 1991
(36) Temme, B; Angew Chem Int Ed Engl 1995, V34, P1755 HCAPLUS
(37) Williams, V; J Am Chem Soc 1999, V121, P3244 HCAPLUS
(38) Yang, X; J Am Chem Soc 1991, V113, P3623 HCAPLUS
(39) Yang, X; J Am Chem Soc 1994, V116, P10015 HCAPLUS
IT
     295367-73-6P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (preparation of bis(pentafluorophenyl)(perfluorobiphenylyl)borane as Lewis
        acid cocatalyst with Group 4 dimethylmetal for single-site olefin
        polymerization)
RN
     295367-73-6 HCAPLUS
     Zirconium(1+), bis(\eta5-2,4-cyclopentadien-1-yl)methyl-,
CN
     (T-4)-methyl(2',3,3',4,4',5,5',6,6'-nonafluoro[1,1'-biphenyl]-2-
     yl)bis(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME)
     CM
     CRN
         295367-72-5
         C25 H3 B F19
     CMF
```

CCI CCS

CM 2

CRN 94370-49-7 CMF C11 H13 Zr CCI CCS



IT 296230-20-1P

RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses) (rac-diastereomer; preparation of bis(pentafluorophenyl)(perfluorobiphenylyl) borane as Lewis acid cocatalyst with Group 4 dimethylmetal for single-site olefin polymerization)

RN 296230-20-1 HCAPLUS

CN Zirconium(1+), [(dimethylsilylene)bis[(1,2,3,3a,7a-\eta)-1H-inden-1-ylidene]]methyl-, stereoisomer, (T-4)-methyl(2',3,3',4,4',5,5',6,6'-nonafluoro[1,1'-biphenyl]-2-yl)bis(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 295367-72-5 CMF C25 H3 B F19 CCI CCS


$$F \longrightarrow F$$

LAVILLA 09/890438 1/14/04 Page 66


CM 2

CRN 174690-62-1 CMF C21 H21 Si Zr CCI CCS


PAGE 1-A



PAGE 2-A



PAGE 3-A



L34 ANSWER 12 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2000:496850 HCAPLUS

DN 133:252770

ED Entered STN: 24 Jul 2000

TI d0 Metal Olefin Complexes. Synthesis, Structures, and Dynamic Properties of (C5R5)2Zr(OCMe2CH2CH2CH2CH2)+ Complexes: Models for the Elusive

(C5R5)2Zr(R)(Olefin) + Intermediates in Metallocene-Based Olefin Polymerization Catalysis

- AU Carpentier, Jean-Francois; Wu, Zhe; Lee, Chul Woo; Stroemberg, Staffan; Christopher, Joseph N.; Jordan, Richard F.
- CS Department of Chemistry, University of Chicago, Chicago, IL, 60637, USA
- SO Journal of the American Chemical Society (2000), 122(32), 7750-7767 CODEN: JACSAT; ISSN: 0002-7863
- PB American Chemical Society
- DT Journal
- LA English
- CC 35-3 (Chemistry of Synthetic High Polymers)
 Section cross-reference(s): 29
- To model the Zr-olefin interaction in the as-yet unobserved AΒ (C5R5)2Zr(R)(olefin)+ intermediates in (C5R5)2Zr(R)+-catalyzed olefin polymerization, the coordination of the tethered vinyl group in (C5R5)2Zr(OCMe2(CH2)nCH:CH2)+ species has been investigated. The reaction of (C5H5)2Zr(OCMe2CH2CH2CH:CH2)(Me) with B(C6F5)3 or [Ph3C][B(C6F5)4] yields the chelated olefin complex (C5H5)2Zr(OCMe2CH2CH2CH2CH2)+ as the MeB(C6F5)3- (12a) or B(C6F5)4- (12b) salts. In contrast, the reaction of (C5H5)2Zr(OCMe2CH2CH:CH2)(Me) with B(C6F5)3 in CD2C12 yields the MeB(C6F5)3- adduct (C5H5)2zr(+)(OCMe2CH2CH:CH2)(μ -Me)B(-)(C6F5)3. The reaction of (C5H5)2Zr(OCMe2CH2CH2CH2CH:CH2)(Me) with B(C6F5)3 yields a 1.2/1 mixture (at -90 °C) of the chelated olefin complex (C5H5)2Zr(OCMe2CH2CH2CH2CH:CH2)+ and the MeB(C6F5)3- adduct $(C5H5)2Zr(+)(OCMe2CH2CH2CH:CH2)(\mu-Me)B(-)(C6F5)3'$. The reaction of rac-(EBI)Zr(OCMe2CH2CH2CH:CH2)(Me) (EBI = ethylene-1,2-bis(1-indenyl)) with B(C6F5)3 or [Ph3C][B(C6F5)4] yields the chelated olefin complex rac-(EBI)Zr(OCMe2CH2CH2CH:CH2)+ as the MeB(C6F5)3- (20a) or B(C6F5)4-(20b) salts, each as a 1/1 mixture of diastereomers which differ in the relative configuration of the rac-(EBI)Zr unit and the internal carbon of the coordinated olefin. X-ray diffraction analyses of 12a and the S,S,R/R,R,S isomer of 20a, and NMR data for 12a,b and 20a,b establish that the Zr-olefin bonding in these species is unsym. and consists of a weak Zr-Cterm interaction and minimal Zr-Cint interaction (12a, Zr-Cterm = 2.68(2), Zr-Cint = 2.89(2) Å; 20a, Zr-Cterm = 2.634(5), Zr-Cint = 2.634(5)2.819(4) Å). X-ray (dC:C), IR (vC:C), and NMR (1H, 13C) data show that the Zr-olefin interaction does not significantly perturb the structure of the coordinated olefin but does polarize the C:C bond such that pos. charge buildup occurs at Cint. Similar unsym. bonding and polarization effects may contribute to the high insertion reactivity of $(C5R5)2Zr(R)(\alpha-olefin) + species$. Dynamic NMR studies show that 12a,b and 20a,b undergo olefin face exchange in solution on the NMR time scale. The free energy barrier for face exchange of 20a (ΔG .thermod.FE = 15.4(4) kcal/mol at 43 °C) is significantly greater than that for 12a (ΔG .thermod.FE = 10.7(5) kcal/mol at -55 C). Possible origins of this difference are discussed. The face exchange of 20a is dissociative, with minimal involvement of anion, solvent, or σ -complex intermediates.
- ST zirconium indenyl cyclopentadienyl olefin complex synthesis model polymn catalyst; olefin face exchange free energy zirconium complex
- IT Bond angle Bond length

Crystal structure
Molecular structure
Polymerization catalysts
Substitution reaction, coordinative
 (synthesis, structures, and dynamic properties of
 (C5R5)2Zr(OCMe2CH2CH2CH:CH2)+ complexes as models for

--

```
(C5R5)2Zr(R)(Olefin)+ intermediates in metallocene-based olefin
polymerization
        catalysis)
     Transition metal complexes
IT
     RL: CAT (Catalyst use); PRP (Properties); RCT (Reactant); RACT (Reactant
     or reagent); USES (Uses)
        (synthesis, structures, and dynamic properties of
        (C5R5)2Zr(OCMe2CH2CH2CH:CH2)+ complexes as models for
        (C5R5)2Zr(R)(Olefin) + intermediates in metallocene-based olefin
polymerization
        catalysis)
IT
     Polyolefins
     RL: MSC (Miscellaneous)
        (synthesis, structures, and dynamic properties of
        (C5R5)2Zr(OCMe2CH2CH2CH:CH2)+ complexes as models for
        (C5R5)2Zr(R)(Olefin) + intermediates in metallocene-based olefin
polymerization
        catalysis)
ΙT
     294636-75-2P 294636-79-6P 294638-90-7P
     294638-91-8P 294638-96-3P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (synthesis, structures, and dynamic properties of
        (C5R5)2Zr(OCMe2CH2CH2CH:CH2)+ complexes as models for
        (C5R5)2Zr(R)(Olefin) + intermediates in metallocene-based olefin
        polymerization catalysis)
                                         109-49-9, 5-Hexen-2-one
IT
     60-29-7, Diethyl ether, reactions
                                                                   109-99-9,
                 624-97-5, 2-Methyl-4-penten-2-ol 917-54-4, Methyllithium
     reactions
     1109-15-5, Tris(pentafluorophenyl)boron 1119-51-3
                                                           12636-72-5,
                          23616-79-7, Tributylbenzylammonium chloride
     Dimethylzirconocene
     136040-19-2, Triphenylcarbenium tetrakis(pentafluorophenyl)borate
     136844-77-4
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (synthesis, structures, and dynamic properties of
        (C5R5)2Zr(OCMe2CH2CH2CH:CH2) + complexes as models for
        (C5R5)2Zr(R)(Olefin) + intermediates in metallocene-based olefin
polymerization
        catalysis)
     16744-89-1P, 2-Methyl-5-hexen-2-ol
                                          70083-57-7P, Lithium
TT
     Methyltris(pentafluorophenyl)borate 77437-98-0P, 2-Methyl-6-hepten-2-ol
                  166544-86-1P 166544-87-2P
     166544-85-0P
                                                 166987-10-6P
                                                                 294636-70-7P
     RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
     (Reactant or reagent)
        (synthesis, structures, and dynamic properties of
        (C5R5)2Zr(OCMe2CH2CH2CH:CH2)+ complexes as models for
        (C5R5)2Zr(R)(Olefin)+ intermediates in metallocene-based olefin
polymerization
        catalysis)
                                   166987-11-7P
                                                  166987-12-8P
IT
     166544-91-8P
                    166544-94-1P
                                                                  166987-13-9P
                                                  294636-82-1P
     166987-14-0P
                    293736-17-1P
                                   294636-72-9P
     RL: SPN (Synthetic preparation); PREP (Preparation)
        (synthesis, structures, and dynamic properties of
        (C5R5)2Zr(OCMe2CH2CH2CH:CH2) + complexes as models for
        (C5R5)2Zr(R)(Olefin) + intermediates in metallocene-based olefin
polymerization
        catalysis)
RE.CNT 160
             THERE ARE 160 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE
```

~?

- (1) Ahlers, W; Eur J Inorg Chem 1998, P889 HCAPLUS
- (2) Alelyunas, Y; Organometallics 1994, V13, P148 HCAPLUS
- (3) Alt, H; J Organomet Chem 1988, V356, PC83 HCAPLUS
- (4) Ammendola, P; J Organomet Chem 1983, V254, P389 HCAPLUS
- (5) Anon; 1991 HCAPLUS
- (6) Anon; 1991 HCAPLUS
- (7) Anon; Private communication from Bastl, Z; Mach, K
- (8) Antonelli, D; Organometallics 1994, V13, P763 HCAPLUS
- (9) Baldwin, D; J Chem Soc A 1971, P1725
- (10) Ballard, D; J Catal 1976, V44, P116 HCAPLUS
- (11) Batta, G; J Am Chem Soc 1993, V115, P6782 HCAPLUS
- (12) Beck, S; Inorg Chim Acta 1998, V270, P376 HCAPLUS
- (13) Bender, B; Organometallics 1992, V11, P3427 HCAPLUS
- (14) Bereton, I; J Magn Reson 1991, V93, P54
- (15) Bevington, P; Data Reduction and Error Analysis for the Physical Sciences 1969
- (16) Binger, P; Chem Ber 1989, V122, P1035 HCAPLUS
- (17) Bochmann, M; Angew Chem, Int Ed Engl 1990, V29, P780
- (18) Bochmann, M; J Chem Soc, Chem Commun 1990, P1038 HCAPLUS
- (19) Bochmann, M; J Chem Soc, Dalton Trans 1996, P255 HCAPLUS
- (20) Boor, J; Zeigler-Natta Catalysts and Polymerizations 1979
- (21) Brakemeyer, T; Organometallics 1997, V16, P531
- (22) Breitmaier, E; Carbon-13 NMR Spectroscopy, High-Resolution Methods and Applications in Organic Chemistry and Biochemistry, 3rd ed, Chapter 3 1987
- (23) Brintzinger, H; Angew Chem, Int Ed Engl 1995, V34, P1143 HCAPLUS
- (24) Brookhart, M; J Am Chem Soc 1990, V112, P5634 HCAPLUS
- (25) Bruker; ·B-VT-1000E variable-temperature unit manual P13
- (26) Butakoff, K; Polyhedron 1996, V15, P489 HCAPLUS
- (27) Canich, J; EP 0420436 A1 1991 HCAPLUS
- (28) Carpentier, J; manuscript in preparation
- (29) Casey, C; J Am Chem Soc 1995, V117, P9770 HCAPLUS
- (30) Casey, C; J Am Chem Soc 1997, V119, P9681
- (31) Casey, C; J Am Chem Soc 1999, V121, P9483 HCAPLUS
- (32) Casey, C; Organometallics 1998, V17, P287 HCAPLUS
- (33) Castonguay, L; J Am Chem Soc 1992, V114, P5832 HCAPLUS
- (34) Chen, Y; J Am Chem Soc 1998, V120, P6287 HCAPLUS
- (35) Chien, J; J Am Chem Soc 1991, V113, P8570 HCAPLUS
- (36) Clark, R; J Chem Soc, Dalton Trans 1974, P1462 HCAPLUS
- (37) Clark, R; J Chem Soc, Dalton Trans 1976, P120
- (38) Coffindaffer, T; J Am Chem Soc 1989, V111, P4742 HCAPLUS
- (39) Collins, S; Organometallics 1991, V10, P2092 HCAPLUS
- (40) Cotton, F; J Am Chem Soc 1986, V108, P4657 HCAPLUS
- (41) Cuenca, T; J Organomet Chem 1985, V293, P61 HCAPLUS
- (42) Davis, A; J Magn Reson 1991, V94, P637 HCAPLUS
- (43) de Klerk-Engels, B; Organometallics 1994, V13, P3269 HCAPLUS
- (44) de Renzi, A; Gazz Chim Ital 1976, V106, P765 HCAPLUS
- (45) Deck, P; J Am Chem Soc 1998, V120, P1772 HCAPLUS
- (46) Diamond, G; J Am Chem Soc 1996, V118, P8024 HCAPLUS
- (47) Diamond, G; Organometallics 1995, V14, P5 HCAPLUS
- (48) Dolzine, T; J Am Chem Soc 1974, V96, P1737 HCAPLUS
- (49) Dotz, K; J Organomet Chem 1988, V338, PC11
- (50) Emri, J; Comprehensive Coordination Chemistry 1987, V3, P82
- (51) Erker, G; J Am Chem Soc 1980, V102, P6346
- (52) Erker, G; Organometallics 1992, V11, P4174 HCAPLUS
- (53) Evans, W; Inorg Chim Acta 1985, V110, P191 HCAPLUS
- (54) Evans, W; J Am Chem Soc 1985, V107, P405 HCAPLUS
- (55) Evans, W; J Organomet Chem 1993, V444, P61 HCAPLUS
- (56) Ewen, J; US 419017 1989

```
(57) Ewen, J; EP 0426637 1991 HCAPLUS
(58) Feldman, J; Prog Inorg Chem 1991, V39, P1
(59) Finch, W; J Am Chem Soc 1988, V110, P2406 HCAPLUS
(60) Fusto, M; Organometallics 1997, V16, P5981 HCAPLUS
(61) Galakhov, M; J Chem Soc, Chem Commun 1998, P17 HCAPLUS
(62) Gassman, P; J Am Chem Soc 1987, V109, P7875 HCAPLUS
(63) Gassman, P; Organometallics 1983, V2, P1470 HCAPLUS
(64) Gilliom, L; J Am Chem Soc 1986, V108, P733 HCAPLUS
(65) Gillis, D; J Am Chem Soc 1993, V115, P2543 HCAPLUS
(66) Goddard, R; Acta Crystallogr, Sect C 1990, V46, P998
(67) Gordon, A; The Chemist's Companion 1972, P108
(68) Guo, Z; Organometallics 1994, V13, P766 HCAPLUS
(69) Guram, A; Comprehensive Organometallic Chemistry 1995, V4, P589
(70) Guram, A; J Am Chem Soc 1992, V114, P8991 HCAPLUS
(71) Hata, G; J Chem Soc, Chem Commun 1968, P7 HCAPLUS
(72) Hong, Y; Organometallics 1993, V12, P964 HCAPLUS
(73) Horton, A; Angew Chem, Int Ed Engl 1991, V30, P1152
(74) Horton, A; Organometallics 1992, V11, P8 HCAPLUS
(75) Horton, A; Trends Polym Sci 1994, V2, P158 HCAPLUS
(76) Howard, W; Inorg Chem 1995, V34, P5900 HCAPLUS
(77) Howard, W; Organometallics 1995, V14, P4037 HCAPLUS
(78) Hurd, R; J Magn Reson 1990, V87, P422 HCAPLUS
(79) Ivin, K; Olefin Metathesis and Metathesis Polymerization 1997
(80) Jeener, J; J Chem Phys 1979, V71, P4546 HCAPLUS
(81) Jia, L; Organometallics 1997, V16, P842 HCAPLUS
(82) Johnson, L; J Am Chem Soc 1996, V118, P267 HCAPLUS
(83) Jolly, C; J Am Chem Soc 1989, V111, P7968 HCAPLUS
(84) Jordan, R; Adv Organomet Chem 1991, V32, P325 HCAPLUS
(85) Jordan, R; J Am Chem Soc 1986, V108, P1718 HCAPLUS
(86) Jordan, R; J Am Chem Soc 1987, V109, P4111 HCAPLUS
(87) Jordan, R; J Am Chem Soc 1990, V112, P1289 HCAPLUS
(88) Jordan, R; Organometallics 1990, V9, P1539 HCAPLUS
(89) Kaminsky, W; Adv Polym Sci 1997, V127, P143 HCAPLUS
(90) Karl, J; J Am Chem Soc 1998, V120, P5643 HCAPLUS
(91) Karl, J; J Mol Catal A: Chem 1998, V128, P858
(92) Kegley, S; Organometallics 1993, V12, P2339 HCAPLUS
(93) Koelle, U; Organometallics 1992, V11, P249 HCAPLUS
(94) Korolev, A; J Am Chem Soc 1999, V121, P11606
(95) Krauss, H; Z Naturforsch 1965, VB20, P630
(96) Kress, J; Angew Chem, Int Ed Engl 1992, V31, P1585
(97) Kreuder, C; Organometallics 1995, V14, P2993 HCAPLUS
(98) Kruger, C; Organometallics 1985, V4, P215
(99) Lancaster, S; Organometallics 1995, V14, P2456 HCAPLUS
(100) Lappert, M; Chem Rev 1956, V56, P959 HCAPLUS
(101) Lohrenz, J; J Am Chem Soc 1995, V117, P12793 HCAPLUS
(102) Lohrenz, J; J Organomet Chem 1995, V497, P91 HCAPLUS
(103) Lupinetti, A; Chemtracts-Inorg Chem 1972, V11, P565
(104) Mann, B; 13C NMR Data for Organometallic Compounds 1981, P6
(105) Manriquez, J; J Am Chem Soc 1976, V98, P6733 HCAPLUS
(106) Manriquez, J; J Am Chem Soc 1978, V100, P2716 HCAPLUS
(107) Margl, P; Organometallics 1998, V17, P933 HCAPLUS
(108) Marks, T; Acc Chem Res 1992, V25, P57 HCAPLUS
(109) Marsella, J; J Am Chem Soc 1980, V102, P7244 HCAPLUS
(110) Marsella, J; J Organomet Chem 1980, V201, P389 HCAPLUS
(111) Martin, A; Organometallics 1998, V17, P382 HCAPLUS
(112) McKnight, A; Chem Rev 1998, V98, P2587 HCAPLUS
(113) Meier, R; J Am Chem Soc 1994, V116, P7274 HCAPLUS
(114) Mingos, D; Comprehensive Organometallic Chemistry, 1st ed 1982, V3, P1
```

.0

RN

CN

Zirconium(1+), [1,2-ethanediylbis $[(1,2,3,3a,7a-\eta)-1H-inden-1-ylidene]][(5,6-<math>\eta$)-2-methyl-5-hexen-2-olato- κ O]-, stereoisomer,

294636-79-6 HCAPLUS

LAVILLA 09/890438 1/14/04 Page 73

(T-4)-methyltris(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME)


CM 1

CRN 294636-78-5 CMF C27 H29 O Zr


CCI CCS



PAGE 2-A



PAGE 3-A



CM 2

CRN 133445-48-4 CMF C19 H3 B F15

CCI CCS

O


RN 294638-90-7 HCAPLUS
CN Zirconium(1+), [1,2-ethanediylbis[(1,2,3,3a,7a-η)-1H-inden-1 ylidene]][(5,6-η)-2-methyl-5-hexen-2-olato-κ0]-, stereoisomer,
 (T-4)-methyltris(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 294638-89-4
CMF C27 H29 O Zr
CCI CCS



PAGE 2-A



PAGE 3-A

CM 2

CRN 133445-48-4 CMF C19 H3 B F15 CCI CCS

1/14/04 Page 77

LAVILLA 09/890438

€


RN 294638-91-8 HCAPLUS CN Zirconium(1+), [1,2-ethanediylbis[(1,2,3,3a,7a- η)-1H-inden-1-ylidene]][(5,6- η)-2-methyl-5-hexen-2-olato- κ O]-, stereoisomer, (T-4)-tetrakis(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 294638-89-4 CMF C27 H29 O Zr CCI CCS









CM 2

CRN 47855-94-7 CMF C24 B F20


CCI CCS


RN 294638-96-3 HCAPLUS

CN Zirconium(1+), [1,2-ethanediylbis[(1,2,3,3a,7a- η)-1H-inden-1-ylidene]][(5,6- η)-2-methyl-5-hexen-2-olato- κ O]-, stereoisomer, (T-4)-tetrakis(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 294636-78-5 CMF C27 H29 O Zr CCI CCS







CM 2

CRN 47855-94-7 CMF C24 B F20 CCI CCS

L34 ANSWER 13 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2000:437901 HCAPLUS

DN 133:193224

ED Entered STN: 30 Jun 2000

TI Structural Dichotomy in Single-Component Ziegler Catalyst Systems:
Characterization of Zr···F and
Zr···C-Bonded Structural Types of Group 4 Metallocene
[C4H6-B(C6F5)3] Betaines

AU Dahlmann, Marc; Erker, Gerhard; Froehlich, Roland; Meyer, Oliver

CS Organisch-Chemisches Institut, Universitaet Muenster, Muenster, D-48149, Germany

SO Organometallics (2000), 19(16), 2956-2967 CODEN: ORGND7; ISSN: 0276-7333

PB American Chemical Society

DT Journal

LA English

CC 29-10 (Organometallic and Organometalloidal Compounds) Section cross-reference(s): 22, 35, 75

AΒ The organometallic Lewis acid B(C6F5)3 adds to the terminal :CH2 group of the (butadiene) metallocene complexes to give the ansa-metallocene betaine systems [Me2Si(C5H4)2]Zr[C4H6-B(C6F5)3] (6a) and [Me2Si(3-MeC5H3)2]Zr[C4H6-B(C6F5)3] (6b) in high yield. Both complexes were characterized by x-ray diffraction. They both contain a substituted $\eta 3$ -allyl ligand F of E configuration, and they show a characteristic (ortho aryl)C- $F \cdots Zr$ interaction that stabilizes the electron-deficient metal center inside the dipolar structure. B(C6F5)3 also adds to one butadiene terminus of $(s-cis-\eta 4-$ C4H6) [Me2C(C5H4) (indenyl)] Zr to give a high yield of a single isomer of the resp. ansa-metallocene [C4H6-B(C6F5)3] betaine complex 9. The x-ray crystal structure anal. of 9 has revealed that in this case a $(Z)-\eta 3-allyl-CH2B(C6F5)3$ ligand is formed. This precluded the (aryl)C-F···Zr coordination. Instead, the zirconium center in 9 forms a stabilizing internal ion pair interaction between the neg. polarized [B]-C(4)H2 methylene group and the pos. zirconium center. The analogously structured ansa-metallocene [(Z)-C4H6-B(C6F5)3] betaine complex 12 is obtained in high yield from B(C6F5)3 addition to (s-cis-η4-butadiene)[Me2C(C5H4)(fluorenyl)]Zr. In solution the complexes

ST

TT

IT

IT

TΤ

IT

IT

IT

IT

IT

```
6, 9, and 12 exhibit structures that are analogous to those found in the
solid state. However, treatment of (butadiene)[Me2Si(C5H4)2]Zr with
B(C6F5)3 under kinetic control (233 K in toluene-d8) quant. yields the
[Me2Si(C5H4)2]Zr[(Z)-C4H6-B(C6F5)3] betaine isomer 13, which contains the
stabilizing [B]-C(4)H2···Zr internal ion pair
interaction. Subsequent thermally induced rearrangement of the kinetic
product 13 (\Delta G.thermod.rearr(298 K) = 21.5 \pm 0.5 kcal mol-1) then
results in the formation of the eventually observed thermodn.
ansa-metallocene betaine product 6a, that contains the (E)-C4H6-B(C6F5)3
ligand and exhibits internal (aryl)C-F···Zr
coordination. A similar reaction sequence was observed during the addition of
B(C6F5)3 to the parent (butadiene)zirconocene system: at 213 K the kinetic
Cp2Zr[(Z)-(1-3\eta),\kappa C4-C4H6-B(C6F5)3] betaine product is formed,
which rapidly rearranges at temps. above 253 K to yield the previously
observed stable Cp2Zr[(E)-C4H6-B(C6F5)3] betaine system, which is
characterized by an internal C-F···Zr bond. The
ansa-metallocene betaines 6, 9, and 12 are all active homogeneous
single-component Ziegler catalysts for ethene and propene polymerization They
are similarly effective as the usually employed ansa-metallocene
dichloride/methylalumoxane catalyst systems.
ansa zirconocene betaine complex prepn Ziegler catalyst olefin polymn;
crystal mol structure ansa zirconocene betaine complex; butadiene
zirconocene prepn reaction fluorophenyl borane
Aluminoxanes
RL: CAT (Catalyst use); USES (Uses)
   (Me; preparation of ansa zirconocene butadiene and betaine complexes as
   polymerization catalysts in presence of)
Crystal structure
Molecular structure
   (of ansa zirconocene butadiene and betaine complexes)
Polymerization catalysts
   (preparation of ansa zirconocene butadiene and betaine complexes as)
              133518-41-9
130638-44-7
RL: CAT (Catalyst use); RCT (Reactant); RACT (Reactant or reagent); USES
   (olefin polymerization catalytic activity and reaction with butadiene
   magnesium)
               289056-53-7P
                              289056-57-1P
                                             289057-08-5P
289056-50-4P
RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
   (preparation and crystal structure of)
289056-54-8P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)
   (preparation and rearrangement of)
9002-88-4P
             9003-07-0P, Polypropylene
                                         171003-33-1P
                                                         289056-55-9P
RL: SPN (Synthetic preparation); PREP (Preparation)
   (preparation of)
289056-52-6P
               289056-56-0P
RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic
preparation); PREP (Preparation); USES (Uses)
   (preparation, mol. structure, and olefin polymerization catalytic
   activity of)
289056-49-1P
RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic
preparation); PREP (Preparation); USES (Uses)
   (preparation, olefin polymerization catalytic activity, and mol.
   structure of)
158111-56-9P
               289056-47-9P
```

```
RL: CAT (Catalyst use); RCT (Reactant); SPN (Synthetic preparation); PREP
     (Preparation); RACT (Reactant or reagent); USES (Uses)
        (preparation, olefin polymerization catalytic activity, and reaction with
        tris(pentafluorophenyl)borane)
     289056-51-5P
TΤ
     RL: CAT (Catalyst use); RCT (Reactant); SPN (Synthetic preparation); PREP
     (Preparation); RACT (Reactant or reagent); USES (Uses)
        (preparation, olefin polymerization catalytic activity, reaction with
        tris(pentafluorophenyl)borane)
     289056-48-0P
IT
     RL: CAT (Catalyst use); PRP (Properties); RCT (Reactant); SPN (Synthetic
     preparation); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
        (preparation, olefin polymerization catalytic activity, reaction with
        tris(pentafluorophenyl)borane, and crystal structure of)
IT
     86050-32-0, Dichloro (dimethylsilylenebis (\eta 5-
     cyclopentadienylidene))zirconium
                                        158051-88-8
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction with butadiene magnesium)
     1109-15-5, Tris(pentafluorophenyl)borane
                                                70809-00-6, Butadiene magnesium
IT
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction with butadiene zirconocene complexes)
IT
     83780-93-2
                  83780-95-4
                               250638-65-4
                                             250663-12-8
                                                            250663-34-4
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (reaction with tris(pentafluorophenyl)borane)
RE.CNT
        131
              THERE ARE 131 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE
(1) Aulbach, M; Chem Unserer Zeit 1994, V28, P197
(2) Bajgur, C; Inorg Chem 1985, V24, P2539 HCAPLUS
(3) Beckhaus, R; J Organomet Chem 1984, V268, PC7 HCAPLUS
(4) Berger, S; NMR Spectroscopy of Nonmetals 1994, V4
(5) Blessing, R; Acta Crystallogr 1995, VA51, P33 HCAPLUS
(6) Blessing, R; J Appl Crystallogr 1997, V30, P421 HCAPLUS
(7) Bochmann, M; Angew Chem 1992, V104, P1206 HCAPLUS
(8) Bochmann, M; Angew Chem Int Ed Engl 1992, V31, P1181
(9) Bochmann, M; J Chem Soc Dalton Trans 1996, P255 HCAPLUS
(10) Bohme, U; Z Anorg Allg Chem 1994, V620, P1455
(11) Bovey, F; J Polym Sci 1960, V44, P173 HCAPLUS
(12) Brauer, D; Organometallics 1982, V1, P204 HCAPLUS
(13) Brauer, D; Organometallics 1982, V1, P207 HCAPLUS
(14) Braun, S; 150 and More Basic NMR Experiments 1998
(15) Braun, S; 150 and More Basic NMR Experiments 1998
(16) Brintzinger, H; Angew Chem 1995, V107, P1255
(17) Brintzinger, H; Angew Chem Int Ed Engl 1995, V34, P1143 HCAPLUS
(18) Brookhart, M; J Am Chem Soc 1990, V112, P5634 HCAPLUS
(19) Brookhart, M; J Organomet Chem 1983, V250, P395 HCAPLUS
(20) Brookhart, M; J Organomet Chem 1983, V250, P395 HCAPLUS
(21) Brookhart, M; Prog Inorg Chem 1988, V36, P1 HCAPLUS
(22) Brookhart, M; Prog Inorg Chem 1988, V36, P1 HCAPLUS
(23) Burgi, T; J Organomet Chem 1995, V497, P149
(24) Casey, C; J Am Chem Soc 1995, V117, P9770 HCAPLUS
(25) Casey, C; J Am Chem Soc 1999, V121, P9483 HCAPLUS
(26) Chen, Y; J Am Chem Soc 1997, V119, P2582 HCAPLUS
(27) Chen, Y; J Am Chem Soc 1998, V120, P6287 HCAPLUS
(28) Cowley, A; Chem Commun 1999, P437 HCAPLUS
(29) Cowley, A; Chem Commun 1999, P437 HCAPLUS
(30) Czisch, P; Organometallics 1984, V3, P945 HCAPLUS
(31) Dahlmann, M; J Am Chem Soc 1999, V121, P2820 HCAPLUS
(32) Dahlmann, M; Organometallics 1999, V18, P4459 HCAPLUS
```

(33) Dahlmann, M; dissertation Univesitat Munster 1999 (34) Datta, S; J Am Chem Soc 1979, V101, P1053 HCAPLUS (35) Eliel, E; Stereochemistry of Organic Compounds 1994, P1119 (36) Erker, G; Adv Organomet Chem 1985, V24, P1 HCAPLUS (37) Erker, G; Angew Chem 1982, V94, P915 HCAPLUS (38) Erker, G; Angew Chem 1984, V96, P445 HCAPLUS (39) Erker, G; Angew Chem 1985, V97, P336 HCAPLUS (40) Erker, G; Angew Chem 1989, V101, P411 HCAPLUS (41) Erker, G; Angew Chem 1989, V101, P642 HCAPLUS (42) Erker, G; Angew Chem Int Ed Engl 1982, V21, P914 (43) Erker, G; Angew Chem Int Ed Engl 1984, V23, P455 (44) Erker, G; Angew Chem Int Ed Engl 1989, V28, P397 (45) Erker, G; Angew Chem Int Ed Engl 1989, V28, P628 (46) Erker, G; Chem Ber 1982, V115, P3300 HCAPLUS (47) Erker, G; Organometallics 1984, V3, P128 HCAPLUS (48) Erker, G; Organometallics 1987, V6, P2620 HCAPLUS (49) Ewen, J; J Am Chem Soc 1988, V110, P6255 HCAPLUS (50) Farina, M; Top Stereochem 1987, V17, P1 HCAPLUS (51) Fujita, K; J Organomet Chem 1976, V113, P201 HCAPLUS (52) Galakhov, M; J Chem Soc Chem Commun 1998, P17 HCAPLUS (53) Gauthier, W; Macromolecules 1995, V28, P3771 HCAPLUS (54) Gowik, P; J Organomet Chem 1990, V398, P1 HCAPLUS (55) Green, M; Organometallics 1992, V11, P1 (56) Green, M; Organometallics 1992, V11, P2660 HCAPLUS (57) Highcock, W; J Chem Soc Chem Commun 1987, P128 (58) Hoffmann, E; J Organomet Chem 1975, V97, P183 HCAPLUS (59) Horton, A; Organometallics 1991, V10, P3910 HCAPLUS (60) Inoue, J; Polymer 1984, V25, P1640 (61) Jia, L; Organometallics 1995, V14, P3135 HCAPLUS (62) Jia, L; Organometallics 1997, V16, P842 HCAPLUS (63) Jordan, R; Adv Organomet Chem 1991, V32, P325 HCAPLUS (64) Kai, Y; Chem Lett 1982, P1277 HCAPLUS (65) Kaminsky, W; J Chem Soc Dalton Trans 1998, P1413 HCAPLUS (66) Karl, J; Angew Chem 1997, V109, P2914 (67) Karl, J; Angew Chem Int Ed Engl 1997, V36, P2771 HCAPLUS (68) Karl, J; Chem Ber Recl 1997, V130, P1261 HCAPLUS (69) Karl, J; J Am Chem Soc 1997, V119, P11165 HCAPLUS (70) Karl, J; J Am Chem Soc 1998, V120, P5643 HCAPLUS (71) Karl, J; J Mol Catal 1998, V128, P85 HCAPLUS (72) Kehr, G; Chem Eur J 2000, V6, P258 HCAPLUS (73) Kiplinger, J; Chem Rev 1994, V94, P373 HCAPLUS (74) Kiplinger, J; Chem Rev 1994, V94, P373 HCAPLUS (75) Kruger, C; Angew Chem Int Ed Engl 1985, V24, P321 (76) Kruger, C; Organometallics 1985, V4, P215 (77) Kulawiec, R; Coord Chem Rev 1990, V99, P89 HCAPLUS (78) Kulawiec, R; Inorg Chem 1987, V26, P2559 HCAPLUS (79) Larson, E; Organometallics 1987, V6, P2141 HCAPLUS (80) Larson, E; Organometallics 1988, V7, P1183 HCAPLUS (81) Marks, T; Acc Chem Res 1992, V25, P57 HCAPLUS (82) Massey, A; J Organomet Chem 1964, V2, P245 HCAPLUS (83) Massey, A; Organometallic Syntheses 1986, V3, P461 (84) Massey, A; Proc Chem Soc London 1963, P212 HCAPLUS (85) McKnight, A; Chem Rev 1998, V98, P2587 HCAPLUS (86) Mise, T; Chem Lett 1989, P1853 HCAPLUS (87) Murphy, E; J Chem Soc Dalton Trans 1996, P1983 HCAPLUS (88) Nakano, Y; Tetrahedron Lett 1972, P2833 HCAPLUS (89) Otwinowski, Z; Methods Enzymol 1997, V276, P307 HCAPLUS

(90) Piers, W; Chem Eur J 1998, P13 HCAPLUS

```
(91) Piers, W; Chem Soc Rev 1997, P345 HCAPLUS
(92) Pindado, G; Angew Chem 1997, V109, P2457
(93) Pindado, G; Angew Chem 1997, V109, P2457
(94) Pindado, G; Angew Chem Int Ed Engl 1997, V36, P2358
(95) Pindado, G; Angew Chem Int Ed Engl 1997, V36, P2358
(96) Pindado, G; Chem Commun 1997, P609 HCAPLUS
(97) Pindado, G; Chem Commun 1997, P609 HCAPLUS
(98) Pindado, G; J Am Chem Soc 1998, V120, P6816 HCAPLUS
(99) Pindado, G; J Am Chem Soc 1998, V120, P6816 HCAPLUS
(100) Pindado, G; J Chem Soc Dalton Trans 1997, P3115 HCAPLUS
(101) Pindado, G; J Chem Soc Dalton Trans 1997, P3115 HCAPLUS
(102) Plenio, H; Chem Rev 1997, V97, P3363 HCAPLUS
(103) Ramsden, H; US 3388179 1968 HCAPLUS
(104) Schottek, J; Angew Chem 1997, V109, P2585
(105) Schottek, J; Angew Chem Int Ed Engl 1997, V36, P2475 HCAPLUS
(106) Schottek, J; J Am Chem Soc 1998, V120, P5264 HCAPLUS
(107) Schottek, J; J Am Chem Soc 1998, V120, P5264 HCAPLUS
(108) Schottek, J; J Organomet Chem 1998, V569, P217 HCAPLUS
(109) Sheldon, R; J Polym Sci Part B 1965, V3, P23 HCAPLUS (110) Sheldrick, G; Acta Crystallogr 1990, VA46, P467 HCAPLUS
(111) Siedle, A; Organometallics 1993, V12, P1491 HCAPLUS
(112) Sinn, H; Adv Organomet Chem 1980, V18, P99 HCAPLUS
(113) Song, X; J Organomet Chem 1997, V545-546, P597 HCAPLUS
(114) Song, X; Organometallics 1998, V17, P1004 HCAPLUS
(115) Strauss, S; Chem Rev 1993, V93, P927 HCAPLUS
(116) Sun, Y; J Chem Commun 1998, P127 HCAPLUS
(117) Sun, Y; J Chem Commun 1998, P127 HCAPLUS
(118) Sun, Y; Organometallics 1997, V16, P2509 HCAPLUS
(119) Temme, B; Angew Chem Int Ed Engl 1995, V34, P1755 HCAPLUS
(120) Temme, B; Chem Eur J 1996, V2, P919 HCAPLUS
(121) Van der Heijden, H; J Am Chem Soc 1998, V120, P1112 HCAPLUS
(122) Wreford, S; Inorg Chem 1981, V20, P3918 HCAPLUS
(123) Wu, Z; J Am Chem Soc 1995, V117, P5867 HCAPLUS
(124) Yang, X; Angew Chem Int Ed Engl 1992, V31, P1375
(125) Yang, X; J Am Chem Soc 1994, V116, P10015 HCAPLUS
(126) Yang, X; J Angew Chem 1992, V104, P1406 HCAPLUS
(127) Yang, X; Organometallics 1991, V10, P840 HCAPLUS
(128) Yasuda, H; Acc Chem Res 1985, V18, P120 HCAPLUS
(129) Yasuda, H; J Am Chem Soc 1985, V107, P2410 HCAPLUS
(130) Yasuda, H; Macromolecules 1978, V11, P586 HCAPLUS
(131) Zambelli, A; Macromolecules 1975, V8, P687
IT
    289056-52-6P
     RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic
     preparation); PREP (Preparation); USES (Uses)
        (preparation, mol. structure, and olefin polymerization catalytic
        activity of)
RN
     289056-52-6 HCAPLUS
     Zirconium, [\mu-[(1-\eta:1,2,3,4-\eta)-(2Z)-2-butene-1,4-diyl]][\eta 10-
CN
     2,4-cyclopentadien-1-ylidene(1-methylethylidene)-9H-fluoren-9-
     ylidene][tris(pentafluorophenyl)boron]-, stereoisomer (9CI) (CA INDEX
     NAME)
```

PAGE 1-A

PAGE 2-A

$$F$$
 C
 F
 F
 F

LAVILLA 09/890438

PAGE 3-A

IT 289056-49-1P

RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); USES (Uses) (preparation, olefin polymerization catalytic activity, and mol. structure of)

RN 289056-49-1 HCAPLUS

CN Zirconium, [μ-[(1-η:1,2,3,4-η)-(2Z)-2-butene-1,4-diyl]][η102,4-cyclopentadien-1-ylidene(1-methylethylidene)-1H-inden-1ylidene][tris(pentafluorophenyl)boron]-, stereoisomer (9CI) (CA INDEX NAME)



PAGE 2-B

L34 ANSWER 14 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2000:84010 HCAPLUS

DN 132:237402

ED Entered STN: 04 Feb 2000

TI Silica-Grafted Borato Cocatalysts for Olefin Polymerization Modeled by Silsesquioxane-Borato Complexes

AU Duchateau, Robbert; Van Santen, Rutger A.; Yap, G. P. A.

CS Dutch Polymer Institute/Schuit Institute of Catalysis, Eindhoven University of Technology, Eindhoven, 5600 MB, Neth.

SO Organometallics (2000), 19(5), 809-816 CODEN: ORGND7; ISSN: 0276-7333 1

```
American Chemical Society
PB
DΤ
     Journal
     English
LA
     35-3 (Chemistry of Synthetic High Polymers)
CC
     Section cross-reference(s): 29
     The syntheses and reactivity studies of silsesquioxane-borato complexes
AB
     are described. Treatment of B(C6F5)3 with (c-C5H9)7Si8O12(OH) and
     (c-C5H9)7Si7O9(OH)3 in the presence of a Bronsted base yields the
     silsesquioxane-borates X+\{(c-C5H9)7Si8O13\}B(C6F5)3\}-(1a, X+=
     PhN(H)Me2+; 1b, X+ = Et3NH+) and X+\{[(c-C5H9)7Si7(OH)2O10]B(C6F5)3\}-(1b,
     X+ = PhN(H)Me2+; 2b, X+ = Et3NH+), resp. When the more nucleophilic base
     pyridine is used, (C6F5) 3B·NC5H5 (3) is formed instead,
     demonstrating the competition between B(C6F5)3 and H+ to react with the
     amine. The dimethylaniline in 1a and 2a is readily exchanged by NEt3 to
     form 1b and 2b. With the nucleophilic Lewis base NC5H5, the B-O bond in
     la and 2a is split, yielding (C6F5)3B·NC5H5 (3) and the free
     silsesquioxanes. Complexes 1 and 2 rapidly undergo hydrolysis under
     formation of the hydroxyl complexes X+{(C6F5)3BOH}- (4a, X+ = PhN(H)Me2+;
     4b, X+ = Et3NH+). Likewise, alcoholysis of la and 2a with i-PrOH yields
     the alkoxide \{PhN(H)Me2\}+\{i-PrOB(C6F5)3\}-(5). The B-O bond is only
     moderately stable toward early-transition-metal alkyls. Nevertheless,
     Cp2Zr(CH2Ph)2 + 1a and Zr(CH2Ph)4 + 2a form single-site ethylene polymerization
     catalysts. Detailed reactivity studies demonstrated that both B-O and B-C
     bond splitting plays a crucial role, as not la and 2a, but their decomposition
     product B(C6F5)3 is the actual cocatalyst. The solid-state structures of
     la and 4b were determined by single-crystal X-ray anal.
     silica boron cocatalyst olefin polymn silsesquioxane model
ST
     Silsesquioxanes
     RL: CAT (Catalyst use); USES (Uses)
        (borate complexes; silica-grafted borato cocatalysts for olefin
polymerization
        modeled by silsesquioxane-borato complexes)
ΙT
     Crystal structure
     Polymerization catalysts
        (silica-grafted borato cocatalysts for olefin polymerization modeled by
        silsesquioxane-borato complexes)
IT
     Bases, uses
     RL: CAT (Catalyst use); USES (Uses)
        (silica-grafted borato cocatalysts for olefin polymerization modeled by
        silsesquioxane-borato complexes)
IT
     24356-01-2, Tetrabenzylzirconium
                                        262300-71-0
     RL: CAT (Catalyst use); USES (Uses)
        (catalyst precursor; silica-grafted borato cocatalysts for olefin
        polymerization modeled by silsesquioxane-borato complexes)
ΙT
     37206-41-0
     RL: CAT (Catalyst use); RCT (Reactant); RACT (Reactant or reagent); USES
     (Uses)
        (catalyst precursor; silica-grafted borato cocatalysts for olefin
        polymerization modeled by silsesquioxane-borato complexes)
IT
     262300-66-3P
                    262300-73-2P
     RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic preparation);
     PREP (Preparation); USES (Uses)
        (copy; silica-grafted borato cocatalysts for olefin polymerization modeled
by
        silsesquioxane-borato complexes)
                 7631-86-9, Silica, uses
IT
     2138-72-9
     RL: CAT (Catalyst use); USES (Uses)
        (silica-grafted borato cocatalysts for olefin polymerization modeled by
```

1

silsesquioxane-borato complexes) 262300-64-1P 262300-72-1P IT RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); USES (Uses) (silica-grafted borato cocatalysts for olefin polymerization modeled by silsesquioxane-borato complexes) ΙT 262300-67-4P 262300-69-6P RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses) (silica-grafted borato cocatalysts for olefin polymerization modeled by silsesquioxane-borato complexes) IT 110-86-1, Pyridine, reactions 121-44-8, reactions Dimethylphenylamine, reactions 1109-15-5, Tris(pentafluorophenyl)boron 183387-28-2 216972-58-6 RL: RCT (Reactant); RACT (Reactant or reagent) (silica-grafted borato cocatalysts for olefin polymerization modeled by silsesquioxane-borato complexes) 147892-18-0P IT 9002-88-4P, Polyethylene 262300-74-3P RL: SPN (Synthetic preparation); PREP (Preparation) (silica-grafted borato cocatalysts for olefin polymerization modeled by silsesquioxane-borato complexes) RE.CNT THERE ARE 79 CITED REFERENCES AVAILABLE FOR THIS RECORD RĖ (1) Alt, H; J Chem Soc, Dalton Trans 1999, P1703 HCAPLUS (2) Alt, H; J Organomet Chem 1999, V568, P263 (3) Antberg, M; US 5202398 1993 HCAPLUS (4) Arai, T; J Polym Sci, A: Polym Chem 1998, V36, P421 HCAPLUS (5) Arai, T; Macromol Chem Phys 1997, V198, P229 HCAPLUS (6) Barrett, A; Chem Commun 1998, P2079 HCAPLUS (7) Blessing, R; Acta Crystallogr 1995, VA51, P33 HCAPLUS (8) Bochmann, M; J Mol Catal, A: Chem 1999, V146, P179 HCAPLUS (9) Bochmann, M; Organometallics 1993, V12, P633 HCAPLUS (10) Bochmann, M; Organometallics 1994, V13, P2235 HCAPLUS (11) Campbell, R; EP 421659 1991 HCAPLUS (12) Carnahan, E; WO 9719959 1997 HCAPLUS (13) Chan, M; Chem Commun 1998, P1673 HCAPLUS (14) Chen, Y; J Polym Sci, A: Polym Chem 1995, V33, P2093 HCAPLUS (15) Chien, J; J Am Chem Soc 1991, V113, P8570 HCAPLUS (16) Chien, J; J Polym Sci, A: Polym Chem 1991, V29, P1603 HCAPLUS (17) Chien, J; Top Catal 1999, V7, P23 HCAPLUS (18) Collins, S; Macromolecules 1992, V25, P1780 HCAPLUS (19) Duchateau, R; Organometallics 1997, V16, P4995 HCAPLUS (20) Duchateau, R; Organometallics 1998, V17, P5663 HCAPLUS (21) Duchateau, R; Organometallics 1999, V18, P5447 HCAPLUS (22) Ewen, J; EP 427697 1991 HCAPLUS (23) Feher, F; Chem Commun 1997, P829 HCAPLUS (24) Feher, F; Inorg Chem 1992, V31, P5100 HCAPLUS (25) Feher, F; J Am Chem Soc 1989, V111, P1741 HCAPLUS (26) Feher, F; J Am Chem Soc 1991, V113, P3618 HCAPLUS (27) Feher, F; J Chem Soc, Chem Commun 1990, P1614 HCAPLUS (28) Feher, F; Polyhedron 1995, V14, P3239 HCAPLUS (29) Galan-Fereres, M; J Organomet Chem 1999, V580, P145 HCAPLUS

(32) Hermann, H; Polym Commun 1991, V32, P58 HCAPLUS (33) Hill, G; Organometallics 1997, V16, P525 HCAPLUS

(30) Galsworthy, J; J Chem Soc, Dalton Trans 1997, P1309 HCAPLUS (31) Galsworthy, J; J Chem Soc, Dalton Trans 1998, P15 HCAPLUS

(34) Hinokuma, S; EP 775707 1997 HCAPLUS

(35) Hlatky, G; WO 9109882 1991 HCAPLUS

```
(36) Hlatky, G; Coord Chem Rev 1999, V181, P243 HCAPLUS
(37) Hlatky, G; Macromolecules 1996, V29, P8019 HCAPLUS
(38) Horton, A; Organometallics 1996, V15, P2672 HCAPLUS
(39) Hungenberg, K; Ziegler Catalysts; Chapter 20 1995
(40) Iiskola, E; Macromolecules 1997, V30, P2853 HCAPLUS
(41) Jacobsen, G; WO 9628480 1996 HCAPLUS
(42) Jacobsen, H; Organometallics 1999, V18, P1724 HCAPLUS
(43) Janiak, C; Angew Makromol Chem 1994, V47, P215
(44) Jin, J; Macromol Rapid Commun 1995, V16, P317 HCAPLUS
(45) Kamfjord, T; Macromol Rapid Commun 1998, V19, P505 HCAPLUS
(46) Kaminsky, W; Makromol Chem, Rapid Commun 1993, V14, P239 HCAPLUS
(47) Kaneko, T; EP 727433 1996 HCAPLUS
(48) Kaneko, T; US 5807938 1998 HCAPLUS
(49) Lee, D; Macromol Rapid Commun 1997, V18, P427 HCAPLUS
(50) Liu, J; Chem Commun 1996, P212
(51) Liu, W; J Org Chem 1996, V61, P4778 HCAPLUS
(52) Marsden, C; Plast, Rubber Compos Process Appl 1994, V21, P193 HCAPLUS
(53) Massey, A; J Organomet Chem 1964, V2, P245 HCAPLUS
(54) Massey, A; Proc Chem Soc 1963, V521, P212
(55) Nishida, H; Macromol Rapid Commun 1995, V16, P821 HCAPLUS
(56) Ono, M; EP 710663 1996 HCAPLUS
(57) Pellecchia, C; Organometallics 1993, V12, P4473 HCAPLUS
(58) Roscoe, S; Science 1998, V280, P270 HCAPLUS
(59) Sacchi, M; Macromol Rapid Commun 1995, V16, P581 HCAPLUS
(60) Schaefer, W; Acta Crystallogr 1993, VC49, P878 HCAPLUS
(61) Sheldrick, G; AXS 1997
(62) Siedle, A; US 5296433 1994 HCAPLUS
(63) Siedle, A; Makromol Chem, Macromol Symp 1993, V66, P215 HCAPLUS
(64) Siedle, A; Organometallics 1993, V12, P1491 HCAPLUS
(65) Sinn, H; Adv Organomet Chem 1980, V18, P99 HCAPLUS
(66) Soga, K; Macromol Rapid Commun 1995, V16, P905 HCAPLUS
(67) Soga, K; Makromol Chem 1993, V194, P1745 HCAPLUS
(68) Soga, K; Makromol Chem, Rapid Commun 1992, V13, P221 HCAPLUS
(69) Tait, P; Comput Polym Sci 1989, V4, Pl
(70) Turner, H; EP 277004 1988 HCAPLUS
(71) Turner, H; US 5427991 1995 HCAPLUS
(72) Vega, W; US 5824620 1998 HCAPLUS
(73) Walzer, J; US 5643847 1997 HCAPLUS
(74) Ward, D; WO 9623005 1996 HCAPLUS
(75) Williams, V; J Am Chem Soc 1999, V121, P3244 HCAPLUS
(76) Xie, T; Ind Eng Chem Res 1994, V33, P449 HCAPLUS
(77) Yang, X; J Am Chem Soc 1991, V113, P3623 HCAPLUS
(78) Yang, X; J Am Chem Soc 1994, V116, P10015 HCAPLUS
(79) Yang, X; Organometallics 1991, V10, P840 HCAPLUS
ΙT
     262300-69-6P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (silica-grafted borato cocatalysts for olefin polymerization modeled
        by silsesquioxane-borato complexes)
RN
     262300-69-6 HCAPLUS
CN
     Zirconium(1+), bis (\eta 5-2, 4-cyclopentadien-1-
     yl) (heptacyclopentylpentacyclo[9.5.1.13, 9.15, 15.17, 13] octasiloxanolato-
     κΟ1)-, (T-4)-tris(pentafluorophenyl)(phenylmethyl)borate(1-) (9CI)
     (CA INDEX NAME)
     CM
```

CRN 262300-68-5

LAVILLA 09/890438

CMF C45 H73 O13 Si8 Zr CCI CCS

CM 2

CRN 149831-05-0 CMF C25 H7 B F15 CCI CCS

L34 ANSWER 15 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2000:81709 HCAPLUS

DN 132:222593

ED Entered STN: 03 Feb 2000

TI (N-pyrroly1)B(C6F5)2-a new organometallic Lewis acid for the generation of Group 4 metallocene cation complexes

AU Kehr, Gerald; Frohlich, Roland; Wibbeling, Birgit; Erker, Gerhard

CS Organisch-Chemisches Institut der Universitat, Munster, D-48149, Germany

```
Chemistry--A European Journal (2000), 6(2), 258-266
SO
     CODEN: CEUJED; ISSN: 0947-6539
     Wiley-VCH Verlag GmbH
PB
DΤ
     Journal
LΑ
     English
     29-10 (Organometallic and Organometalloidal Compounds)
CC
     Section cross-reference(s): 35, 75
     Treatment of the (C6F5)2BF·OEt2 (3) complex with N-pyrrolyl Li
AB
     gives bis(pentafluorophenyl)(N-pyrrolyl)borane (2), a strong
     organometallic Lewis acid, which was characterized by x-ray diffraction
     (B-N bond length: 1.401(5) Å). It exhibits a columnar superstructure
     in the crystal and contains \pi-stacks of pyrrolyl units.
     Compound 2 readily abstrs. alkyl anions from a variety of alkyl Group 4
     metallocene-type complexes and leads to the clean formation of the resp.
     metallocene ions or ion pairs. For example, the treatment of Cp3ZrCH3 (9)
     with 2 transfers a Me anion to yield the ion pair
     [Cp3Zr]+[(C4H4N)BMe(C6F5)2]-(12). The x-ray crystal structure
     anal. of 12 shows a close contact between Zr and the pyrrolyl-\beta-C
     (2.641(2) Å). The borane 2 adds to (butadiene)zirconocene (13) to
     yield the betaine system [Cp2Zr]+[(H2C:CHCHCH2)B(NC4H4)(C6F5)2]-(15).
     Complex 15 contains a distorted \eta3-allyl moiety inside the
     metallacyclic framework and it features an internal
     Zr+··· (pyrrolyl) B- ion pair interaction with a
     Zr \cdots pyrrolyl-\alpha-C separation of 2.723(3) Å
     (determined by x-ray diffraction). From the dynamic NMR spectra of 15 the bond
     strength of the internal ion pair interaction is \Delta G. thermod.diss
     (223 K) ≈15 kcal mol-1. Treatment of dimethylzirconocene (16)
     with 2 yields the metallocene borate salt [Cp2ZrCH3]+[(C4H4N)BMe(C6F5)2]-
     (17), which is an active catalyst for the polymerization of ethene.
     crystal structure pyrrolylborane pyrrolidinylborane zirconocene
ST
     pyrrolylborate ion pair betaine; mol structure pyrrolylborane
     pyrrolidinylborane zirconocene pyrrolylborate ion pair betaine; ethene
     polymn catalyst zirconocene pyrrolylborate; pyrrolylborane prepn structure
     reaction zirconocene; borane pyrrolyl pyrrolidinyl prepn structure;
     zirconocene methyl butadiene complex reaction pyrrolylborane; ion pair
     zirconocene pyrrolylborate prepn structure; betaine zirconocene
     pyrrolylborate prepn structure; bond strength ion pair zirconocene
     pyrrolylborate
IT
     Dissociation enthalpy
        (of betaine derived from zirconium butadiene and pyrrolyldiarylborane)
ΙT
     Crystal structure
     Molecular structure
        (of pyrrolyldiarylborane, pyrrolidinyldiarylborane, zirconium
        cyclopentadienyl methyl (pyrrolyl) diarylborate ion pair, and betaine
        derived from zirconium butadiene and pyrrolyldiarylborane)
     Free energy of activation
IT
        (of rotation about boron-aryl bond and of dissociation of zirconocene
        betaine and zirconocene Me complex borates)
IT
     Ion pairs
        (preparation and dissociation barriers of zirconocene Me complex borates)
IT
     Polymerization catalysts
        (zirconocene Me methyl(pyrrolyl)bis(pentafluorophenyl)borate for
IT
     1109-15-5, Tris(pentafluorophenyl)borane
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (Me anion transfer reaction with zirconium cyclopentadienyl Me complex)
     12636-72-5, Bis (η5-cyclopentadienyl)dimethylzirconium
IT
                                                              75374-50-4.
     (\eta 4-1, 3-Butadiene) bis (\eta 5-cyclopentadienyl) zirconium 185549-24-0,
```

```
Tris(n5-cyclopentadienyl)(methyl)zirconium
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (carbanion transfer reaction with diaryl(pyrrolyl)borane)
     68193-38-4, Dimethylbis (\eta5-methylcyclopentadienyl) zirconium
IT
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (carbanion transfer reactions with diaryl(pyrrolyl)borane and
        triarylborane)
     100-99-2, Triisobutyl aluminum, uses
IT
     RL: CAT (Catalyst use); USES (Uses)
        (cocatalyst for ethylene polymerization)
IT
     109-97-7, Pyrrole
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (lithiation followed by metathesis with fluorodiarylborane-ether
     71312-71-5, Dichloro(N-pyrrolidinyl)borane
IT
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (metathesis with aryllithium)
     1076-44-4, (Pentafluorophenyl)lithium
IT
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (metathesis with chloro(pyrrolidinyl)borane)
IT
     4439-90-1, Lithium pyrrolidide
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (metathesis with fluorodiarylborane-ether adduct)
     197009-46-4, (Diethyl ether)(fluoro)bis(pentafluorophenyl)boron
IT
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (metathesis with lithiated pyrrole and pyrrolidine)
IT
     261376-52-7P, Bis (\eta 5-cyclopentadienyl) (methyl) zirconium(1+)
     methylbis (pentafluorophenyl) (N-pyrrolyl)borate
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (preparation and catalysis of polymerization of ethylene by)
     261347-74-4P, Bis(pentafluorophenyl)(N-pyrrolidinyl)borane
IT
     RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
        (preparation and crystal structure of)
     261347-95-9P, Methylbis (n5-methylcyclopentadienyl) zirconium(1+)
IT
     methyltris(pentafluorophenyl)borate(1-) 261376-54-9P,
     Methylbis (n5-methylcyclopentadienyl) zirconium (1+)
     methylbis (pentafluorophenyl) (N-pyrrolyl) borate
     RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
        (preparation and ion-pair dissociation barrier of)
     261347-75-5P
IT
     RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
        (preparation and mol. structure of)
IT
     9002-88-4P, Polyethylene
     RL: SPN (Synthetic preparation); PREP (Preparation)
        (preparation of)
ΙT
     261347-73-3P, Bis(pentafluorophenyl)(N-pyrrolyl)borane
     RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP
     (Preparation); RACT (Reactant or reagent)
        (preparation, crystal structure and carbanion transfer reactions
        with zirconium cyclopentadienyl Me and butadiene complexes)
IT
     261347-76-6P
     RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
        (preparation, crystal structure and rotational and dissociation
        barrier of)
              THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT 15
(1) Anon; COLLECT, Nonius 1998
```

- (2) Anon; EXPRESS, Nonius 1994
- (3) Blessing, R; Acta Crystallogr Sect A 1995, V51, P33
- (4) Blessing, R; J Appl Crystallogr 1997, V30, P421 HCAPLUS
- (5) Braun, S; 150 and More Basic NMR Experiments 1998
- (6) Erker, G; Chem Ber 1982, V115, P3311 HCAPLUS
- (7) Erker, G; Organometallic Syntheses 1986, V3, P32
- (8) Fair, K; Data reduction: MolEN 1990
- (9) Keller, E; Graphics: SCHAKAL 1997
- (10) Otwinowski, Z; Methods in Enzymology 1997, V276, P307 HCAPLUS
- (11) Samuel, E; J Am Chem Soc 1973, V95, P6263 HCAPLUS
- (12) Sheldrick, G; SHELXL-93 and SHELXL-97 1997
- (13) Sheldrick, G; SHELXS-86 and SHELXS-97, Acta Crystallogr Sect A 1990, V46, P467
- (14) Wailes, P; J Organomet Chem 1972, V34, P155 HCAPLUS
- (15) Yasuda, H; Organometallics 1981, V1, P388
- RN 261376-52-7 HCAPLUS
- CN Zirconium(1+), bis(η5-2,4-cyclopentadien-1-yl)methyl-,
 (T-4)-methylbis(pentafluorophenyl)-1H-pyrrol-1-ylborate(1-) (9CI) (CA
 INDEX NAME)

CM 1

CRN 261376-51-6 CMF C17 H7 B F10 N CCI CCS


PAGE 2-A

$$\begin{array}{c|c}
F \\
\hline
F \\
\hline
R \\
\hline
C \\
F
\end{array}$$

CM 2

CRN 94370-49-7 CMF C11 H13 Zr





L34 ANSWER 16 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1999:113689 HCAPLUS

DN 130:182880

ED Entered STN: 19 Feb 1999

TI Activators for transition metal complex catalysts for polymerization of olefins

IN Mcadon, Mark H.; Nickias, Peter N.; Marks, Tobin J.; Swartz, David J.

PA The Dow Chemical Company, USA; Northwestern University

SO PCT Int. Appl., 37 pp.

CODEN: PIXXD2

DT Patent

LA English

IC ICM C07F005-02 ICS C08F010-00

CC 35-3 (Chemistry of Synthetic High Polymers)

Section cross-reference(s): 29, 67

FAN.CNT 1

PATENT NO. KIND DATE APPLICATION NO. DATE

```
WO 1998-US14106 19980707
                             19990211
     WO 9906413
PΙ
                        A1
         W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE,
             DK, EE, ES, FI, GB, GE, GH, GM, GW, HR, HU, ID, IL, IS, JP, KE,
             KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES,
             FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI,
             CM, GA, GN, ML, MR, NE, SN, TD, TG
                             19990222
                                             AU 1998-87572
                        A1
                                                                19980707
     AU 9887572
                              20000517
                                             EP 1998-939073
                                                                19980707
     EP 1000069
                        A1
                              20030312
     EP 1000069
                        В1
         R: AT, BE, CH, DE, ES, FR, GB, IT, LI, LU, SE, FI
     BR 9810123
                        Α
                             20000808
                                             BR 1998-10123
                                                                19980707
     JP 2001512127
                        T2
                              20010821
                                             JP 2000-505171
                                                                19980707
     AT 234311
                             20030315
                                             AT 1998-939073
                                                                19980707
                        E
     US 6268445
                        В1
                             20010731
                                             US 1999-424277
                                                                19991119
     NO 9906176
                                             NO 1999-6176
                        Α
                             19991214
                                                                19991214
                                             MX 1999-12042
     MX 9912042
                              20000930
                                                                19991217
                        Α
PRAI US 1997-54586P
                        Ρ
                              19970801
                              19980707
     WO 1998-US14106
                        W
OS
     MARPAT 130:182880
     A catalyst activator particularly adapted for use in the activation of
AB
     metal complexes of metals of Group 3-10 for polymerization of ethylenically
     unsatd. polymerizable monomers, especially olefins, comprises two Group 13
metal
     or metalloid atoms and a ligand structure including at least one bridging
     group connecting ligands on the two Group 13 metal or metalloid atoms. A
     typical activator was manufactured by heating 1.26 mmol 1,4-C6F4(SnMe3)2 with
     (C6F4)2BCl 72 h at 140° under 0.1 torr pressure.
     activator transition metal complex catalyst olefin polymn; fluorophenylene
ST
     fluorophenylborane activator transition metal complex polymn catalyst
IT
     Polymerization catalysts
         (activators for transition metal complex catalysts for polymerization of
        olefins)
IT
     Group IIIA element compounds
     Lewis acids
     RL: CAT (Catalyst use); USES (Uses)
         (activators for transition metal complex catalysts for polymerization of
        olefins)
ΙT
     Polyolefins
     RL: IMF (Industrial manufacture); PREP (Preparation)
         (activators for transition metal complex catalysts for polymerization of
        olefins)
IT
     220503-32-2P
     RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT
     (Reactant or reagent)
         (activator precursor; activators for transition metal complex catalysts
        for polymerization of olefins)
TT
     2720-03-8
                  10294-34-5, Boron trichloride
                                                    12636-72-5,
                                                              23653-80-7
     Bis (cyclopentadienyl) dimethylzirconium
                                                 23653-79-4
     RL: RCT (Reactant); RACT (Reactant or reagent)
         (activator precursor; activators for transition metal complex catalysts
        for polymerization of olefins)
IT
     135072-62-7
     RL: CAT (Catalyst use); USES (Uses)
         (activators for transition metal complex catalysts for polymerization of
```

olefins)

```
220503-31-1P
                                   220503-33-3P 220503-35-5P
IT
     200009-41-2P
                    220503-40-2P
                                   220503-42-4P
     220503-37-7P
     RL: CAT (Catalyst use); IMF (Industrial manufacture); PREP
     (Preparation); USES (Uses)
        (activators for transition metal complex catalysts for polymn
        . of olefins)
TT
     9003-07-0P
     RL: IMF (Industrial manufacture); PREP (Preparation)
        (activators for transition metal complex catalysts for polymerization of
IT
     220503-38-8P
     RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
        (preparation and crystal structure of)
              THERE ARE 17 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE
(1) Deacon, G; Spectrochim Acta Part A 1968, V24(8)
(2) Deacon, G; Vibrational spectra of organometallic compounds III infrated
    spectra and assignments for bis(pentaflurophenyl)thallium(III) compounds
    14, HCAPLUS
(3) Galsworthy, J; Polyhedron 1997, V17(1), P119
(4) Galsworthy, J; Syntheses and characterization of amino(pentafluorophenyl)
    boranes Crystal structure of `(Me3si)2NB(c6f5)2! 1998, 8, HCAPLUS
(5) Hoechst; DE 19622207 A 1997 HCAPLUS
(6) Hoechst Ag; DE 19632557 A 1998 HCAPLUS
(7) Jia, L; Cationis do/fo metallocene catalysts properties of binuclear
    organaborane Lewis acid cocatalysts and weakly coordinating counteranions
    derived therefrom 1994, 20, HCAPLUS
(8) Jia, L; Organometallics 1994, V13(10), P3755 HCAPLUS
(9) Koehler, K; Bifunctional Lewis Acids Synthesis and olefin polymerization
    chemistry of the 1,1 di`bis(perfluorophenyl)boryl!alkenes RCH C`
    B(C6F5)2!2 (R-t- Bu, C6H5, C6F5) HCAPLUS
(10) Koehler, K; Organometallics 1998, V17(16), P3557 HCAPLUS
(11) Marks, T; US 5447895 A 1995 HCAPLUS
(12) Parks, D; Angew Chem Int Ed Engl 1995, V34(7), P809 HCAPLUS
(13) Phillips, R; Aust J Chem 1979, V32(11), P2381 HCAPLUS
(14) Phillips, R; Organothallium compounds XVI Formation of
    tris(polyflurophenyl)thallium(III) compunds by reaction of
    bromobis(polyflurophenyl)thallium(III) compunds with metal
    polyflurobenzesulfinate 1980, 13, HCAPLUS
(15) Piers, W; US 5496960 A 1996 HCAPLUS
(16) Spence, R; MKechanistic Aspects of the Reactions of
    Bis(pentafluroophenyl)bornate with the Dialkyl Zirconocenes Cp2ZrR2 (R-CH3,
    CH2Sime3, and Ch2c6H5) HCAPLUS
(17) Spence, R; Organometallics 1998, V17(12), P2459 HCAPLUS
    220503-35-5P 220503-37-7P
     RL: CAT (Catalyst use); IMF (Industrial manufacture); PREP
     (Preparation); USES (Uses)
        (activators for transition metal complex catalysts for polymn
        of olefins)
RN
     220503-35-5 HCAPLUS
CN
     Zirconium (1+), bis (\eta 5-2, 4-cyclopentadien-1-yl) methyl-,
     (T-4)-[4-[bis(pentafluorophenyl)boryl]-2,3,5,6-
     tetrafluorophenyl]methylbis(pentafluorophenyl)borate(1-) (9CI) (CA INDEX
    NAME)
```

CM 1


CRN 220503-34-4

LAVILLA 09/890438

CMF C31 H3 B2 F24 CCI CCS

CM 2

CRN 94370-49-7 CMF C11 H13 Zr CCI CCS



RN 220503-37-7 HCAPLUS

CN Zirconium(1+), bis(η 5-2,4-cyclopentadien-1-yl)methyl-, dimethyl[μ -(2,3,5,6-tetrafluoro-1,4-phenylene)]tetrakis(pentafluorophen yl)diborate(2-) (2:1) (9CI) (CA INDEX NAME)

CM 1

CRN 220503-36-6

·-.×

IT

IT

IT

IT

IT

1/14/04 Page 102 cyclopentadienyl fluorobiphenylborane complex catalyst; metallocene polymn catalyst borane aluminate; constrained geometry catalyst metallocene borane aluminate Polymerization Polymerization catalysts (group-transfer; sterically encumbered borane and aluminate cocatalysts for tuning cation-anion structure and reactivity in metallocene-catalyzed polymerization) Polymerization catalysts (metallocene; sterically encumbered borane and aluminate cocatalysts for tuning cation-anion structure and reactivity in metallocene-catalyzed polymerization) Polymer chains (sequence distribution; sterically encumbered borane and aluminate cocatalysts for tuning cation-anion structure and reactivity in metallocene-catalyzed polymerization) Molecular dynamics (solution; sterically encumbered borane and aluminate cocatalysts for tuning cation-anion structure and reactivity in metallocene-catalyzed polymerization) Polymerization catalysts (stereospecific; sterically encumbered borane and aluminate cocatalysts for tuning cation-anion structure and reactivity in metallocene-catalyzed polymerization) Abstraction reaction Chirality Crystal structure Racemization Reactivity ratio in polymerization (sterically encumbered borane and aluminate cocatalysts for tuning

cation-anion structure and reactivity in metallocene-catalyzed polymerization)

IT 184675-10-3P

> RL: CAT (Catalyst use); PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(crystal structure; sterically encumbered borane and aluminate cocatalysts for tuning cation-anion structure and reactivity in metallocene-catalyzed polymerization)

206852-74-6P TΨ 206852-68-8P 206852-76-8P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (crystal structure; sterically encumbered borane and aluminate cocatalysts for tuning cation-anion structure and reactivity in metallocene-catalyzed polymerization)

188026-78-0P TΤ

> RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)

(mol. structure; sterically encumbered borane and aluminate cocatalysts for tuning cation-anion structure and reactivity in metallocene-catalyzed polymerization)

ΙT 188026-50-8P

> RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(mol. structure; sterically encumbered borane and aluminate cocatalysts for tuning cation-anion structure and reactivity in metallocene-catalyzed polymerization)

IT 206852-67-7P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)

4_

```
(mol. structure; sterically encumbered borane and aluminate cocatalysts
        for tuning cation-anion structure and reactivity in
        metallocene-catalyzed polymerization)
     207136-64-9P
IT
     RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
        (racemic, crystal structure; sterically encumbered borane and
        aluminate cocatalysts for tuning cation-anion structure and reactivity
        in metallocene-catalyzed polymerization)
     207004-01-1P
TΤ
     RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic preparation);
     PREP (Preparation); USES (Uses)
        (racemic, mol. structure; sterically encumbered borane and aluminate
        cocatalysts for tuning cation-anion structure and reactivity in
        metallocene-catalyzed polymerization)
IT
     193149-43-8
     RL: CAT (Catalyst use); USES (Uses)
        (sterically encumbered borane and aluminate cocatalysts for tuning
        cation-anion structure and reactivity in metallocene-catalyzed
polymerization)
IT
     184686-71-3P
     RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic preparation);
     PREP (Preparation); USES (Uses)
        (sterically encumbered borane and aluminate cocatalysts for tuning
        cation-anion structure and reactivity in metallocene-catalyzed
polymerization)
     184675-12-5P
                    184675-17-0P
                                   184675-19-2P 184686-73-5P
     184686-74-6P
                    188026-58-6P
                                   188026-61-1P
                                                   188026-66-6P
                                                                  188026-69-9P
                    188026-82-6P 206852-59-7P
                                                206852-73-5P
     188026-72-4P
     207004-00-0P 207004-03-3P 207004-05-5P
     207004-06-6P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (sterically encumbered borane and aluminate cocatalysts for tuning
        cation-anion structure and reactivity in metallocene-catalyzed
        polymerization)
IT
     76-83-5, Trityl chloride
                                344-04-7, Bromopentafluorobenzene
     2-Bromononafluorobiphenyl 1109-15-5, Tris(pentafluorophenyl)boron
     7446-70-0, Aluminum trichloride, reactions
                                                 10294-34-5, Boron trichloride
     12636-72-5, Bis (η5-cyclopentadienyl) dimethylzirconium
                                                             37206-41-0,
     Dibenzylbis (η5-cyclopentadienyl) zirconium 67108-80-9,
     Dimethylbis (\eta5-pentamethylcyclopentadienyl) zirconium
                                                            67506-90-5,
     Dimethylbis (\eta5-pentamethylcyclopentadienyl) thorium
                                                         81476-64-4,
     Trimethyl (n5-pentamethylcyclopentadienyl) zirconium
                                                           106865-92-3,
     Bis (\eta 5-1, 2-\text{dimethylcyclopentadienyl}) dimethylzirconium
                                                              113161-86-7,
     Trimethyl(n5-pentamethylcyclopentadienyl)hafnium
                                                        118572-21-7,
     Dimethylbis[1,3-bis(trimethylsilyl)cyclopentadienyl]zirconium
                                               146814-57-5
     134366-83-9
                  135072-62-7
                                 135539-56-9
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (sterically encumbered borane and aluminate cocatalysts for tuning
        cation-anion structure and reactivity in metallocene-catalyzed
polymerization)
     193149-50-7P
                    206852-64-4P
                                   206852-75-7P
TΤ
     RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
     (Reactant or reagent)
        (sterically encumbered borane and aluminate cocatalysts for tuning
        cation-anion structure and reactivity in metallocene-catalyzed
polymerization)
ΙT
     9002-88-4P
                  9003-07-0P, Polypropylene
                                              9003-53-6P, Polystyrene
```

-5

25085-53-4P, Isotactic 25068-12-6P, Ethylene-styrene copolymer polypropylene 25188-97-0P, Syndiotactic poly(methyl methacrylate) 25188-98-1P, Isotactic poly(methyl methacrylate) 25213-02-9P, Ethylene-1-hexene copolymer 206852-61-1P RL: SPN (Synthetic preparation); PREP (Preparation) (sterically encumbered borane and aluminate cocatalysts for tuning cation-anion structure and reactivity in metallocene-catalyzed polymerization) THERE ARE 106 CITED REFERENCES AVAILABLE FOR THIS RECORD RE.CNT 106 (1) Aida, T; Macromolecules 1988, V21, P1195 HCAPLUS (2) Anon; 1991 HCAPLUS (3) Antinolo, A; J Chem Soc, Dalton Trans 1987, P1643 (4) Beck, S; J Mol Catal 1996, V111, P67 HCAPLUS (5) Bertuleit, A; Organometallics 1997, V16, P2900 (6) Beurskens, P; DIRDIF 94 The DIRDIF-94 program system, Technical Report of the Crystallography Laboratory 1994 (7) Bochmann, M; Angew Chem, Int Ed Engl 1994, V33, P1634 (8) Bochmann, M; J Chem Soc, Dalton Trans 1996, P255 HCAPLUS (9) Bochmann, M; Organometallics 1994, V13, P2235 HCAPLUS (10) Brintzinger, H; Angew Chem, Int Ed Engl 1995, V34, P1143 HCAPLUS (11) Bueschges, U; J Polym Sci Polym Chem 1989, V27, P1525 HCAPLUS (12) Busico, V; J Am Chem Soc 1994, V116, P9329 HCAPLUS (13) Busico, V; J Am Chem Soc 1996, V118, P2105 HCAPLUS (14) Canich, J; Eur Patent Appl EP 420 436-A1 1991 (15) Canich, J; PCT Appl WO 92-00333 1992 (16) Chen, Y; J Am Chem Soc 1996, V118, P12451 HCAPLUS (17) Chen, Y; J Am Chem Soc 1997, V119, P2582 HCAPLUS (18) Chen, Y; Organometallics 1997, V16, P3649 HCAPLUS (19) Cheng, H; Makromol Chem 1989, V190, P1931 HCAPLUS (20) Chien, J; J Am Chem Soc 1991, V113, P8570 HCAPLUS (21) Chien, J; J Polym Sci, Part A: Polym Chem 1994, V32, P2387 HCAPLUS (22) Chien, J; Macromolecules 1992, V25, P3199 HCAPLUS (23) Collins, S; J Am Chem Soc 1992, V114, P5460 HCAPLUS (24) Deck, P; J Am Chem Soc 1995, V117, P6128 HCAPLUS (25) Deng, H; Macromolecules 1995, V28, P3067 HCAPLUS (26) Eisch, J; Organometallics 1993, V12, P3856 HCAPLUS (27) Ewen, J; 1991 HCAPLUS (28) Ewen, J; Eur Pat Appl 426637 1991 HCAPLUS (29) Ewen, J; J Am Chem Soc 1984, V106, P6355 HCAPLUS (30) Ewen, J; J Am Chem Soc 1988, V110, P6255 HCAPLUS (31) Fachinetti, G; J Chem Soc, Dalton Trans 1977, P1946 HCAPLUS (32) Fagan, P; J Am Chem Soc 1981, V103, P6650 HCAPLUS (33) Fu, P; Submitted for publication (34) Giardello, M; J Am Chem Soc 1995, V117, P12114 HCAPLUS (35) Giardello, M; J Am Chem Soc 1995, V117, P3276 HCAPLUS (36) Gillis, D; J Am Chem Soc 1993, V115, P2543 HCAPLUS (37) Grassi, A; Macromol Chem Phys 1995, V196, P1093 HCAPLUS (39) Guram, A; Comprehensive Organometallic Chemistry II, Chapter 12 1995 (40) Harlan, C; J Am Chem Soc 1995, V117, P6465 HCAPLUS

- (38) Grassi, A; Organometallics 1996, V15, P480 HCAPLUS
- (41) Hatada, K; Prog Polym Sci 1988, V13, P189 HCAPLUS
- (42) Hendershot, D; Organometallics 1991, V10, P1917 HCAPLUS
- (43) Herfert, N; Makromol Chem 1992, V193, P773 HCAPLUS
- (44) Herfert, N; Makromol Chem 1993, V194, P3167 HCAPLUS
- (45) Herfert, N; Makromol Chem Rapid Commun 1993, V14, P91 HCAPLUS
- (46) Herrmann, W; Angew Chem, Int Ed Engl 1989, V28, P1511
- (47) Hlatky, G; U S Pat Appl 459921 1990 HCAPLUS

1

- (48) Holton, J; Chem Rev 1983, V83, P135 HCAPLUS
- (49) Horton, A; Organometallics 1991, V10, P3910 HCAPLUS
- (50) Hsich, E; Macromolecules 1982, V15, P1402
- (51) Ishihara, N; Macromolecules 1986, V19, P2465
- (52) Jia, L; Organometallics 1994, V13, P3755 HCAPLUS
- (53) Jia, L; Organometallics 1997, V16, P842 HCAPLUS
- (54) Kakugo, M; Stud Surf Sci Catal 1990, V56, P517 HCAPLUS
- (55) Kaminsky, W; Adv Polym Sci 1997, V127, P144
- (56) Kaminsky, W; Angew Chem, Int Ed Engl 1985, V24, P507
- (57) Leclerc, M; J Am Chem Soc 1996, V118, P9024 HCAPLUS
- (58) Li, Y; Macromolecules 1997, V30, P1875 HCAPLUS
- (59) Longo, P; Makromol Chem 1990, V191, P2387 HCAPLUS
- (60) Luo, L; Thermochemical research in progress
- (61) Manriquez, J; J Am Chem Soc 1978, V100, P2716 HCAPLUS
- (62) Marks, T; Acc Chem Res 1992, V25, P57 HCAPLUS
- (63) Massey, A; J Organomet Chem 1964, V2, P245 HCAPLUS
- (64) Mena, M; Organometallics 1989, V8, P476 HCAPLUS
- (65) Miyatake, T; Macromol Symp 1993, V66, P203 HCAPLUS
- (66) Mohring, P; J Organomet Chem 1994, V479, Pl
- (67) Ozawa, F; J Am Chem Soc 1989, V111, P1319 HCAPLUS
- (68) Pellecchia, C; J Am Chem Soc 1995, V117, P6593 HCAPLUS
- (69) Pellecchia, C; Macromolecules 1996, V29, P1158 HCAPLUS
- (70) Pellecchia, C; Makromol Chem Rapid Commun 1992, V13, P265 HCAPLUS
- (71) Pellecchia, C; Makromol Chem, Rapid Commun 1987, V8, P277 HCAPLUS
- (72) Penton, D; J Organomet Chem 1964, V2, P437
- (73) Piers, W; Synlett 1990, V2, P74
- (74) Quijada, R; Macromol Chem Phys 1995, V196, P3991 HCAPLUS
- (75) Randall, J; J Polym Sci, Part B: Polym Phys 1975, V13, P889 HCAPLUS
- (76) Razavi, A; J Organomet Chem 1992, V435, P299 HCAPLUS
- (77) Razavi, A; J Organomet Chem 1993, V445, P111 HCAPLUS
- (78) Ready, T; Organometallics 1993, V26, P5822 HCAPLUS
- (79) Richardson, D; J Am Chem Soc 1996, V118, P11244 HCAPLUS
- (80) Samuel, E; J Am Chem Soc 1973, V95, P6263 HCAPLUS
- (81) Schock, L; J Am Chem Soc 1988, V110, P7701 HCAPLUS
- (82) Scollard, J; J Am Chem Soc 1996, V118, P10008 HCAPLUS
- (83) Scollard, J; Organometallics 1997, V16, P1810 HCAPLUS
- (84) Shapiro, P; J Am Chem Soc 1994, V116, P4623 HCAPLUS
- (85) Shapiro, P; Organometallics 1990, V9, P867 HCAPLUS
- (86) Sheldrick, G; SHELXS-86, Crystallographic Computing 1985, P175 HCAPLUS
- (87) Sinn, H; Adv Organomet Chem 1980, V18, P99 HCAPLUS
- (88) Sishta, C; J Am Chem Soc 1992, V114, P1112 HCAPLUS
- (89) Smith, G; Ph D Thesis, Northwestern University 1985
- (90) Soga, K; Catalyst Design for Tailor-Made Polyolefins 1994
- (91) Soga, K; Macromolecules 1994, V27, P7938 HCAPLUS
- (92) Soga, K; Makromol Chem 1990, V191, P2853 HCAPLUS(93) Soga, K; Makromol Chem 1992, V193, P823
- (94) Spence, R; Chem Eng News 1996, V74(21), P4 HCAPLUS
- (95) Stevens, J; Eur Patent Appl EP 416 815-A2 1991
- (96) Sugano, T; J Mol Catal 1993, V82, P93 HCAPLUS
- (97) Sun, Y; J Am Chem Soc 1997, V119, P5132 HCAPLUS
- (98) Temme, B; Angew Chem, Int Ed Engl 1995, V34, P1755 HCAPLUS
- (99) Wang, Q; J Organomet Chem 1997, V527, P7 HCAPLUS
- (100) Wang, Q; Organometallics 1996, V15, P693 HCAPLUS
- (101) Wolczanski, P; Organometallics 1982, V1, P793 HCAPLUS
- (102) Wu, Z; J Am Chem Soc 1995, V117, P5867 HCAPLUS
- (103) Yang, X; J Am Chem Soc 1991, V113, P3623 HCAPLUS
- (104) Yang, X; J Am Chem Soc 1994, V116, P10015 HCAPLUS
- (105) Yang, X; Organometallics 1991, V10, P840 HCAPLUS

~Ł

(106) Yasuda, H; J Am Chem Soc 1992, V114, P4908 HCAPLUS

IT 184675-10-3P

RL: CAT (Catalyst use); PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(crystal structure; sterically encumbered borane and aluminate cocatalysts for tuning cation-anion structure and reactivity in metallocene-catalyzed polymerization)

RN 184675-10-3 HCAPLUS

CN Zirconium(1+), tetrakis[(1,2,3,4,5- η)-1,2-dimethyl-2,4-cyclopentadien-1-yl]- μ -methyldimethyldi-, (T-4)-methyltris(2',3,3',4,4',5,5',6,6'-nonafluoro[1,1'-biphenyl]-2-yl)borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 184686-70-2 CMF C37 H3 B F27

CCI CCS

LAVILLA 09/890438


4

PAGE 2-A

CM 2

CRN 184675-09-0 CMF C31 H45 Zr2

CCI CCS



IT 184675-12-5P 184686-73-5P 206852-59-7P 207004-00-0P 207004-03-3P 207004-05-5P RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses) (sterically encumbered borane and aluminate cocatalysts for tuning cation-anion structure and reactivity in metallocene-catalyzed polymerization) RN 184675-12-5 HCAPLUS Zirconium(1+), μ -methyldimethyltetrakis[(1,2,3,4,5- η)-1,2,3,4,5-CN pentamethyl-2,4-cyclopentadien-1-yl]di-, (T-4)methyltris(2',3,3',4,4',5,5',6,6'-nonafluoro[1,1'-biphenyl]-2-yl)borate(1-(CA INDEX NAME)) (9CI)

CM 1

1/14/04 Page 108

LAVILLA 09/890438

CRN 184686-70-2 CMF C37 H3 B F27 CCI CCS

PAGE 1-A

PAGE 2-A

$$F \qquad F \qquad F$$

$$F \qquad F$$

$$F \qquad F$$

$$F \qquad F$$

CM 2

CRN 184675-11-4 CMF C43 H69 Zr2

CCI CCS

RN 184686-73-5 HCAPLUS

CN Zirconium(1+), tetrakis(η 5-2,4-cyclopentadien-1-yl)- μ -methyldimethyldi-, (T-4)-methyltris(2',3,3',4,4',5,5',6,6'-nonafluoro[1,1'-biphenyl]-2-yl)borate(1-) (9CI) (CA INDEX NAME)

CM 1


CRN 184686-70-2 CMF C37 H3 B F27 CCI CCS

PAGE 2-A

CM 2

CRN 174577-52-7 CMF C23 H29 Zr2

CCI CCS



RN 206852-59-7 HCAPLUS


Zirconium(1+), bis[η10-2,4-cyclopentadien-1-ylidene(1methylethylidene)-9H-fluoren-9-ylidene]-μ-methyldimethyldi-,
stereoisomer, (T-4)-methyltris(2',3,3',4,4',5,5',6,6'-nonafluoro[1,1'-biphenyl]-2-yl)borate(1-) (9CI) (CA INDEX NAME)

CM :


CRN 206852-58-6 CMF C45 H45 Zr2

CCI CCS

PAGE 1-A



PAGE 2-A



CM 2

CRN 184686-70-2 CMF C37 H3 B F27

CCI CCS


PAGE 2-A


RN 207004-00-0 HCAPLUS
CN Zirconium(1+), bis[(dimethylsilylene)bis[(1,2,3,3a,7a- η)-1H-inden-1-ylidene]]- μ -methyldimethyldi-, stereoisomer, (T-4)-methyltris(2',3,3',4,4',5,5',6,6'-nonafluoro[1,1'-biphenyl]-2-yl)borate(1-) (9CI) (CA INDEX NAME)

CRN 207003-99-4 CMF C43 H45 Si2 Zr2 CCI CCS


CM

1






KATHLEEN FULLER EIC 1700 REMSEN 4B28 571/272-2505



PAGE 4-A



* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *



PAGE 5-C



2 CM

CRN 184686-70-2 CMF C37 H3 B F27 CCI CCS

PAGE 1-A


PAGE 2-A


RN 207004-03-3 HCAPLUS

CN Zirconium(1+), bis[(dimethylsilylene)bis[(1,2,3,3a,7a-η)-1H-inden-1ylidene]]-μ-methyldimethyldi-, stereoisomer, (T-4)methyltris(2',3,3',4,4',5,5',6,6'-nonafluoro[1,1'-biphenyl]-2-yl)borate(1) (9CI) (CA INDEX NAME)


CM 1

CRN 207004-02-2 CMF C43 H45 Si2 Zr2 CCI CCS





PAGE 3-A




PAGE 4-A



* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

LAVILLA 09/890438 1/14/04 Page 119



PAGE 5-C

CM 2

CRN 184686-70-2 CMF C37 H3 B F27

cci ccs

PAGE 2-A

RN 207004-05-5 HCAPLUS

CN Zirconium(1+), bis[η10-2,4-cyclopentadien-1-ylidene(1methylethylidene)-9H-fluoren-9-ylidene]-μ-methyldimethyldi-,
stereoisomer, (T-4)-methyltris(2',3,3',4,4',5,5',6,6'-nonafluoro[1,1'biphenyl]-2-yl)borate(1-) (9CI) (CA INDEX NAME)


CM 1

CRN 207004-04-4 CMF C45 H45 Zr2


CCI CCS

À,

PAGE 1-A



PAGE 2-A



2 CM

CRN 184686-70-2 CMF C37 H3 B F27

CCI CCS

PAGE 1-A

PAGE 2-A

L34 ANSWER 18 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1998:228800 HCAPLUS

DN 128:321975

ED Entered STN: 23 Apr 1998

TI Reaction of ether and thioether functionalized 1-alkenes with the cationic permethylzirconocene olefin polymerization catalyst [(η5-C5Me5)2ZrMe]+. Molecular structure of the insertion product [(η5-C5Me5)2ZrCH2CH(Me)CH2OEt]+

AU Bijpost, Erik A.; Zuideveld, Martin A.; Meetsma, Auke; Teuben, Jan H.

CS Department of Chemistry, Groningen Centre for Catalytic Olefin Polymerisation, University of Groningen, Groningen, 9747 AG, Neth.

SO Journal of Organometallic Chemistry (1998), 551(1-2), 159-164 CODEN: JORCAI; ISSN: 0022-328X

- LAVILLA 09/890438 Elsevier Science S.A. PB Journal DT English LΑ 35-3 (Chemistry of Synthetic High Polymers) CC Section cross-reference(s): 29, 75 Reaction of $[(\eta 5-C5Me5)2ZrMe][MeB(C6F5)3]$ (I) with AB Me3Al regenerates complex I by exchange of the (thio)ether function for Me and thus initiates polymerization of ethene. ST IT Polymerization
 - (thio)ether-functionalized alkenes: 3-ethoxy-1-propene and 3-(methylthio)-1-propene gives stable insertion products $[(\eta_5-C5Me_5)2ZrCH2CH(Me)CH2XR][MeB(C6F_5)3]$ (II: X = O, R = Et; III: X = S, R = Me) in which the (thio)ether function is intramolecularly coordinated to zirconium. The mol. structure of II shows a regular 1-oxa-2-zirconacyclopentane in an envelope conformation. The metallacycles in II and III are stable toward further insertion of (functionalized) alkenes and cannot be activated for ethene polymerization by pre-complexation of the (thio)ether function with strong Lewis acids (AlCl3, MgCl2, B(C6F5)3 or [Ph3C]+). The strong alkylating co-catalyst
- zirconocene polymn catalyst insertion ethoxypropene methylthiopropene; structure insertion product zirconocene polymn catalyst
- (mechanism; reaction of ether and thioether functionalized 1-alkenes with cationic permethylzirconocene olefin polymerization catalyst and mol. structure of insertion product)
- IT Polymerization catalysts (metallocene; reaction of ether and thioether functionalized 1-alkenes with cationic permethylzirconocene olefin polymerization catalyst and mol. structure of insertion product)
- Bond angle IT Bond length
 - Crystal structure

(reaction of ether and thioether functionalized 1-alkenes with cationic permethylzirconocene olefin polymerization catalyst and mol. structure of insertion product)

- IT 75-24-1, Trimethylaluminum
 - RL: CAT (Catalyst use); USES (Uses) (cocatalyst; reaction of ether and thioether functionalized 1-alkenes with cationic permethylzirconocene olefin polymerization catalyst and mol. structure of insertion product)
- ΙT 133445-52-0
 - RL: CAT (Catalyst use); RCT (Reactant); RACT (Reactant or reagent); USES (Uses)

(reaction of ether and thioether functionalized 1-alkenes with cationic permethylzirconocene olefin polymerization catalyst and mol. structure of insertion product)

- IT 207124-75-2P 207124-77-4P
 - RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (reaction of ether and thioether functionalized 1-alkenes with cationic permethylzirconocene olefin polymerization catalyst and mol. structure of insertion product)
- 557-31-3, 3-Ethoxy-1-propene TT 10152-76-8, 3-(Methylthio)-1-propene RL: RCT (Reactant); RACT (Reactant or reagent) (reaction of ether and thioether functionalized 1-alkenes with cationic permethylzirconocene olefin polymerization catalyst and mol. structure of insertion product)
- IT 133445-52-0 RL: CAT (Catalyst use); RCT (Reactant); RACT (Reactant or reagent); USES (Uses)

> (reaction of ether and thioether functionalized 1-alkenes with cationic permethylzirconocene olefin polymerization catalyst and mol. structure of insertion product)

RN

Zirconium(1+), methylbis[$(1,2,3,4,5-\eta)-1,2,3,4,5$ -pentamethyl-2,4-CN cyclopentadien-1-yl]-, (T-4)-methyltris(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME)

CM 1

133445-48-4 CRN CMF C19 H3 B F15

CCI CCS

CM 2

118611-11-3 CRN CMF C21 H33 Zr CCI CCS


```
L34 ANSWER 19 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN
     1997:750142 HCAPLUS
AN
DN
     127:319318
     Entered STN: 02 Dec 1997
ED
     Internal Fluorocarbon Coordination as a Tool for the Protection of Active
TI
     Catalytic Sites: Experimental Characterization of the Protective
     Zr···F-C Interaction in the Group 4
     Metallocene(butadiene)/B(C6F5)3 Betaine Ziegler Catalyst Systems
ΑU
     Karl, Joern; Erker, Gerhard; Froehlich, Roland
     Organisch-Chemisches Institut, Universitaet Muenster, Muenster, D-48149,
CS
     Journal of the American Chemical Society (1997), 119(46), 11165-11173
SO
     CODEN: JACSAT; ISSN: 0002-7863
PB
     American Chemical Society
DT
     Journal
LA
     English
     35-3 (Chemistry of Synthetic High Polymers)
CC
     Section cross-reference(s): 29
AΒ
     The Lewis acid tris(pentafluorophenyl)borane adds to the (butadiene)Group
     4 metallocenes (metallocene = Cp2Zr, Cp2Hf, (MeCp)2Zr, (Me3CCp)2Zr) to
     give the metallocene-(\mu-C4H6)-borate-betaine complexes.
     (Isoprene) zirconocene and (2-phenylbutadiene) zirconocene add the B(C6F5)3
     reagent regioselectively at the carbon atom C-4. The complexes all show a
     pronounced M\cdotsF-C interaction with one of the six
     ortho-B(C6F5)3 fluorine atoms. The resulting metallacyclic structures
     were characterized by X-ray diffraction of the complexes
     (Zr \cdots F \approx 2.40 \text{ Å, angle } Zr - F - C \approx
     140°). The bridging fluorine atom of the complexes in solution is
     characterized by an extreme upfield shift of its 19F NMR resonance
     (\delta \approx -210 \text{ to } -220 \text{ ppm}) relative to the signals of the
     remaining five o-F resonances of the B(C6F5)3 moiety (average δ
     \approx -135 ppm). The 19F NMR spectra of the complexes are dynamic
     even in the noncoordinating solvent toluene-d8. All six o-fluorine
     signals equilibrate with coalescence temps. around 240 K at 584 MHz to
     give a single resonance signal at high temperature This fluorine equilibration
     process of the -B(C6F5)3 end of the metallocene-borate-betaine complexes
     is very likely to proceed via a rate determining cleavage of the coordinative
     M \cdot \cdot \cdot F-C interaction. From the activation barrier of
     this process, obtained from the dynamic fluorine NMR spectra,
     Zr···F bond dissociation energies of ca. 8.5 kcal/mol
     were estimated for the complexes. This magnitude of the
     	extsf{M} \cdot \cdot \cdot 	extsf{F-C} bond dissociation energy makes the internal
     fluorocarbon coordination a very suitable tool for protecting active
     electrophilic metal catalyst centers. The Zr \cdots F-C
     bond of the complexes is cleaved by the addition of the donor solvent THF
     with formation of acyclic 1,2-\eta 2-allyl metallocene complexes.
ST
     metallocene butadiene borate betaine polymn catalyst; Ziegler polymn
     catalyst metallocene butadiene borate
ΙT
     Polymerization catalysts
        (Ziegler-Natta; exptl. characterization of protective
        Zr···F-C interaction in Group 4
        metallocene(butadiene)/B(C6F5)3 betaine Ziegler polymerization catalyst
        systems)
IT
     Bond angle
     Bond length
       Crystal structure
        (exptl. characterization of protective Zr···F-C
```

interaction in Group 4 metallocene(butadiene)/B(C6F5)3 betaine Ziegler polymerization catalyst systems) 197580-16-8P 197580-20-4P 197580-13-5P 197580-24-8P IT 171003-33-1P 197580-29-3P RL: CAT (Catalyst use); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent); USES (Uses) (exptl. characterization of protective Zr···F-C interaction in Group 4 metallocene(butadiene)/B(C6F5)3 betaine Ziegler polymerization catalyst systems) 197580-12-4P 197580-14-6P 197580-18-0P IT 197580-22-6P 197580-26-0P 197580-32-8P RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses) (exptl. characterization of protective Zr···F-C interaction in Group 4 metallocene(butadiene)/B(C6F5)3 betaine Ziegler polymerization catalyst systems) IT 1109-15-5, Tris(pentafluorophenyl)boron 75361-73-8 75374-50-4 80185-89-3 101518-70-1 113667-86-0 197580-35-1 RL: RCT (Reactant); RACT (Reactant or reagent) (starting material; exptl. characterization of protective Zr···F-C interaction in Group 4 metallocene(butadiene)/B(C6F5)3 betaine Ziegler polymerization catalyst systems) IT 197580-12-4P 197580-14-6P 197580-18-0P 197580-22-6P 197580-26-0P 197580-32-8P RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP (Preparation); USES (Uses) (exptl. characterization of protective Zr···F-C interaction in Group 4 metallocene(butadiene)/B(C6F5)3 betaine Ziegler

RN 197580-12-4 HCAPLUS

polymerization catalyst systems)

CN Zirconium, $[\mu-[(1-\eta:2,3,4-\eta)-2-butene-1,4-diyl]]$ bis $(\eta5-2,4-cyclopentadien-1-yl)$ (tetrahydrofuran)[tris(pentafluorophenyl)boron]- (9CI) (CA INDEX NAME)



PAGE 2-A


RN 197580-14-6 HCAPLUS

CN Hafnium, $[\mu-[(1-\eta:2,3,4-\eta)-2-butene-1,4-diyl]]$ bis $(\eta5-2,4-cyclopentadien-1-yl)$ (tetrahydrofuran)[tris(pentafluorophenyl)boron]- (9CI) (CA INDEX NAME)

PAGE 2-A

RN 197580-18-0 HCAPLUS


Zirconium, $[\mu-[(1-\eta:2,3,4-\eta)-2-butene-1,4-diyl]]$ bis $[(1,2,3,4,5-\eta)-1-methyl-2,4-cyclopentadien-1-yl]$ (tetrahydrofuran) [tris(pentafluorophenyl)boron]- (9CI) (CA INDEX NAME)



PAGE 2-A

$$\begin{array}{c|c}
F & F \\
\hline
F & F$$

RN 197580-22-6 HCAPLUS CN Zirconium, $[\mu-[(1-\eta:2,3,4-\eta)-2-butene-1,4-diyl]]$ bis $[(1,2,3,4,5-\eta)-1-(1,1-dimethylethyl)-2,4-cyclopentadien-1-yl]$ (tetrahydrofuran) [tris(pentafluorophenyl)boron] - (9CI) (CA INDEX NAME)



RN 197580-26-0 HCAPLUS CN Zirconium, bis $(\eta 5-2, 4-\text{cyclopentadien}-1-\text{yl})$ [μ -[(1,2,3- η :4- η)-2-methyl-2-butene-1,4-diyl]] (tetrahydrofuran)[tris(pentafluorophenyl)boron]- (9CI) (CA INDEX NAME)

$$\begin{array}{c|c} & & & H & \\ \hline HC & H & H & CH \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C & C \\ \hline R & H & C \\ \hline R & R$$

PAGE 2-A

RN 197580-32-8 HCAPLUS

CN Zirconium, bis(η5-2,4-cyclopentadien-1-yl)[μ-[(1,2,3-η:4-η)2-phenyl-2-butene-1,4-diyl]](tetrahydrofuran)[tris(pentafluorophenyl)boron
]- (9CI) (CA INDEX NAME)

PAGE 2-A

- L34 ANSWER 20 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN
- AN 1997:324328 HCAPLUS
- DN 127:5389
- ED Entered STN: 22 May 1997
- TI Intramolecular Ion-Ion Interactions in Zwitterionic Metallocene Olefin Polymerization Catalysts Derived from "Tucked-In" Catalyst Precursors and the Highly Electrophilic Boranes XB(C6F5)2 (X = H, C6F5)
- AU Sun, Yimin; Spence, Rupert E. v. H.; Piers, Warren E.; Parvez, Masood; Yap, Glenn P. A.
- CS Department of Chemistry, University of Calgary, Calgary, AB, T2N 1N4, Can.
- SO Journal of the American Chemical Society (1997), 119(22), 5132-5143 CODEN: JACSAT; ISSN: 0002-7863
- PB American Chemical Society
- DT Journal

- LA English
- CC 35-3 (Chemistry of Synthetic High Polymers) Section cross-reference(s): 75
- AB The reactions of so called "tuck-in" permethyl zirconocene compds. $Cp*(\eta 5-\eta 1-C5Me4CH2)ZrX$ (X = Cl (la), C6H5 (lb), CH3 (lc)) with the highly electrophilic boranes HB(C6F5)2 and B(C6F5)3 are described. The products are zwitterionic olefin polymerization catalysts. Reactions with la

and

1b yielded single products cleanly, but reactions with tuck-in Me starting material 1c gave mixts. Spectroscopic and structural studies showed that the electrophilic zirconium center in the product zwitterions was stabilized by a variety of mechanisms. In the products of reaction between 1a and 1b with HB(C6F5)2, $Cp*[\eta5,\eta1-C5Me4CH2B(C6F5)2(\mu-$ H) ZrX (X = C1 (2a), 74%, C6H5 (2b, 62%)), the metal is chelated by a pendant hydridoborate moiety. Chloride product 2a was characterized crystallog. In the reaction of B(C6F5)3 with la, the fluxional zwitterionic product Cp*[n5-C5Me4CH2B(C6F5)3]ZrCl (3a, 84%) is stabilized by a weak donor interaction between one of the ortho fluorine atoms of the -CH2B-(C6F5)3 counterion and the zirconium center (Zr-F =2.267(5) Å). In the product of the reaction between 1b and B(C6F5)3, $Cp*[\eta5-C5Me4CH2B(C6F5)3]ZrC6H5$ (3b, 82%), a similar ortho-fluorine interaction was found in a yellow kinetic product (y-3b), which converted upon heating gently to a thermodn. orange polymorph (o-3b) in which the zirconium center is compensated via an agostic interaction from an ortho C-H bond of the Ph group and an interaction between the methylene group of the -CH2B-(C6F5)3 counteranion. These compds. were both characterized by X-ray crystallog. Zwitterion o-3b reacts with H2 to form the zwitterionic hydride $Cp*[\eta 5-C5Me4CH2B(C6F5)3]ZrH(4, 77%)$, characterized by NMR spectroscopy and X-ray crystallog. to reveal a return to the ortho-fluorine mode of stabilization. Compds. 2a, 3a, o-3b, and 4 were all found to be active ethylene polymerization catalysts; the chloride derivs. required minimal amts. of methylaluminoxane (MAO) to alkylate the zirconium center. Polymerization data are discussed in light of

the

structural findings for the catalysts employed.

- ST zwitterionic zirconocene borane catalyst prepn; crystal structure zwitterionic zirconocene borane complex; ethylene polymn zwitterionic zirconocene borane catalyst; polyethylene synthesis zwitterionic zirconocene borane catalyst
- IT Aluminoxanes

RL: CAT (Catalyst use); USES (Uses)

(Me, activator; intramol. ion-ion interactions in zwitterionic zirconocene olefin polymerization catalysts derived from "tucked-in" precursors and perfluorophenylboranes)

IT Bond angle

Bond length

Crystal structure

NMR (nuclear magnetic resonance)

(intramol. ion-ion interactions in zwitterionic zirconocene olefin polymerization catalysts derived from "tucked-in" precursors and perfluorophenylboranes)

IT Polymerization catalysts

(zwitterionic; intramol. ion-ion interactions in zwitterionic zirconocene olefin polymerization catalysts derived from "tucked-in" precursors and perfluorophenylboranes)

IT 1109-15-5, Tris(pentafluorophenyl)borane 105501-02-8 135525-04-1 165612-94-2, Bis(pentafluorophenyl)borane 190327-20-9 RL: RCT (Reactant); RACT (Reactant or reagent)

(catalyst preparation; intramol. ion-ion interactions in zwitterionic zirconocene olefin polymerization catalysts derived from "tucked-in" precursors and perfluorophenylboranes)

190327-21-0P 190327-22-1P 190327-23-2P **190327-24-3P** IT

190327-25-4P

RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); USES (Uses) (intramol. ion-ion interactions in zwitterionic zirconocene olefin polymerization catalysts derived from "tucked-in" precursors and perfluorophenylboranes)

9002-88-4P, Polyethylene IT

> RL: SPN (Synthetic preparation); PREP (Preparation) (intramol. ion-ion interactions in zwitterionic zirconocene olefin polymerization catalysts derived from "tucked-in" precursors and perfluorophenylboranes)

190327-24-3P 190327-25-4P IT

RL: CAT (Catalyst use); PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); USES (Uses)

(intramol. ion-ion interactions in zwitterionic zirconocene olefin polymerization catalysts derived from "tucked-in" precursors and perfluorophenylboranes)

190327-24-3 HCAPLUS RN

Zirconium, $[\mu-[\eta:\eta 5-methylene(2,3,4,5-tetramethyl-2,4$ cyclopentadien-1-ylidene)]][$(1,2,3,4,5-\eta)-1,2,3,4,5-pentamethyl-2,4$ cyclopentadien-1-yl]phenyl[tris(pentafluorophenyl)boron]- (9CI) (CA INDEX NAME)

PAGE 2-A

PAGE 3-A

RN 190327-25-4 HCAPLUS

CN Zirconium, hydro $[\mu-[\eta:\eta5-methylene(2,3,4,5-tetramethyl-2,4-cyclopentadien-1-ylidene)]][(1,2,3,4,5-\eta)-1,2,3,4,5-pentamethyl-2,4-cyclopentadien-1-yl][tris(pentafluorophenyl)boron]- (9CI) (CA INDEX NAME)$

$$\begin{array}{c|c}
R & F \\
R2 & B & C \\
& & & F
\end{array}$$
Me
$$\begin{array}{c|c}
F & F \\
& & & F
\end{array}$$

PAGE 3-A

$$F \xrightarrow{F} F$$

$$F \xrightarrow{C_{-}} F$$

$$F \longrightarrow F$$

$$F \longrightarrow C \longrightarrow R2$$

L34 ANSWER 21 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1997:127122 HCAPLUS

DN 126:118033

ED Entered STN: 25 Feb 1997

TI Cationic Metallocene Polymerization Catalysts Based on Tetrakis(pentafluorophenyl)borate and Its Derivatives. Probing the Limits of Anion "Noncoordination" via a Synthetic, Solution Dynamic, Structural, and Catalytic Olefin Polymerization Study

AU Jia, Li; Yang, Xinmin; Stern, Charlotte L.; Marks, Tobin J.

CS Department of Chemistry, Northwestern University, Evanston, IL, 60208-3113, USA

SO Organometallics (1997), 16(5), 842-857 CODEN: ORGND7; ISSN: 0276-7333

PB American Chemical Society

DT Journal

LA English

CC 29-10 (Organometallic and Organometalloidal Compounds) Section cross-reference(s): 22, 35, 75

The synthesis and properties of two soluble, weakly coordinating derivs. of AΒ the tetrakis(perfluoroaryl)borate anion B(4-C6F4TBS)4- and B(4-C6F4TIPS)4-(TBS = tert-butyldimethylsilyl and TIPS = triisopropylsilyl) are reported. Reaction of the trityl salts of the above anions with a variety of Zr and Th L2MMe2 complexes in benzene or toluene affords the cationic ion-paired Me complexes L2MMe+X- or the corresponding hydrido complexes L2MH+X- (L2 = bis(cyclopentadienyl) - or cyclopentadienylamido-type ligand) when the reaction is carried out under dihydrogen. The solid state structure of (Me5Cp)2ThMe+B(C6F5)4- was characterized by x-ray diffraction. The B(C6F5)4--based zirconocenium Me complexes L2MMe+ are unstable at room temperature with respect to, among other factors, intramol. C-H activation of the ligand framework. In general, the thermal stabilities of the B(C6F4TBS)4-- and B(C6F4TIPS)4--derived complexes are greater than those of the corresponding B(C6F5)4-- and MeB(C6F5)3--derived analogs. The relative coordinative tendencies of MeB(C6F5)3-, B(C6F5)4-, B(C6F4TBS)4-, and B(C6F4TIPS)4- are estimated from the solution spectroscopic information and the structural dynamics of the ion-pairs and follow the order MeB(C6F5)3ST

ΙT

IT

IT

ΙT

IT

IT


ΙT

TΨ

```
> B(C6F4TBS)4- \approx B(C6F4TIPS)4- > B(C6F5)4-. The coordination of
the neutral metallocene precursors to the cationic metallocenes is found
to compete with counteranion coordination. Arene solvent coordination to
the Zr constrained geometry cation [(Me4Cp)SiMe2(NtBu)]ZrMe+ is also observed
when B(C6F5)4- is the counteranion. (1,2-Me2Cp)2ZrMe+B(C6F4TBS)4-
undergoes slow decomposition under an inert atmospheric to afford [(1,2-
Me2Cp)2ZrF]2(\mu-F)+B(C6F4TBS)4-, which was characterized by x-ray
diffraction. The olefin polymerization activity and thermal stability of the
zirconocene catalysts reaches a maximum when B(C6F4TBS)4- and B(C6F4TIPS)4-
are used as counteranions. The polymerization activity of the Zr constrained
geometry complex also reaches a maximum in aromatic solvents when B(C6F5)4- is
used as the counteranion, apparently due to solvent coordination.
crystal structure thorium zirconium cyclopentadienyl
tetraarylborate; mol structure thorium zirconium cyclopentadienyl
tetraarylborate; polymn catalyst thorium zirconium cyclopentadienyl
tetraarylborate; metallocene tetraarylborate olefin polymn catalyst;
zirconocenium tetraarylborate prepn structure polymn catalysis;
thorocenium tetraarylborate prepn structure polymn catalysis; coordination
tetraarylborate thorium zirconium; ion pair dissocn kinetics metallocene
tetraarylborate; thorium cyclopentadienyl tetraarylborate prepn structure
catalysis; zirconium cyclopentadienyl tetraarylborate prepn structure
catalysis
Dissociation kinetics
   (ion-pair; of metallocene cations and arylborate anions)
Complexation
   (of metallocene cations with arylborate anions, neutral metal alkyls
   and solvent mols.)
Crystal structure
Molecular structure
   (of thorium and zirconium cyclopentadienyl complex tetraarylborates)
Ion pairs
   (of thorium and zirconium cyclopentadienyl complexes with
   tetraarylborates and related anions)
Polymerization catalysts
   (thorium and zirconium cyclopentadienyl complex tetraarylborates for
   olefins)
Polyolefins
RL: SPN (Synthetic preparation); PREP (Preparation)
   (thorium and zirconium cyclopentadienyl tetraarylborates as catalysts
   for preparation of)
Metallocenes
RL: CAT (Catalyst use); PEP (Physical, engineering or chemical process); PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP
(Preparation); PROC (Process); RACT (Reactant or reagent); USES (Uses)
   (thorocenes; preparation, crystal structure, solution dynamic
   behavior and stability and catalytic activity for olefin polymerization of
   tetraarylborate ion-paired cationic)
Metallocenes
RL: CAT (Catalyst use); PEP (Physical, engineering or chemical process);
PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP
(Preparation); PROC (Process); RACT (Reactant or reagent); USES (Uses)
   (zirconocenes; preparation, crystal structure, solution dynamic
   behavior and stability and catalytic activity for olefin polymerization of
   tetraarylborate ion-paired cationic)
173687-49-5 174577-43-6, Bis (\eta5-
cyclopentadienyl) (methyl) zirconium(1+) tetrakis (pentafluorophenyl) borate(1-
RL: CAT (Catalyst use); USES (Uses)
```

```
(ethylene polymerization in presence of)
     76-83-5, Triphenylmethyl chloride 1559-88-2, 1-Bromo-2,3,5,6-
IT
                          10294-34-5, Trichloroborane 12636-72-5,
     tetrafluorobenzene
     Bis (n5-cyclopentadienyl) dimethylzirconium 67108-80-9,
     Dimethylbis (n5-pentamethylcyclopentadienyl) zirconium
                                                              67506-90-5,
     Dimethylbis (η5-pentamethylcyclopentadienyl) thorium
                                                          69739-34-0,
     tert-Butyldimethylsilyl trifluoromethanesulfonate
                                                           80522-42-5,
     Triisopropylsilyl trifluoromethanesulfonate
                                                   106865-92-3,
     Bis (η5-1, 2-dimethylcyclopentadienyl) dimethylzirconium 135539-56-9
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (for preparation of tetraarylborates of thorium and zirconium
        cyclopentadienyl complexes)
     136040-19-2P, Triphenylmethylium tetrakis(pentafluorophenyl)borate(1-)
IT
     167172-21-6P, tert-Butyldimethyl(2,3,5,6-tetrafluorophenyl)silane
     167172-22-7P, Triisopropyl (2, 3, 5, 6-tetrafluorophenyl) silane
     167172-26-1P, Triphenylmethylium tetrakis(4-(tert-
     butyldimethylsilyl)tetrafluorophenyl)borate
                                                   167172-28-3P,
     Triphenylmethylium tetrakis(tetrafluoro-4-(triisopropylsilyl)phenyl)borate
     172318-95-5P
                    185855-33-8P
     RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
     (Reactant or reagent)
        (for preparation of tetraarylborates of thorium and zirconium
        cyclopentadienyl complexes)
IT
     185855-50-9
     RL: FMU (Formation, unclassified); PEP (Physical, engineering or chemical
     process); FORM (Formation, nonpreparative); PROC (Process)
        (formation and dynamic behavior in toluene)
     185855-51-0P, (4-(tert-Butyldimethylsilyl)tetrafluorophenyl)bis(<math>\eta5-
IT
     cyclopentadienyl) (methyl) zirconium
     RL: SPN (Synthetic preparation); PREP (Preparation)
        (formation in thermolysis of zirconium cyclopentadienyl Me
        tetraarylborate in benzene)
ΙT
     132884-30-1P
                    185855-44-1P
     RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
        (preparation and crystal structure of)
     132884-34-5P, (\mu-Methyl) bis (methylbis)
IT
     pentamethylcyclopentadienyl)thorium)(1+) tetrakis(pentafluorophenyl)borate
            185855-42-9P, (\mu\text{-Methyl}) bis (bis (\eta 5-1, 2-1))
     (1-)
     dimethylcyclopentadienyl) (methyl) zirconium) (1+) tetrakis (4-(tert-
     butyldimethylsilyl) tetrafluorophenyl) borate(1-)
     RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
        (preparation and equilibrium constant for formation of)
ΙT
     185855-46-3P, Bis (\eta5-pentamethylcyclopentadienyl) (\eta3-2-
     propenyl)thorium(1+) tetrakis(pentafluorophenyl)borate(1-)
     Bis (η5-1, 2-dimethylcyclopentadienyl) (methyl) (tetrahydrofuran) zirconium
     (1+) tetrakis(4-(tert-butyldimethylsilyl)tetrafluorophenyl)borate(1-)
     RL: SPN (Synthetic preparation); PREP (Preparation)
        (preparation of)
TΨ
     167172-31-8P, Bis (\eta 5-1, 2-\text{dimethylcyclopentadienyl}) (methyl) zirc
     onium(1+) tetrakis(4-(tert-butyldimethylsilyl)tetrafluorophenyl)borate(1-)
     167172-32-9P, Bis (\eta 5-1, 2-\text{dimethylcyclopentadienyl}) (methyl) zirc
     onium(1+) tetrakis(tetrafluoro-4-(triisopropylsilyl)phenyl)borate(1-)
     185855-39-4P
     RL: CAT (Catalyst use); PEP (Physical, engineering or chemical
     process); PRP (Properties); RCT (Reactant); SPN (Synthetic preparation);
     PREP (Preparation); PROC (Process); RACT (Reactant or reagent); USES
        (preparation, crystal structure, solution dynamic behavior stability
```

```
and catalytic activity for olefin polymerization of thorium and
        zirconium cyclopentadienyl arylborates)
     132884-29-8P, Methylbis (η5-pentamethylcyclopentadienyl)thorium(1+)
IT
     tetrakis (pentafluorophenyl)borate(1-) 167172-29-4P,
     Bis (n5-cyclopentadienyl) (methyl) zirconium(1+) tetrakis(4-(tert-
     butyldimethylsilyl)tetrafluorophenyl)borate(1-) 167172-30-7P,
     Bis (n5-cyclopentadienyl) (methyl) zirconium(1+) tetrakis (tetrafluoro-4-
     (triisopropylsilyl)phenyl)borate(1-) 167172-33-0P,
     Hydrobis (n5-pentamethylcyclopentadienyl) zirconium(1+)
     tetrakis(4-(tert-butyldimethylsilyl)tetrafluorophenyl)borate(1-)
     167172-34-1p, Hydrobis (η5-pentamethylcyclopentadienyl) zirconiu
     m(1+) tetrakis(tetrafluoro-4-(triisopropylsilyl)phenyl)borate(1-)
     185855-35-0P, Bis (\eta 5-1, 2-\text{dimethylcyclopentadienyl}) (hydro) zirco
     nium(1+) tetrakis(pentafluorophenyl)borate(1-) 185855-36-1P,
     Hydrobis (n5-pentamethylcyclopentadienyl) zirconium(1+)
                                              185855-37-2P
     tetrakis (pentafluorophenyl) borate (1-)
     185855-40-7P, Methylbis (\eta5-pentamethylcyclopentadienyl)thorium(1+)
     tetrakis(4-(tert-butyldimethylsilyl)tetrafluorophenyl)borate(1-)
     185855-41-8P, Methylbis (n5-pentamethylcyclopentadienyl)thorium(1+)
     tetrakis(tetrafluoro-4-(triisopropylsilyl)phenyl)borate(1-)
     RL: CAT (Catalyst use); PRP (Properties); RCT (Reactant); SPN
     (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent);
     USES (Uses)
        (preparation, crystal structure, solution dynamic behavior stability
        and catalytic activity for olefin polymerization of thorium and
        zirconium cyclopentadienyl arylborates)
     133445-49-5, Bis (\eta5-cyclopentadienyl) (methyl) zirconium(1+)
IT
     methyltris(pentafluorophenyl)borate(1-) 133445-51-9,
     Bis (\eta 5-1, 2-\text{dimethylcyclopentadienyl}) (methyl) zirconium(1+)
     methyltris(pentafluorophenyl)borate(1-) 133445-52-0,
     Methylbis (n5-pentamethylcyclopentadienyl) zirconium(1+)
     methyltris(pentafluorophenyl)borate(1-)
     RL: CAT (Catalyst use); USES (Uses)
        (propylene polymerization in presence of)
     74-85-1, Ethene, reactions 115-07-1, 1-Propene, reactions
IT
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (thorium and zirconium cyclopentadienyl tetraarylborates as catalysts
        for polymerization of)
                                 9003-07-0P, Polypropylene
     9002-88-4P, Polyethylene
IT
     RL: SPN (Synthetic preparation); PREP (Preparation)
        (thorium and zirconium cyclopentadienyl tetraarylborates as catalysts
        for preparation of)
     174577-43-6, Bis (\eta 5-cyclopentadienyl) (methyl) zirconium(1+)
IT
     tetrakis (pentafluorophenyl) borate (1-)
     RL: CAT (Catalyst use); USES (Uses)
        (ethylene polymerization in presence of)
     174577-43-6 HCAPLUS
RN
     Zirconium(1+), bis(\eta5-2,4-cyclopentadien-1-yl)methyl-,
CN
     tetrakis(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME)
     CM
     CRN 94370-49-7
     CMF C11 H13 Zr
     CCI CCS
```



CM 2

CRN 47855-94-7 CMF C24 B F20

CCI CCS

IT 167172-31-8P, Bis (η5-1,2-dimethylcyclopentadienyl) (methyl)zirc
 onium(1+) tetrakis(4-(tert-butyldimethylsilyl)tetrafluorophenyl)borate(1-)
 167172-32-9P, Bis (η5-1,2-dimethylcyclopentadienyl) (methyl)zirc
 onium(1+) tetrakis(tetrafluoro-4-(triisopropylsilyl)phenyl)borate(1-)
 RL: CAT (Catalyst use); PEP (Physical, engineering or chemical
 process); PRP (Properties); RCT (Reactant); SPN (Synthetic preparation);
 PREP (Preparation); PROC (Process); RACT (Reactant or reagent); USES
 (Uses)

(preparation, crystal structure, solution dynamic behavior stability and catalytic activity for olefin polymerization of thorium and zirconium cyclopentadienyl arylborates)

RN 167172-31-8 HCAPLUS

ا ۲۵ همري

CN Zirconium(1+), bis[(1,2,3,4,5-η)-1,2-dimethyl-2,4-cyclopentadien-1-yl]methyl-, tetrakis[4-[(1,1-dimethylethyl)dimethylsilyl]-2,3,5,6-tetrafluorophenyl]borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 167172-25-0

CMF C48 H60 B F16 Si4


CCI CCS

CM 2

CRN 133445-50-8

CMF C15 H21 Zr

CCI CCS



RN 167172-32-9 HCAPLUS


CN Zirconium(1+), bis[$(1,2,3,4,5-\eta)-1,2-dimethyl-2,4-cyclopentadien-1-yl]methyl-, tetrakis[<math>2,3,5,6-tetrafluoro-4-[tris(1-methylethyl)silyl]phenyl]borate(1-) (9CI) (CA INDEX NAME)$

CM 1

CRN 167172-27-2 CMF C60 H84 B F16 Si4 CCI CCS

CM 2


CRN 133445-50-8 CMF C15 H21 Zr CCI CCS



167172-29-4P, Bis $(\eta 5$ -cyclopentadienyl) (methyl) zirconium (1+)IT tetrakis(4-(tert-butyldimethylsilyl)tetrafluorophenyl)borate(1-) 167172-30-7P, Bis $(\eta 5$ -cyclopentadienyl) (methyl) zirconium(1+) tetrakis(tetrafluoro-4-(triisopropylsilyl)phenyl)borate(1-) 167172-33-0P, Hydrobis (n5-pentamethylcyclopentadienyl) zirconiu m(1+) tetrakis(4-(tert-butyldimethylsilyl)tetrafluorophenyl)borate(1-) 167172-34-1P, Hydrobis (η5-pentamethylcyclopentadienyl) zirconiu m(1+) tetrakis(tetrafluoro-4-(triisopropylsilyl)phenyl)borate(1-) 185855-35-0P, Bis $(\eta 5-1, 2-dimethylcyclopentadienyl)$ (hydro) zirco nium(1+) tetrakis(pentafluorophenyl)borate(1-) 185855-36-1P, Hydrobis (η 5-pentamethylcyclopentadienyl) zirconium(1+) tetrakis (pentafluorophenyl) borate (1-) RL: CAT (Catalyst use); PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent); USES (Uses) (preparation, crystal structure, solution dynamic behavior stability and catalytic activity for olefin polymerization of thorium and zirconium cyclopentadienyl arylborates) 167172-29-4 HCAPLUS RN Zirconium(1+), $bis(\eta 5-2, 4-cyclopentadien-1-yl)methyl-,$ CN tetrakis[4-[(1,1-dimethylethyl)dimethylsilyl]-2,3,5,6tetrafluorophenyl]borate(1-) (9CI) (CA INDEX NAME) CM 1 CRN 167172-25-0 C48 H60 B F16 Si4 CMF CCI CCS

CM 2

CRN 94370-49-7 CMF C11 H13 Zr CCI CCS



RN 167172-30-7 HCAPLUS

CN Zirconium(1+), bis(n5-2,4-cyclopentadien-1-yl)methyl-, tetrakis[2,3,5,6-tetrafluoro-4-[tris(1-methylethyl)silyl]phenyl]borate(1-) (9CI) (CA INDEX NAME)

CM 1


CRN 167172-27-2

LAVILLA 09/890438

CMF C60 H84 B F16 Si4 CCI CCS

CM 2

CRN 94370-49-7 CMF C11 H13 Zr CCI CCS



RN 167172-33-0 HCAPLUS

CN Zirconium(1+), hydrobis[(1,2,3,4,5- η)-1,2,3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]-, tetrakis[4-[(1,1-dimethylethyl)dimethylsilyl]-2,3,5,6-tetrafluorophenyl]borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 167172-25-0


CMF C48 H60 B F16 Si4

LAVILLA 09/890438

CCI CCS

CM 2

CRN 143565-16-6 CMF C20 H31 Zr CCI CCS



RN 167172-34-1 HCAPLUS
CN Zirconium(1+), hydrobis[(1,2,3,4,5-η)-1,2,3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]-, tetrakis[2,3,5,6-tetrafluoro-4-[tris(1-

methylethyl)silyl]phenyl]borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 167172-27-2

CMF C60 H84 B F16 Si4

CCI CCS

CM 2

CRN 143565-16-6 CMF C20 H31 Zr


CCI CCS

RN 185855-35-0 HCAPLUS

CN Zirconium(1+), bis[(1,2,3,4,5- η)-1,2-dimethyl-2,4-cyclopentadien-1-yl]hydro-, tetrakis(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 185855-34-9 CMF C14 H19 Zr CCI CCS



CM 2

CRN 47855-94-7 CMF C24 B F20 CCI CCS


RN 185855-36-1 HCAPLUS CN Zirconium(1+), hydrobis[$(1,2,3,4,5-\eta)-1,2,3,4,5-pentamethyl-2,4-$

cyclopentadien-1-yl]-, tetrakis(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 143565-16-6 CMF C20 H31 Zr

CCI CCS



CM 2


CRN 47855-94-7 CMF C24 B F20 CCI CCS

133445-49-5, Bis (n5-cyclopentadienyl) (methyl) zirconium(1+) IT methyltris(pentafluorophenyl)borate(1-) 133445-51-9, Bis $(\eta 5-1, 2-\text{dimethylcyclopentadienyl})$ (methyl) zirconium (1+)methyltris(pentafluorophenyl)borate(1-) 133445-52-0, Methylbis (η5-pentamethylcyclopentadienyl) zirconium(1+) methyltris(pentafluorophenyl)borate(1-) RL: CAT (Catalyst use); USES (Uses) (propylene polymerization in presence of) 133445-49-5 HCAPLUS RN Zirconium(1+), $bis(\eta 5-2, 4-cyclopentadien-1-yl)methyl-,$ CN (T-4)-methyltris(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME) CM CRN 133445-48-4 CMF C19 H3 B F15 CCI CCS

$$F \xrightarrow{F} C \xrightarrow{CH3} F \xrightarrow{F} F$$

$$F \xrightarrow{C} F \xrightarrow{F} F$$

CM 2
CRN 94370-49-7
CMF C11 H13 Zr
CCI CCS




RN 133445-51-9 HCAPLUS

CN Zirconium(1+), bis[(1,2,3,4,5- η)-1,2-dimethyl-2,4-cyclopentadien-1-yl]methyl-, (T-4)-methyltris(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 133445-50-8 CMF C15 H21 Zr CCI CCS



CM 2

CRN 133445-48-4 CMF C19 H3 B F15 CCI CCS

RN 133445-52-0 HCAPLUS

CM 1

CRN 133445-48-4 CMF C19 H3 B F15

CCI CCS

$$F \xrightarrow{F} CH3 \xrightarrow{F} F$$


$$F \xrightarrow{C} F \xrightarrow{F} F$$

$$F \xrightarrow{F} F$$

CM 2

CRN 118611-11-3 CMF C21 H33 Zr

CCI CCS



L34 ANSWER 22 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1996:689346 HCAPLUS

DN 126:31699

ED Entered STN: 23 Nov 1996

TI Organo-Lewis Acids As Cocatalysts in Cationic Metallocene Polymerization Catalysis. Unusual Characteristics of Sterically Encumbered Tris(perfluorobiphenyl)borane


```
Chen, You-Xian; Stern, Charlotte L.; Yang, Shengtian; Marks, Tobin J.
ΑU
     Department of Chemistry, Northwestern University, Evanston, IL,
CS
     60208-3113, USA
     Journal of the American Chemical Society (1996), 118(49), 12451-12452
SO
     CODEN: JACSAT; ISSN: 0002-7863
     American Chemical Society
PB
     Journal
DТ
     English
LА
     35-3 (Chemistry of Synthetic High Polymers)
CC
     Section cross-reference(s): 75
     The unusual cocatalytic characteristics of sterically hindered
AΒ
     tris(perfluoro-2-biphenylyl)borane with metallocenes in olefin polymerization
are
     reported. The characteristics include substantially different abstractive
     and ion pair structure-reactivity relationships as compared with
     tris(perfluorophenyl)borane.
ST
     perfluorobiphenylylborane metallocene catalyst olefin polymn
     Crystal structure
TΨ
        (metallocene/perfluoro-2-biphenylyl)borane catalyst for olefin
polymerization)
     Polymerization catalysts
IT
        (metallocene/perfluoro-2-biphenylyl)borane catalyst system for olefin
        polymerization)
IT
     184675-07-8P 184675-10-3P 184675-12-5P
     184675-14-7P
                    184675-17-0P
                                   184675-19-2P
                                                   184686-71-3P
     184686-73-5P
                    184686-74-6P
                                   184686-77-9P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (preparation and catalytic properties in olefin polymerization)
     9002-88-4P, Polyethylene 9003-53-6P, Polystyrene
IT
                                                           25213-02-9P,
     Ethylene-1-hexene copolymer
     RL: SPN (Synthetic preparation); PREP (Preparation)
        (preparation using metallocene/perfluoro-2-biphenylyl)borane catalyst
        system)
IT
     184675-07-8P 184675-10-3P 184675-12-5P
     184686-73-5P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (preparation and catalytic properties in olefin polymerization)
RN
     184675-07-8 HCAPLUS
CN
     Zirconium(1+), chlorobis(\eta 5-2, 4-cyclopentadien-1-yl)-,
     (T-4)-methyltris(2',3,3',4,4',5,5',6,6'-nonafluoro[1,1'-biphenyl]-2-
     yl)borate(1-) (9CI) (CA INDEX NAME)
     CM
          1
     CRN 184686-70-2
     CMF C37 H3 B F27
     CCI CCS
```

PAGE 1-A

PAGE 2-A

CM 2

CRN 184675-06-7 CMF C10 H10 Cl Zr CCI CCS



RN 184675-10-3 HCAPLUS

CN Zirconium(1+), tetrakis[(1,2,3,4,5- η)-1,2-dimethyl-2,4-cyclopentadien-1-yl]- μ -methyldimethyldi-, (T-4)-methyltris(2',3,3',4,4',5,5',6,6'-nonafluoro[1,1'-biphenyl]-2-yl)borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 184686-70-2 CMF C37 H3 B F27

CCI CCS

PAGE 1-A


PAGE 2-A

$$F \qquad F \qquad F$$

$$F \qquad C \qquad R$$

CM 2

CRN 184675-09-0 CMF C31 H45 Zr2 CCI CCS



RN 184675-12-5 HCAPLUS

CN Zirconium(1+), μ -methyldimethyltetrakis[(1,2,3,4,5- η)-1,2,3,4,5- μ pentamethyl-2,4-cyclopentadien-1-yl]di-, (T-4)-methyltris(2',3,3',4,4',5,5',6,6'-nonafluoro[1,1'-biphenyl]-2-yl)borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 184686-70-2 CMF C37 H3 B F27 CCI CCS

PAGE 1-A

PAGE 2-A

CM 2

CRN 184675-11-4 CMF C43 H69 Zr2

CCI CCS

RN 184686-73-5 HCAPLUS

CN Zirconium(1+), tetrakis(η 5-2,4-cyclopentadien-1-yl)- μ -methyldimethyldi-, (T-4)-methyltris(2',3,3',4,4',5,5',6,6'-nonafluoro[1,1'-biphenyl]-2-yl)borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 184686-70-2 CMF C37 H3 B F27 CCI CCS

PAGE 1-A

PAGE 2-A


$$F \qquad F \qquad F$$

$$F \qquad C \qquad R$$

CM 2

CRN 174577-52-7 CMF C23 H29 Zr2

CCI CCS



L34 ANSWER 23 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1995:643165 HCAPLUS

DN 123:169780

ED Entered STN: 28 Jun 1995

TI Protected (Fluoroaryl)borates as Effective Counteranions for Cationic Metallocene Polymerization Catalysts

AU Jia, Li; Yang, Xinmin; Ishihara, Atsushi; Marks, Tobin J.

CS Department of Chemistry, Northwestern University, Evanston, IL, 60208-3113, USA

SO Organometallics (1995), 14(7), 3135-7 CODEN: ORGND7; ISSN: 0276-7333

PB American Chemical Society

DT Journal


English

LΑ

```
29-10 (Organometallic and Organometalloidal Compounds)
CC
     Section cross-reference(s): 35
     CASREACT 123:169780
os
     The functionalized (fluoroaryl)borate salts Ph3C+B(C6F4TBS)4- and
AB
     Ph3C+B(C6F4TIPS)4- (TBS = tBuMe2Si; TIPS = iPr3Si) are prepared in three
     steps from 1,4-HC6F4Br. Reaction with zirconocene dimethyls yields
     crystalline, thermally stable, soluble L22rCH3+B(C6F4SiR3)4- and
     L'\bar{2}ZrH+B(C6F4SiR3)4- salts (L = \eta5-C5H5; \eta5-1,2-Me2C5H3; L' =
    Me5C5) which function as highly active ethylene polymerization catalysts.
     fluoroaryl borate prepn reaction zirconocene dimethyl; polymn catalyst
ST
     zirconocene fluoroaryl borate prepn
IT
     Polymerization catalysts
        (preparation of protected (fluoroaryl)borates as effective counter anions
        for cationic metallocene polymerization catalysts)
ΙT
     167172-29-4P 167172-30-7P 167172-31-8P
     167172-32-9P 167172-33-0P 167172-34-1P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (preparation of protected (fluoroaryl)borates as effective counter anions
        for cationic metallocene polymerization catalysts)
IT
     74-85-1, Ethene, reactions
                                  1559-88-2, 1-Bromo-2, 3, 5, 6-tetrafluorobenzene
     10294-34-5, Boron trichloride 12636-72-5, Dimethylzirconocene
     67108-80-9
                  69739-34-0, tert-Butyldimethylsilyl trifluoromethanesulfonate
     80522-42-5
                  106865-92-3
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (preparation of protected (fluoroaryl)borates as effective counter anions
        for cationic metallocene polymerization catalysts)
                    167172-22-7P
                                   167172-23-8P
                                                   167172-24-9P
IT
     167172-21-6P
                                                                  167172-26-1P
     167172-28-3P
     RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
     (Reactant or reagent)
        (preparation of protected (fluoroaryl)borates as effective counter anions
        for cationic metallocene polymerization catalysts)
TΤ
     167172-29-4P 167172-30-7P 167172-31-8P
     167172-32-9P 167172-33-0P 167172-34-1P
     RL: CAT (Catalyst use); SPN (Synthetic preparation); PREP
     (Preparation); USES (Uses)
        (preparation of protected (fluoroaryl)borates as effective counter anions
        for cationic metallocene polymerization catalysts)
     167172-29-4 HCAPLUS
     Zirconium(1+), bis(\eta5-2,4-cyclopentadien-1-yl)methyl-,
     tetrakis[4-[(1,1-dimethylethyl)dimethylsilyl]-2,3,5,6-
     tetrafluorophenyl]borate(1-) (9CI) (CA INDEX NAME)
     CM
          1
     CRN 167172-25-0
     CMF C48 H60 B F16 Si4
     CCI CCS
```

CM 2

CRN 94370-49-7 CMF C11 H13 Zr CCI CCS



RN 167172-30-7 HCAPLUS

CN Zirconium(1+), bis(η 5-2,4-cyclopentadien-1-yl)methyl-, tetrakis[2,3,5,6-tetrafluoro-4-[tris(1-methylethyl)silyl]phenyl]borate(1-) (9CI) (CA INDEX NAME)

CM 1


CRN 167172-27-2

LAVILLA 09/890438

CMF C60 H84 B F16 Si4 CCI CCS

CM 2

CRN 94370-49-7 CMF C11 H13 Zr CCI CCS



RN 167172-31-8 HCAPLUS


CN Zirconium(1+), bis[$(1,2,3,4,5-\eta)-1,2$ -dimethyl-2,4-cyclopentadien-1-yl]methyl-, tetrakis[4-[(1,1-dimethylethyl)dimethylsilyl]-2,3,5,6-tetrafluorophenyl]borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 167172-25-0 CMF C48 H60 B F16 Si4 CCI CCS

CM 2

CRN 133445-50-8 CMF C15 H21 Zr CCI CCS



RN 167172-32-9 HCAPLUS

CN Zirconium(1+), bis[(1,2,3,4,5- η)-1,2-dimethyl-2,4-cyclopentadien-1-yl]methyl-, tetrakis[2,3,5,6-tetrafluoro-4-[tris(1-methylethyl)silyl]phenyl]borate(1-) (9CI) (CA INDEX NAME)


CM 1

CRN 167172-27-2 CMF C60 H84 B F16 Si4

CCI CCS

CM 2

CRN 133445-50-8 CMF C15 H21 Zr CCI CCS



RN 167172-33-0 HCAPLUS


CN Zirconium(1+), hydrobis[(1,2,3,4,5- η)-1,2,3,4,5-pentamethyl-2,4-cyclopentadien-1-yl]-, tetrakis[4-[(1,1-dimethylethyl)dimethylsilyl]-2,3,5,6-tetrafluorophenyl]borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 167172-25-0 CMF C48 H60 B F16 Si4 CCI CCS

CM 2

CRN 143565-16-6 CMF C20 H31 Zr CCI CCS



RN 167172-34-1 HCAPLUS

CN Zirconium(1+), hydrobis[(1,2,3,4,5-\eta)-1,2,3,4,5-\text{pentamethyl-2,4-cyclopentadien-1-yl]-, tetrakis[2,3,5,6-tetrafluoro-4-[tris(1-methylethyl)silyl]phenyl]borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 167172-27-2

CMF C60 H84 B F16 Si4

CCI CCS

CM 2

CRN 143565-16-6

CMF C20 H31 Zr

cci ccs

CM 2

CRN 47855-94-7 CMF C24 B F20 CCI CCS

L34 ANSWER 26 OF 26 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1991:186158 HCAPLUS

DN 114:186158

ED Entered STN: 17 May 1991

TI Cation-like homogeneous olefin polymerization catalysts based upon zirconocene alkyls and tris(pentafluorophenyl)borane

AU Yang, Xinmin; Stern, Charlotte L.; Marks, Tobin J.

CS Dep. Chem., Northwestern Univ., Evanston, IL, 60208, USA

SO Journal of the American Chemical Society (1991), 113(9), 3623-5 CODEN: JACSAT; ISSN: 0002-7863

DT Journal

LA English

CC 35-3 (Chemistry of Synthetic High Polymers)

The reaction of zirconocene dialkyls L2ZrMe2 (L = η 5-C5H5, η 5-1,2-Me2C5H3, η 5-C5Me5) with B(C6F5)3 yields "cation-like" zirconocene complexes L2ZrMe+MeB(C6F5)3-. (1,2-Me2C5H3)2ZrMe+MeB(C6F5)3-was characterized **crystallog**. With the exception of a shortened Zr-Me distance [2.252(4) Å], the metrical parameters within the "bent sandwich" L2ZrMe+ cation are unexceptional. The cation interacts weakly via a highly unsym. Zr-(μ -Me)B bridge with the essentially tetrahedral MeB(C6F5)3- anion. The L2ZrMe+MeB(C6F5)3- complexes are active catalysts for olefin polymerization For ethylene polymerization, Nt(1) \approx 45 s-1 at 25°, 1 atm (.apprx.4.5 + 106 g polyethylene/mol Zr h atm) to yield linear polyethylene. For propylene polymn at 25°, 1-5 atm, atactic polypropylene is produced with Nt(1) \approx 4.2 s-1.

ST zirconocene complex catalyst polymn olefin; ethylene polymn zirconocene complex catalyst; propylene polymn zirconocene complex catalyst; crystal structure zirconocene complex catalyst

IT Crystal structure

(of zirconocene complex catalyst for polymerization of ethylene or propylene)


CMF

CCI

IT Polymerization catalysts (zirconocene complexes, for ethylene or propylene) 133445-49-5 133445-52-0 IT RL: CAT (Catalyst use); USES (Uses) (catalysts, for olefin polymerization) IT 133445-51-9 RL: CAT (Catalyst use); USES (Uses) (catalysts, for olefin polymerization, crystal structure of) 9003-07-0P, Atactic polypropylene 9002-88-4P, Polyethylene ΙT RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of, in presence of cationlike zirconocene complexes) 133445-49-5 133445-52-0 IT RL: CAT (Catalyst use); USES (Uses) (catalysts, for olefin polymerization) 133445-49-5 HCAPLUS RN Zirconium(1+), bis(η 5-2,4-cyclopentadien-1-yl)methyl-, CN (T-4)-methyltris(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME) CM CRN 133445-48-4

C19 H3 B F15

CM 2 CRN 94370-49-7 CMF C11 H13 Zr CCI CCS




CM 1

CRN 133445-48-4 CMF C19 H3 B F15 CCI CCS

CM 2

CRN 118611-11-3 CMF C21 H33 Zr CCI CCS



IT 133445-51-9


RL: CAT (Catalyst use); USES (Uses) (catalysts, for olefin polymerization, crystal structure of)

RN 133445-51-9 HCAPLUS

CN Zirconium(1+), bis[$(1,2,3,4,5-\eta)-1,2$ -dimethyl-2,4-cyclopentadien-1-yl]methyl-, (T-4)-methyltris(pentafluorophenyl)borate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 133445-50-8 CMF C15 H21 Zr CCI CCS



CM 2

LAVILLA 09/890438 1/14/04 Page 175

=>

CRN 133445-48-4 CMF C19 H3 B F15 CCI CCS

$$F \xrightarrow{F} CH3 \qquad F \xrightarrow{F} F$$

$$F \xrightarrow{C} F \xrightarrow{C} F$$

$$F \xrightarrow{F} F$$